

# Initial Ground-Water Assessment Report for Site 13, Quarters C

# Zone B Charleston Naval Complex

North Charleston, South Carolina



# Southern Division Naval Facilities Engineering Command

Contract Number N62467-94-D-0888
Contract Task Order 0092

March 2000

## INITIAL GROUND-WATER ASSESSMENT REPORT FOR SITE 13, QUARTERS C

ZONE B, CHARLESTON NAVAL COMPLEX NORTH CHARLESTON, SOUTH CAROLINA

COMPREHENSIVE LONG-TERM ENVIRONMENTAL ACTION NAVY (CLEAN) CONTRACT

Submitted to:
Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
North Charleston, South Carolina 29406

Submitted by:
Tetra Tech NUS
661 Andersen Drive
Foster Plaza 7
Pittsburgh, Pennsylvania 15220

CONTRACT NUMBER N62467-94-D-0888 CONTRACT TASK ORDER 0092

**MARCH 2000** 

PREPARED UNDER THE SUPERVISION OF:

APPROVED FOR SUBMITTAL BY:

PAUL CALLIGAN, P.G. TASK ORDER MANAGER TETRA TECH NUS, INC.

TALLAHASSEE, FLORIDA

DEBBIE WROBLEWSKI PROGRAM MANAGER TETRA TECH NUS. INC.

PITTSBURGH, PENNSYLVANIA

choblewski

#### **EXECUTIVE SUMMARY**

Tetra Tech NUS, Inc. (TtNUS) has completed a Rapid Assessment for Site 13 which includes one underground storage tank (UST) system for Quarters C at Charleston Naval Complex (CNC) Zone B, in North Charleston, South Carolina. The UST provided fuel oil to the building's boiler for heating purposes. The 550-gallon steel UST was removed in November 1996. The Rapid Assessment was performed under the direction of the South Carolina Department of Health and Environmental Control Rapid Assessment guidance dated June 20, 1997, and approval letter dated April 7, 1999. After determining all laboratory analytical results were below the risk-based screening levels (RBSLs), the reporting format was reduced from a Rapid Assessment Report to an Initial Ground Water Assessment (IGWA) report format.

#### TtNUS performed the following actions during the Rapid Assessment:

- Reviewed available Navy documents to identify potential sources and receptors for petroleum hydrocarbons in the vicinity, to evaluate public and private potable wells, to locate utility line areas, to locate nearby surface water bodies, and to determine surface hydrology and drainage.
- Reviewed the previously prepared Underground Storage Tank Assessment Report for UST
   Quarters C to determine boring locations and monitoring well placement.
- Conducted site survey to identify utilities and to construct a site plan.
- Installed seven shallow soil borings (8 to 12 feet below land surface [bls]) using direct push technology (DPT).
- Collected soil samples for field screening using an organic vapor analyzer.
- Installed three temporary piezometers inside selected soil borings.
- Collected soil and groundwater samples from DPT borings for on-site mobile laboratory screening analysis for benzene, toluene, ethyl benzene, and total xylenes (BTEX); naphthalene; and diesel range organics.
- Collected four soil samples from DPT borings and analyzed the samples at a fixed-base analytical laboratory for BTEX and naphthalene using USEPA Method 8260, PAHs using USEPA Method 8270.
- Collected soil samples from one DPT boring for grain size analysis, total organic carbon analysis using USEPA Method 415.1, and total recoverable petroleum hydrocarbon using USEPA Method 9071.
- Installed five shallow, permanent monitoring wells to 13.5 to 15.5 feet bls and one vertical delineation well to 36 feet bls using hollow stem auger.

- Collected groundwater samples from six newly installed, permanent monitoring wells for laboratory analysis at a fixed-base analytical laboratory.
- Collected groundwater samples for natural attenuation parameters from three monitoring wells.
- Analyzed groundwater samples for BTEX, methyl tert-butyl ether, and naphthalene using U.S. Environmental Protection Agency (USEPA) Method 8260 and polynuclear aromatic hydrocarbons (PAHs) using USEPA Method 8270.
- Surveyed monitoring well and top of casing elevations and collected depth to groundwater measurements to evaluate the groundwater flow direction.

#### Conclusions

Soil samples were collected from five confirmation soil borings on June 14, 1999, and analyzed for BTEX and PAHs by a fixed-base laboratory. No chemicals of concern (CoCs) were detected in any soil boring sampled.

Groundwater samples were collected from six monitoring wells on July 24, August 3, and August 24, 1999. No dissolved CoCs were detected in any well sampled.

No soil or groundwater RBSLs were exceeded based on laboratory analysis of samples collected during the Rapid Assessment field effort. Because no RBSLs were exceeded, a site conceptual model or a Tier 2 evaluation was not required, thereby greatly reducing the reporting requirements. The IGWA was chosen as the method for reporting the findings of the Rapid Assessment field effort. It allows the necessary presentation for a site with no CoC concentrations in soil and groundwater exceeding the RBSLs.

#### Recommendation

No further action is requested for Site 13, Quarters C, of Zone B, CNC because no CoCs were detected in any of the fixed-base soil or groundwater samples collected during the Rapid Assessment performed in 1999 and reported in the following IGWA.

### INITIAL GROUND-WATER ASSESSMENT REPORT

Facility Name: Charleston Naval Base, Zone B, Site 13, Quarters C Housing

Site ID Number: DHEC Site Identification # 00947

UST Owner or Operator's Name: U.S. Navy Southern Division (SouthDiv) Naval

Facilities Engineering Command (NAVFAC)

Address: 2155 Eagle Drive, North Charleston, South Carolina 29406

Phone Number: 843-820-7307

Contractor: Tetra Tech NUS, Inc., Gregory D. Swanson, Cert. # 24

P.E

Address: 800 Oak Ridge Turnpike, Oak Ridge, TN 37830

Phone Number: (423) 483-9900

Well Driller: Rod Fuller, Custom Drilling - Hollow Stem Cert. # 1240

Auger.

Randolph Brand, Columbia Technologies-

Direct Push. 1485

## Receptor and Site Data

Please place a check in the appropriate answer block for each question:

Receptor Survey Questions	No	Yes*
Is there a drinking water supply well (public or private) or surface water supply intake within 1,000 feet of the UST?	X	
Are irrigation or other non-drinking water wells located within 1,000 feet of the UST?		x
Are there other potential receptors (i.e., utilities, surface waters, wetlands) less than 500 feet from the UST?		x

<sup>\*</sup> If "yes" provide additional information:

There are monitoring wells at additional sites within 1,000 feet of the former UST locations.

Noisette Creek is approximately 930 feet north of the site.

Site Vicinity Map in Appendix D shows underground utility lines within 500-foot radius of Site 13.

Quarters C has a partial basement.

Initial Ground-Water Assessment Report SC	CDHEC Site ID # 00947
Page 2	
Were any water wells within 250 ft radius sampled?	Yes <b>X</b> No
Is the current use of the site and surrounding proper agricultural, or industrial?	rties commercial, residential,
Site: Commercial & Industrial Adjacent Propert	ies: Commercial & Industrial
Soil and Monitoring Well Data	
Primary Soil Type: Sandy silt, silty clay	
Well Installation Method and Date: Hollow-stem	auger; June 19, 1999
Development Method: Surge and purge using ce	entrifugal pump
Soil Samples Obtained at 4 to 5, 5 to 6, 6 to 7	feet

# NOTE: Soil samples were collected from four soil borings. A duplicate sample was collected from one of the soil borings.

## SOIL ANALYTICAL DATA

Sample	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene
	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)	(ug/kg)
13SLB010607D	<7	<7	<7	<7	<7
13SLB010607	<6	<6	<6	<6	<6
13SLB020607	<6	<6	<6	<6	<6
13SLB040506	<6	<6	<6	<6	<6
13SLB060405	<6	<6	<6	<6	<6

Sample	Benzo(a)- anthracene (ug/kg)	Benzo(b)- fluoranthene (ug/kg)	Benzo(k)- fluoranthene (ug/kg)	Chrysene (ug/kg)	Dibenz(a,h)- anthracene (ug/kg)
13SLB010607D 13SLB010607 13SLB020607 13SLB040506 13SLB060405	<360 <360 <330 <330 <350	<360 <360 <330 <330 <360	<360 <360 <330 <360	<360 <360 <330 <330 <360	<360 <360 <330 <330 <360

Initial Ground-Water Assessment Report

SCDHEC Site ID # 00947

Page 3

#### **Ground-Water Data**

Depth to Ground Water: Ranged from 6.68 to 8.09

feet

Well Purging/Sampling Method: Low flow using peristaltic pump

Date Sampled: 7/24/99, 8/3/99,

8/24/99

Free Product Thickness: None

Soil/Water Disposal Method: Soil cuttings and purge water were containerized,

labeled, and moved to a temporary staging area pending results of laboratory analyses and subsequent disposal by Charleston Naval

Complex.

### **GROUND-WATER ANALYTICAL DATA**

Sample	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene
	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
13GLM0101	<5	<5	<5	<5	<5
13GLM0201	<5	<5	<5	<5	<5
13GLM0201D	<5	<5	<5	<5	<5
13GLM0301	<5	<5	<5	<5	<5
13GLM0401	<5	<5	<5	<5	<5
13GLM0501	<5	<5	<5	<5	<5
13GLM0601	<5	<5	<5	<5	<5

Sample	Benzo(a)- anthracene (ug/L)	Benzo(b)- fluoranthene (ug/L)	Benzo(k)- fluoranthene (ug/L)	Chrysene (ug/L)	Dibenz(a,h)- anthracene (ug/L)
13GLM0101 13GLM0201	<10	<10	<10 <10	<10 <10	<10
13GLM0201D	<10 <10	<10 <10	<10 <10	<10	<10 <10
13GLM0301 13GLM0401	<9 <10	<9 <10	<9 <10	<9 <10	<9 <10
13GLM0501	<10	<10	<10	<10	<10 <10
13GLM0601	<10	<10	<10	<10	<10

Initial Ground-Water Assessment Report

SCDHEC Site ID # 00947

Page 4

Sample	EDB (ug/L)				 
13GLM0101 13GLM0201 13GLM0201D 13GLM0301 13GLM0401 13GLM0501 13GLM0601	<5 <5 <5 <5 <5 <5				

# **Appendices**

The appendices required for this report are as follows:

Appendix A. Well Construction and Soil Boring Logs

Appendix B. Laboratory Data

Appendix C. Topographic Map With Site Location

Appendix D. Site Base Maps

NOTE: Because they are not needed, Appendices E, F, and G are not

included.

Report Completed By:

Date: 1/26/00

24 Cert. # 24

# APPENDIX A

WELL CONSTRUCTION AND SOIL BORING LOGS

PROJECT Chas Navel Complex LOCAT	ION: CHC13-MWO	DRILLER Custom	Driller
PROJECT NO. CNC13 BORING		METHOD: DET HSA	
ELEVATION DATE	6 19 99	DRILLING	
FIELD GEOLOGIST Marty Ray		DEVELOPMENT: NA	
			1
	ELEVATION OF TOP OF S	_	
	ELEVATION OF TOP OF F	_	~
	STICK-UP TOP OF SURF	_	Flush
	STICK-UP RISER PIPE:	Dim Minn	Flush
Type of surface:	1.D. OF SURFACE CASING TYPE OF SURFACE CASI	SO DX O OD	
	with Bott-on Li		· 🕟 🐪
	TYPE OF SURFACE SEAL	Concorde Ord	,—
GROUND	(Quickcrete) 2		in.
ELEVATION	CHAICHETT	The A Committee of the	,
	RISER PIPE I.D.:	2-in.	
	TYPE OF RISER PIPE:	PVC Sch. 40	
	Flush Throads		
	BOREHOLE DIAMETER:	8.25 - in	
	- TYPE OF SEAL: PONTLE	ind Coment	
	Type I		_
			1,0"
	ELEVATION / DEPTH OF	SEAL:	1/
<u> </u>	TYPE OS SEAL: "Chol		
	Eine Quartz	and (40/65)	, ,
	DEPTH TOP OF SAND PA	kok:	2'6"
	ELEVATION / DEPTH TOP	of screen:	310
	TYPE OF SCREEN:	PVC, Sch. 40, F.	
	SLOT SIZE X LENGTH:	0.010-in x 10 A	<sup>•</sup>
FD (ppm) - BKGrnd.=	I.O. OF SCREEN:	2-in	
- Driller BZ =	TYPE OF SAND PACK:	randerd Sand E	
- In Hole =	Quartz Sand (	20/30)	
Drums of soil	-		
DGW (10 min.			
after installation)			
atter installation)	ELEVATION / DEPTHBOT	TOM OF POORES	13:0"
	ELEVATION / DEPTH BOT	_	13164
	TYPE OF BACKFILL BELO		319"
	METT.		ار ر
	ELEVATION / DEPTH OF	HOLE: 73	3',6"
		<b>,</b> _	

PROJECT	CNC		N: CHC13-MWOZ	DRILLER	
PROJECT NO.	C NC 13	BORING	CACIS-MWOZ	METHOD: DPT	
ELEVATION		DATE	6/19/99	DRILLING #54_	
FIELD GEOLOGIST	Murty Ray			DEVELOPMENT: NA	
					•
		-	ELEVATION OF TOP OF S	SURFACE CASING:	flush
	9 12		-ELEVATION OF TOP OF F		11000
			- STICK -UP TOP OF SURF		
			- STICK-UP RISER PIPE:		
• •			- I.D. OF SURFACE CASING	s: 8 <sup>#</sup>	
			TYPE OF SURFACE CASING		_
					<del></del>
1/4		<b>~</b>			_
GROUND Y			TYPE OF SURFACE SEAL	CONCLETE has	_
ELEVATION		ا لير	2'X2'X6"		_
				z"	
			- RISER PIPE I.D.:		<b>-</b> ∣
		•	TYPE OF RISER PIPE:	sch 46 PVC	_
				)) = 1	_
			- BOREHOLE DIAMETER:	4.25	_
			TYPE OF SEAL:	of to 8" 66	_
					_
			•		1,6"
			_ ELEVATION / DEPTH OF		// 6
			-TYPE OS SEAL: 30/	<u>65                                    </u>	_
					_
					3/ 6/1
		_	DEPTH TOP OF SAND PA	CK:	2'6"
					21.211
			_ ELEVATION / DEPTH TOP	OF SCREEN:	31,0"
				1114 040	
			-TYPE OF SCREEN:	50 40 PVC	_ 1
		1		1.1.	
			SLOT SIZE X LENGTH:	10 5/21 X 10	<u></u>
		İ		- <i>1</i> /	
			I.D. OF SCREEN:	2".	
				1-	,
		_	TYPE OF SAND PACK:	20/30 541	
					_
			·		_
					,
			- ELEVATION / DEPTHBOT	TOM OF SCREEN	1310
			– ELEVATION / DEPTH BOT – ELEVATION / DEPTH BOT		131/64
			_		13.6
·			TYPE OF BACKFILL BELC	O Sead	
					1316
			ELEVATION / DEPTH OF	HOLE:	7319

PROJECT Chas. Nave I Complex		N: CNC13-MWB3	DRILLER CUSTON	
PROJECT NO. CNC 13'	BORING		METHOD: OPT HS	A j
ELEVATION	_DATE	6/19/99	DRILLING	
FIELD GEOLOGIST Marty			DEVELOPMENT: NA	
			_ <del>-</del>	\$
		ELEVATION OF TOP OF S	SURFACE CASING:	
	<del></del>	ELEVATION OF TOP OF F		
· <b>Ⅲ</b> Ⅰ ┌── ┞◀╌	<del>  </del>	- STICK -UP TOP OF SURF	ACE CASING:	Fluss
	<del></del>	STICK-UP RISER PIPE:	17 th	Flush
- EKINDYA:		- I.D. OF SURFACE CASING		
Type of surface:	ĺ	TYPE OF SURFACE CASI	ng: Steel Cover	- 🙈 📗
	_	with Bolf-on Li	d (Flush) Pemi	. O
CROUND Y		TYPE OF SURFACE SEAL	:Concrete Pad	
ELEVATION		(QVICKCRETE) 2	24. x 24. x 6	_1 <b>%</b> -
		_ "	<b>~</b> \	
	<del>  </del>	- RISER PIPE I.D.:	2-in.	_
		TYPE OF RISER PIPE:	PVC Sch. 40	_
		Flush Throads		_
		- BOREHOLE DIAMETER:	8.25 - in	- 1
		- TYPE OF SEAL: PONTLO	end Cement	-
		Type I		
	}	•		1,6"
	<del></del>	ELEVATION / DEPTH OF	SEAL:	
	<del></del>	- TYPE OS SEAL: "Chol		-
		Fine Quartz	Sand Cic/65)	
▎▕▗▗		DEPTH TOP OF SAND PA	ACK:	3'0"
	1	DEFINIOR OF CHARTE	10.0	
		ELEVATION / DEPTH TO	P OF SCREEN:	410
200 Sept.		<del></del> -		
		TYPE OF SCREEN:	PVC, Sch. 40, F	<u>.</u> 7.
	1		0000 440	Λr
	l	SLOT SIZE X LENGTH:	0.010-in x 10.	LT .
(D)	ļ		2 1	
FD (ppm)		I.D. OF SCREEN:	2-in	<b>-</b>
- BKGrnd = 00	1			
				_
- Driller BZ = 0.0		4	Chadadka 11	<b>79</b> )
- C Ilolo -		TYPE OF SAND PACK:	5-bnderdsand 1 (20/30)	
- In Hole =		MUDATZ SONO	CVIDUI	<del></del>
· Drums of soil	1			
1 1000 1600				
Mawciomin				w.1 11
DGW (10 min. after installation)		ELEVATION / DEPTHBC	TTOM OF SCREEN:	14:0"
			OTTOM OF SAND PACK	1416"
		TYPE OF BACKFILL BEI	LOW OBSERVATION	
	)	MEIT. 5	0/80 sand	- 141,6
<b>│</b>	<del></del>	ELEVATION / DEPTH O	F HOLE:	14/0

PROJECT (NC LOCATION: CNC/3-MW9) DRILLER	
PROJECT NO. CNC/3 BORING CNC/3-MW- METHOD: DATE 6/19/99 DRILLING	PŦ
ELEVATION DATE 6/19/99 DRILLING	HS A
FIELD GEOLOGIST Marty Ray DEVELOPMENT	
	- 1
ELEVATION OF TOP OF SURFACE CASING	= <u>F/451</u>
ELEVATION OF TOP OF RISER PIPE:	
STICK -UP TOP OF SURFACE CASING:	
STICK-UP RISER PIPE:	
I.D. OF SURFACE CASING:	
TYPE OF SURFACE CASING: STEEL IN	
CROUND TYPE OF SURFACE SEAL: CONCIETE	ned
	7000
ELEVATION	
RISER PIPE I.D.:	
• TYPE OF RISER PIPE: Sch 40	PVC
THE OF RIGHT IE.	<del></del>
BOREHOLE DIAMETER: 4.25*	
TYPE OF SEAL: QIOFT TO C"	6/5
The of sea.	<del></del>
ELEVATION / DEPTH OF SEAL:	1'16"
TYPE OS SEAL: 30/65 5440 86	
- THE GO SEAL. 30/03 3440 00	
DEPTH TOP OF SAND PACK	J' 4"
DEFIN TOP OF SAND PACK	
ELEVATION / DEPTH TOP OF SCREEN:	3'10"
CEL VALIDATION OF STREET	
TYPE OF SCREEN: Sch 40	PVC
SLOT SIZE X LENGTH: 10 5 0	x 101
I.D. OF SCREEN: 2"	
TYPE OF SAND PACK: 20/3>	3440
	,
ELEVATION / DEPTHBOTTOM OF SCREEN	ı: /3',0
ELEVATION / DEPTH BOTTOM OF SAND P	ACK: 13/16"
TYPE OF BACKFILL BELOW OBSERVATIO	N 4
WELL: 20/30 Sand	i: 1310 ACK: 1316° N 1316°
	13: 6°
ELEVATION / DEPTH OF HOLE:	/J/ U

PROJECT	CNL		LOCATIO	N. CNCIS-MUO	DRILLER ROL	
PROJECT NO.	CNCIS		BORING	CNC13-MUOS 6/19/99	METHOD: BPT	_
ELEVATION			DATE	6/19/99	DRILLING #5#	-
FIELD GEOLOGIST	Marty	Ray	·		DEVELOPMENT: NA	
						Flush
CNC13-MWD5	$\alpha$			ELEVATION OF TOP OF		FILET
CHEIS VIII				- ELEVATION OF TOP OF I		
	<b>,</b> , , , , , , , , , , , , , , , , , ,			- STICK -UP TOP OF SURF	FACE CASING:	
		1		- STICK-UP RISER PIPE:	G: 8"A+	
				- I.D. OF SURFACE CASING		_
				TYPE OF SURFACE CAS		_
mount V/		10000000		TYPE OF SURFACE SEAL		_
CROUND V				2'xz'x6*		-
ELEVATION						_
		<i>#</i>		-RISER PIPE I.D.:	2"	
				TYPE OF RISER PIPE:	Sch 40 PK	_
						_
		<b>///</b>		BOREHOLE DIAMETER:	4.25	_
				- TYPE OF SEAL: 916	out to 6 6/5	_
						_
	<i>111</i> 2					210
				_ ELEVATION / DEPTH OF	SEAL:	210
		•		TYPE OS SEAL: 36/	63 Sqq <del>a</del>	_
						_
	<b>3</b>			- 05050 700 04 4400 04	ALC	3'0"
				T DEPTH TOP OF SAND PA	(CK)	
				ELEVATION / DEPTH TOP	OF SCREEN.	51,04
					O' CONCENT	<u> </u>
				-TYPE OF SCREEN:	Sch 40 Prc	
						_
				SLOT SIZE X LENGTH:	10 slot x 10'	_
		3-11-1 			_ ((	
				I.D. OF SCREEN:	<u> </u>	_
					ade and	
				TYPE OF SAND PACK:	20/30 send	_
				•		_
İ					•	
		- <del>1</del> 200 - 1200				
		44				1
				- ELEVATION / DEPTHBOT	TOM OF SCREEN:	1510
				- ELEVATION / DEPTH BO	TTOM OF SAND PACK:	1516
				TYPE OF BACKFILL BELO		
		- 12 - 12 - 12 - 12		WELL	36 59ad	1516"
	10000000000000000000000000000000000000			ELEVATION / DEPTH OF	HOLE:	13/6"

	RING CUC13-MUD6D METHOD DET 8.2549A 16"
ELEVATION	TE 7/7/99 7/4/99 DRILLING ROC/FULO
FIELD GEOLOGIST Mark Damhara, Parmy	Con 160 M C
Modlad: B.ZK"HGA Loset 6" PVC Luxlace	case/64 M.K.
	ELEVATION OF TOP OF SURFACE CASING:
	ELEVATION OF TOP OF RISER PIPE:  STICK-UP TOP OF SURFACE CASING:  ELUGH
	STICK-UP RISER PIPE:
	1.D. OF SURFACE CASING: 8"10x 10"00
	TYPE OF SURFACE CASING: Heel Guer
(Gva 54)	Bolt-on lid Flugh (REMCO)
GROUND V	THE OF THE PART OF
500 2 800 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(Quickcrele) ZALY ZAY 6 in.  Bore hole Dia. 12.25" (B.26" DOH4A)
ELEVATION	- Ranghalo Dia 12.25" (8.26" JDH4A)
	TYPE OF RISER PIPE: PUC. Sch. 40. Flight Tures CF. T.
	Sufface Casi was Type: PUC, Sch UD, F.T. / 6" D.a.
	BOREHOLE DIAMETER: 6 MA.
·   /  } ■ ■ <del>     </del>	TYPE OF SEAL: BOYHAND CONENT TYPE I
	25
	ELEVATION / DEPTH OF SEAL
	TYPE OS SEAL Choke Sand" (30/65) Ven
	King Otz. Sand & Bentonile Plug
	(1' choke & 2ft bondonite)  DEPTH TOP OF SAND PACK:  29  Depth affortace Casing  151
	Depth of sand pack:  29  151
	ELEVATION / DEPTH TOP OF SCREEN: /3/
	TYPE OF SCREEN: PUC SCHOOL FIT.
to lulad	SLOT SIZE X LENGTH: ODIO'N x 5 A.
43 Day of	I.D. OF SCREEN: 2 /4
2) Drums of soil cuttings	
Soil cuttings	
	6-01-50
	TYPE OF SAND PACK: (20/30) Sand. (Shandard Gound O) Otz Gand.
	(THE rOUND SOUND !! (It's Gand.
3	
	ELEVATION / DEPTHBOTTOM OF SCREEN: /36/
	TYPE OF BACKFILL BELOW OBSERVATION
	WELL: (20/30) Sand.
	ELEVATION / DEPTH OF HOLE: /36

			NAMI NUMI			<u></u>				BC	DRING NATE:	- IUM <u>E</u>	BER: CN 3-18- SISCS COLEM	Pag C	3	_	E	Ø	1
Ď	RIL	LING		PANY:	F-2.	50	mg (	<u>⊊.≥. s</u>	sea	GE DF	EOLOGIS	ST: -	SISC	i de la companya de l					•
a Typ	mple Na. Ind pe ar	Depth (FL) or Flun No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology	Soi Dens Consis y or Ros	MAT il lty/ stenc Cold	ERIAL I	DESCI	RIPTIO	tion	បនបន៖	Remar			ID Re		Driller BZ**	, 
-		0 1 2				Br Br	, , , , , , , , , , , , , , , , , , ,	Se	dy	5:11 115	Bove w coal-li	201	De	<u> </u>	2				
		34		2				1		_		har							
>	<b>X</b>	5	/			57	,	5//	ty 3	terd			mrss		2,72				H.S.
		8		3.5		+		S.	`\	Str	1		wet		スクン	<u> </u>			
F		10			Y	Gr.	93;   /d	Si	44	org.	chy		wet		2				3 Mag
	7	10	_	4_	EOB	Ord	70"	-	<u>-</u>				Soture	ted					
									<u> </u>				-						
										<del>-</del>	<del></del>					_			
-  -						ļ										<del> </del>			ł
	_																		

Well I.D. #:

Converted to Well:

Yes

PRO	JECT	T NAM	BER:					BOR	BOR DATE	LOG	UM	BER: CNC 1	age <u>l</u> 13 - 99	. of _ <i>B</i> (	レ グ2	2	
		RIG:	PANY:	25	0/3	540	20		- GEO DRIL	<b>FOGI</b>	>11	SISCO COLEM					
Sample No. and Type or RQD	(Ft.) or	Blows / 6" or RQD (%)	Sample Recovery / Sample Length		Soil Density Consistence  y or Rock Hardness	Golor			salfication		U	Remarks	PIDIFID		priller stere		
	1	$\angle$			Br.		Sec	ly Es	Ut			DRY	2				
	2	$\angle$			t r			·//			$\Box$		2				
	3	/,			u,		,	l	•		_	<u> </u>	2		Ц		
$\sqcup$	4	_	3		•	<u> </u>					$\dashv$				Ц		
${igspace}$	5	_			Br.		Sar	dy S	<u>i/t</u>		_	moist	2	4	$\Box$		
$\vdash$	6	4			1		<i>(</i> *)	/ 1	, /		$\dashv$			+	$\dashv$		
$\vdash$	7	$\leftarrow$	2 /		Grey	<u> </u>	Si/1	t un	g.cl	ey		Wet	2	╀	$\dashv$	7000	,
$\vdash$	a	$\overline{}$	2.5	,	Geay	<del>  </del>	CIA	7 Oc	A . A	4.	{	Wet		+	$\dashv$	\	,
$\vdash \vdash$	in	$\overline{}$			MATH		<b>F</b> //	1	<u>g-c</u>	<del>@</del> /	$\dashv$	<u> </u>		+	$\exists$	+ODE	C
	//			_	ovange			$\overline{}$					1/1	$\top$	$\exists$	( -31	
	12		4		·			4				Saturated		$\top$		) to Stift	
		$\leq$	7	EOB				4				7				JS44	{
		4												Ш	Ц	07 12	<u>-</u>
											_			Щ	Ц		
		4					_							$\sqcup$			
		$\langle \cdot \rangle$			_						$\dashv$			+	$\square$		
$\vdash$	-	$\langle \cdot \rangle$			_						$\dashv$		++	+	$\dashv$		
		$\leftarrow$									$\dashv$	-	<del>-   </del> -	+	$\dashv$		
	$\dashv$	$\overline{}$					<u> </u>				$\dashv$		╅	+	$\dashv$		
		$\overline{}$											++	+			
						<u> </u>							<del>-   -   -</del>	1	$\Box$		
	le moni		er rock bro		@ borehole	. Incre	ase readir	ng frequenc	y if elevate	d repons	e rea	d. Dri Backgrou	iling Are nd (ppm)		2	-	
Conv	erted	to We	ell:	Yes		_	No _	X	_ w	ell I.D.	. #:		-				

	JEC1 _LING		BER: PANY:				DATE: GEOLOGI		BER: CNC 13 5-18-9 31500	9		_
	LING				250 m	5400	DRILLER:		COLEMA	W		<u>-</u> -
Sample No. and Type of RQD	(Pt) or	Blows / 6" or RQD (%)	Sample Recovery / Sample Langth		Soil Density/ Consistent	ERIAL DESCR	militare concernium distribution de concernium membra	U & C & .	Remarks	Sample	Dreading (ppn  Botehole  20 Philips BZ  Drifter BZ	
_	1				Br.	Sarly	Zi/t		Dry	3		1
	2		<i>2</i> *		Br,	"	<u>'',                                   </u>	<u> </u>	11	3	<del>                                     </del>	-
	[ ]	-	م ر <i>د</i>	 	Lt. Br	Calla	01/4	<u> </u>	11	3	<del>                                     </del>	-
	4		2.5		1) (1	Samog	$\frac{2ill}{c}$	<u> </u>	March	3	<del>[                                    </del>	-
X	7	-			(( ( )	()	1,	<u></u>	11/12:55	2	<del> - -</del>	┨
	9	$\leftarrow$			1111	Sardi	- 5 4:		111.2	12	╁╌╂╌┨	1
	97	-	25			Jaro	04/8-		Will		╂┼┼┼	┨
_	a		4.5	Y	Gard	Sande		<del>                                     </del>	Saturated		╁╌┼╌	┨
	10	$\overline{}$			Ov.Br	Ciltural	y, Clay	╁╌	11		<del>                                     </del>	1 8
X	77				Or.Br.	100	4, 110	+			<del>                                     </del>	1 '
	la		ユ							‡	<del>                                      </del>	1
				£93	•	<del>                                     </del>	=			t	<u> </u>	1
	1		_									1
			_								<u> </u>	1
·				-								1
												1
				!								1
												]
									-			
												]
												]
- 7												

PRO	JEC1	Γ NAMI	<b>F</b> .	.2			BORING LO	<u>G</u>	Pag BER: CNC ( 5-1B- 99 SISCO COLEMAN	ge _ :3	<u>/</u> -	of_	1	<i>3</i> 4
		NUM					DATE:	140.0.	5-18-99	7				. 1
			PANY:			_,	GEOLOG	IST:	SISCO					
DRIL	LING	RIG:			250		5400 DRILLER	: .	COLEMAN	<u> </u>				1
Sample No. and	Depth (FL) or	Blows / 6" or RQD	Sample Recovery	Lithology Change (Depth/Ft.	Soil Density/	ATE	RIAL DESCRIPTION	U S		PIO/F				
Type or RQD	Run No.	(%)	Sample Length	) or Screened Interval	Consistenc y or Rock Hardness	Colo	Material Classification	c s *	Remarks	Sample	Sampler BZ	Borehole	Oriller BZ"	
	1		<u> </u> 	_	N.B.		Sardy 21/t		DAY	2	ļ <u>.</u>			
	2				er.pr.				f q	2				
	3	$\angle$			11.11				(1	2				
	4	/	2.5									<u> </u>		
X	5	<del>/</del>	1		Pica w10		2 1 -1//	-   - <del>-  </del>	u1 - 2 - 1	-		_	-	
<i>(</i>	6	-			Okenjo	<u> </u>	Barry Silt	+	Moist	<del> </del>	$\vdash$	<del> </del>	H	
	H	_	215	7			RYHO CHES	, X	URI					برين هي
	9				Q.		SILY Conclain		<u>as of souch</u> So tuxted		$\vdash$	_		
	10		_		BIEL		Silty On Cla		11					ASATU Med SH
X	11	$\angle$			netth		' L V., /		(1)					
	12	/	3.5		4	<u> </u>	Silty Cing Clay		<u>U</u>	_	<u> </u>			1-2
		_		EOB			,	4-		┡	_	├		314
		<u> </u>					· ·	+		_		├	<u> </u>	
		-	<u> </u>								╁	├─	-	
		$\overline{}$	Ì						-	<del> </del>	╁	╁	├─	
								+		╁╴	╁	_		
,							-							
		Ζ,									$oxed{\Box}$			
<b>I</b>										<u> </u>	igspace	<del> </del>	-	
		<u>/</u> ,						<u> </u>		_	ot	<u> </u>	<u> </u>	
										1			1	

\*When rock coring, enter rock brokeness.

\*\*Include monitor reading in 6 foot intervals @ borehole. Increase reading requency if elevated reponse read.

Remarks: 5/0// VCUNENUE 5/10/0/5/1/

Converted to Well: Yes No Well I.D. #:

		NAMI		Site	<u> 13</u>			BORING	NUM	BER: CNC13	80	5_		
			BER: PANY:		In Ria			——DATE:	IST.	BER: <u>CNC13</u> 5/25/ <b>99</b> BDH				_
DRIL			MII.	Stra	untra tourable			DRILLER:		RB				_
			]	770+14	V N	AATE	RIAL DESC		$\top$		PID/F	ID Res	dina	- (0
Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	(Depth/Ft. ) or Screened interval	Soil Density/ Consistence y or Rock Hardness	Color	Materia	Classification	U S C S ·	Remarks	Semple		Borehole**	T
				25	Conse	ngd	Topsort	, silty, w/ro	o dets	sh. moist	œ	0	0	Γ
· I		$\overline{}$	2.4/40	<b>'</b>	7000	15	Sand.	( the Vit , al	OK.	de moia	0			Γ
	Ĭ			<b>]</b> .			<u></u>	1	10					T
	4				- <u>-</u>						ļ	П		t
	7									23F 805 0405	04	П		t,
	$\overline{}$		24/40			ton			┿	moiot	70			ť
4		-				a			+	moiot Not 0 ~ 5.5-6	1	Н		t
	<del> </del>	-				mu		/	+			Н		ł
	8	$\leftarrow$				0 0		<u>/</u>	+		0	H		ł
- 00	$\dashv$	-				$\vdash$	NI		+	_	$\vdash$	Н		ł
$\vdash \vdash$		$\leftarrow$					TD 8'		<del> </del>					ł
$\vdash$		-			<u>.</u>				_		-	Н		ł
$\vdash \vdash$		_									-	$\vdash$		ł
$\vdash \vdash$		$\overline{}$							-		<del> </del>	Н		ł
$\vdash \vdash$		/_			· · · · · · · · · · · · · · · · · · ·				<u> </u>		<u> </u>			ļ
$\longmapsto$		$/\!\!\!/$									<u> </u>	ļ		1
									ļ		<u> </u>			ļ
$\sqcup$		$\angle$												1
												Ш		1
														1
1														Ī
														Ī
														Ť
											$\vdash$	H		t
	一								<del> </del>					t
┖	$\dashv$								+	-	$\vdash$			t
When	rock co	ring, ente	r rack bro	keness				_	L					Τ
	te monit				@ borehole	. Increa	ase reading frequ	ency if elevated repo	nse rea	d. Drillin Background				_
												1		

		1 110.		.>!!!	umbia		RIAL DESCRIPTION	_	BER: CNCJ3 F-25-40 BDM RB		_	ading	
Sample No. and Type or RQD	(Ft) or	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft. ) or Screened interval	Soll Denaityi Consistenc	Colo		U S C S +	Remarks		Π	Borehole**	Τ
							Brown silts f. sand			0	0	0	٤
			2.4/4.0				Brown silts f. sand Tr. of clay			70			Ţ
			•				<del></del> -,		± 5 <sup>3</sup> 135FBØ	<b>Ø</b> 4	ø.s		L
	ц	$\angle$							Sample 4.0-4.				Ł
				. ∆ \$.∂					Wete 50	44	Í	ξŲ.	2
	•	$\angle$	3.0/8	8,0			Tand Gray fine Sit	<u> </u>	weteso	9	0	0	c
		$\angle$					Sand '	ļ				_	L
	ঠ				·			↓_		<u> </u>	_	_	L
		$\angle$					TD 8'	ļ		_	L	_	L
								ļ				_	Ļ
										_		_	Ļ
		$\angle$						<u> </u>		-	ļ.,	_	L
				•					_	╄			L
		/								$\vdash$	_		L
		-						$\vdash$		╀			L
		$\langle \cdot \rangle$		}				├		├	-	-	┡
		$\overline{}$		}				╁	<del> </del>	┼-	-	_	┞
				-				$\vdash$		-		<u> </u>	H
				}						$\vdash$			$\vdash$
				}						$\vdash$	-		H
-				}				$\vdash$			_		-
				}				$\vdash$		-		-	$\vdash$
				ŀ									$\vdash$
	$\dashv$			}				-	_		-		$\vdash$
When	mate ex	ring, ente	r rock brol	(eness									L

~			NUM COM	PANY:	Coll	untia			GEOLOGI	ST:	BER: CNC 13 B 5/25/99 BDH				
	DRIL	LING	RIG:		<u>H</u>	ratasu	obe	,	DRILLER:		TR B				
•								RIAL DESC	RIPTION			PID/F	ID Re	ading	(ppr
	Sample No. end Type or RQD	(Fl.)	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft. ) or Screened Interval	Soil Density/ Consistenc y or Rock Hardness	Color	Material C	ilassification	U S C S	Remarks	Sample	Sampler BZ	Borehole"	Driller BZ**
				,	0.5	Good "	nod	Toping 2	on firely	W/	st. moist	0/			0
				2.9/40	}′		Dr.	Sore.	A. to vit.		sh. moust	D			
اُد			/		i	Jose	M	siting	7						
		4					7	0	_						
l									- A		135FB070405				
			_	28/	, ,					`	77.8	0/			0
1			/	40	6.6	fim	tan	Sand day	lu D-Tore		200 @ 5.5'-E	0			
20°C 10		8				ν <u>-</u>	Sec.	become !	law sardy.		6-6.6 sat	D.	i Gá		
per la							June 1	morale	Hel la		, <sup>3</sup> 8•			1	
ĺ			_							L					
I								TD 8							
I												_			
ļ										ļ		ļ	Щ		
ŀ												<u> </u>	Ш		
ļ								e e		<u> </u>					
ŀ			4					1	_	<u> </u>		<u> </u>			
ŀ	_									ļ		_			
ŀ												_	Щ		_
ŀ	_											_	Н	_	
ŀ			4										_		
ŀ										<u> </u>		<u> </u>	Ш		
ļ			/					_		ļ					_
ŀ			/_						_	_					
			/,									_			
				r rock brok											

		TNAM		CA	<u> 1C-</u>	<u>ديک</u>	Lë 13		NUN	BER: CMC 13 -N	1W(	16 D	1	
PR(	OJEC	T NUM	IBER:	<u>~ ©</u>	(4)	<del>.</del>		DATE:	ICT:	7/11/99		<i>-</i>		
DRI	LLIM	G CON G RIG:	IPANT.	Cera	fam 1	J/山 ろう	Leby	_GEOLOG: DRILLER:		Mark Dami' Rod Fuller	<b>3</b> (1	4.4		
	T	7		VV LON			ERIAL DESCRIP	-	Τ-	NOW TO WELL				
Sampi No. and Type o RQD	(PL) or Run	BHOWE / For ROD (%)	Sample Recovery ! Sample Length	Litholog Change (Depth/f ) or Screams Interva		10	ERIAL DESCRIP	es 2 generale pe	U S C S ·	Remarks		O)		
0	16	52	-	Źσe	Barine	Log	on 6/8/996	y R.Bran	l é	7/7/99 Ky MW	$ar{\Gamma}$			Γ
0	16	4/2	12/24		Doors	Lin	30 ad - NF-	FAMA	50	No peleo, ador	0	0	Ø	0
	$\Gamma_{\Gamma}$	4				1	reclandor	Oto Lina-		or discolor.		П		
<u> </u>	V					1	ble suchive		1	4, 100	<del>                                     </del>	П		
	18	X			-		Sholly Hage	45						
Ø	20	35	12/24		Oring	de			<u> </u>	No pelio odo	21	0	O	0
	1	77					well souted			on discolor.			_	
	4	$\nabla$					able sayurs	Hod up						
	22	X					a helle 1405							
(3)	25	76	424	<u> </u>			<del> </del>							
		412		4	Fan/a	1100	Sand-Cas	above)	ÝQ.	Cas above	0.4	0	9	0
	V	$\mathcal{N}$		,										
	27	$\angle X$												
9	30	6/10	12/24		Jon /	ane	Sand-Fan	eh.	50	(as above)	2.1	0	၅	0
		1014					Sand-Fan Casabove	-1						
	V													
	32	$\angle$												
3	32	5/1	18/24		Drang	4	Sand - (05	above	<b>3</b> 2	las atrive	2.2	0	0	<u>o</u>
		68			_	<u> </u>								
	₽	X						•						
	34													
6	31	24	24/24 (	234	Duamp	lan	Land - Cas	above!	10	(as above)	3,6	0	0	٥
	Ц	86		_										
	•	X			35.5 G	~ey	Clay -dorly	zahenle	$\alpha$	(as above)	/2	0	9	0
	36	$\angle X$		34.5			sweeth no she	Us do so						
			rock brok In 6 foot i			»eh	e Term . ~ equency if	Signature renon-	id ree	±. Drillin	a Aı	ea		
			615-I	_ 1			d to dailithe	~ : /		Background			0.0	2
Conv	erted	to Wel	l: \	/es	<del>-/</del> -		No	Well LD	# /	CNC-13-MW	<del>7</del> +			—

Page 2 of 2 **BORING LOG** CNC/5/1e13/ BORING NUMBER: CNC 13-MW06D PROJECT NAME: DATE: PROJECT NUMBER: GEOLOGIST: Mark Daming ton JRILLING COMPANY: Custom Drilling Services Mo6. Ye DRILLER: Rod. B-57 DRILLING RIG: MATERIAL DESCRIPTION PIDIFID Reading (pp Ų F or ROD Change 8 **e**f C Remarks (%) Run Longth ROD  $\Theta$ ian ale reliev. oders or discolor. 15 A. Ns. (nopilothole of A. 254 HSA'S)

* Include monitor reading in 6 fact intervals @ barehole. Increase reading frequency if elevated reponse read.	Drilling Area
Remarks:	Background (ppm): 0.0

When rock coring, enter rock brokenses.

Converted to Well: Yes No Well I.D. #: CNC /3 - MUD 6 D

APPENDIX B

LABORATORY DATA



September 14, 1999

Mr. Paul Calligan

Tetra Tech Nus

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

RE: Katahdin Lab Number:

WP3500

Project ID:

**CNC Charleston** 

Project Manager:

Ms. Andrea J.Colby

Sample Receipt Date(s):

8/4/99

Dear Mr. Calligan:

Please find enclosed the following information:

- Report of Analysis
- Quality Control Data Summary
- Chain of Custody
- Confirmation

Should you have any questions or comments concerning this Report of Analysis, please do not hesitate to contact the project manager listed above. This cover letter is an integral part of the ROA.

We appreciate your continued use of our laboratory and look forward to working with you in the future. The following signature indicates technical review and acceptance of the data.

Sincerely,

KATAHDIN ANALYTICAL SERVICES

Authorized Signature

9.141.99

Date



# SDG NARRATIVE KATAHDIN ANALYTICAL SERVICES TETRA TECH NUS CASE CNC CHARLESTON

#### Sample Receipt

The following samples were received on August 4, 1999 and were logged in under Katahdin Analytical Services work order number WP3500 for a hardcopy due date of September 3, 1999.

KATAHDIN	TTNUS
Sample No.	Sample Identification
WP3500-1	13 <b>GLM</b> 0101
WP3500-2	13GLM0301
WP3500-3	13 <b>GLM</b> 0501
WP3500-4	13TL01001

The samples were logged in for the analyses specified on the chain of custody form. All problems encountered and resolved during sample receipt have been documented on the applicable chain of custody forms.

Sample analyses have been performed by the methods as noted herein.

#### Volatile Organic Analysis

Four aqueous samples were received by the Katahdin Analytical Services, Inc. GC/MS laboratory on August 4, 1999 and were specified to be analyzed by USEPA method 8260B for the analytes benzene, toluene, ethylbenzene, xylenes, MTBE, naphthalene, and EDB.

Analyses for this workerder were performed on the 5972-S instrument. A VSTD050 (50 ppb standard) was used for the continuing calibration standard. Internal standard and surrogate compounds were also spiked at 50 ppb.

Batch QC (VBLK, and LCS) was performed in each twelve-hour window. Results are included in this data package. The LCS QC samples were spiked with the entire list of compounds quantitated for at 50 ppb. No matrix spike/matrix spike duplicate was performed on any sample in this workorder.

Several manual integrations were performed due to split peaks, all have been flagged with a "M" (software-generated) on the pertinent quantitation reports. All "M" flags have been dated and initialed by the analyst performing the integration. In addition, all "M" flags have been reviewed and approved by the GC/MS supervisor. Copies of each manual integration are included in the pertinent quantitation reports.



No other protocol deviations were noted by the volatile organics staff.

#### Semivolatile Organics Analysis

Three aqueous samples were received by Katahdin Analytical Services laboratory on August 4, 1999 for analysis in accordance with 8270C for a client specified PAH list of analytes.

Extraction of the samples occurred following USEPA method 3510 on August 9, 1999. A laboratory control spike, consisting of all PAH analytes spiked into organic free water, was extracted in the batch.

Several manual integrations were performed due to split peaks; all have been flagged with a "M" by the data system. All manual integrations have been dated and initialed by the responsible analyst. Copies of each manual integration are included in the data package. All manual integrations have been reviewed and approved by the GC/MS supervisor.

No other protocol deviations were noted by the semivolatiles organics staff.

#### Wet Chemistry Analysis

For work order WP3550 analyses for Nitrate (E300) and Sulfate (E300) were performed according to the U.S. EPA "Methods for the Determination of Inorganic Substances in Environmental Samples", EPA 600/R-93/100, August 1993. All samples were run within laboratory hold time.

The wet chemistry staff noted no protocol deviations.

KATAH ANALYTICAL SERVICES SAMPLE RECEIPT CONDITION REPO					LAB (WORK ORDE	R) #	WP	3495	JW8350c
Tel. (207) 874-2400	ואכ				PAGE:		OF 2	_	
Fax (207) 775-4029	•				COOLER:	1	of 2		
· ·		···					_Ur <u>&amp;</u>		
CLIENT: J-Tech NUS					COC# SDG#			<u> </u>	<del></del>
		_			DATE / TIME REC		8-4-	19,000	20
A La adam	41				DELIVERED BY: RECEIVED BY:		<u>Pede</u>	£¥	
PROJECT: CNC CHARLEST	·	_			LIMS ENTRY BY:		BK-R		
					LIMS REVIEW BY	/ PM:	DC_		
	YES	_	EXCEPTIONS		COMMENTS		RESOLU	TION	
1. CUSTODY SEALS PRESENT / INTACT?		Ш			<del></del>		-	<del></del> -	<del></del>
2.CHAIN OF CUSTODY PRESENT IN THIS COOLER?		u					<del></del>		
3. CHAIN OF CUSTODY SIGNED BY CLIENT?	<u> </u>	, <b>U</b>		•.					<del></del>
4. CHAIN OF CUSTODY MATCHES SAMPLES?	9						785		<del></del> -
5. TEMPERATURE BLANKS PRESENT?					TEMP BLANK TEMP (*C)=	(0)	12. A. S. C.	~ 6 419	g VankCalligan
6 SAMPLES RECEIVED AT 4°C ±/- 2?  (ICE) ICE PACKS PRESENT Y or N?		9			COOLER TEMP (*C )=	NA Y IF TEMP	BI ANK IS NO	TPRESENT	
7. VOLATILES FREE OF HEADSPACE?	4						-5 444 15 115	,	
8. TRIP BLANK PRESENT IN THIS COOLER	122								
9. PROPER SAMPLE CONTAINERS AND VOLUME?	凶								
10. SAMPLES WITHIN HOLD TIME UPON RECEIPT?	囡								
11. SAMPLES PROPERLY PRESERVED(1)?	凶		/ 🔲						
12. CORRECTIVE ACTION REPORT FILED?		鱼	N/A						
13. ANALYTICAL PROGRAMS (CIRCLE ONE) COMM	IERCIAL_	CLP HAZ	WRAP NES	ACOE	AFCEE OTHER (STATE OF C	ORIGIN):			<del></del>
ROG-IN NOTES (1): DISSOLVED	me	tha	ne a	nal	ysis added	<i>to</i>	Sam	ر جا ر	
\$ 130Lm 0101, 12	, GLW	1030	of ano	d 12	66LM0501 P	er	Clien	t re-	west
13. ANALYTICAL PROGRAMS (CIRCLE ONE) COMM ROG-IN NOTES (1): DISSOLVED 13. OLM 0101, 12 on 8/6 fth		,						Ĺ	,

<sup>(1)</sup> Use this: (and additional sheets if necessary) to document samples that are received brokeneck if r. éd. If samples required pH adjustment, record volume and type of preservative adocu-

KATA ( ) ANALYTICAL SERVICES, SAMPLE RECEIPT CONDITION REPORTED (207) 874-2400 Fax (207) 775-4029		***		PAG	GE:	2_01	193495/WV3500 = 2 = 2	
PROJECT: CNCCHARLEST	نح	-		CO SDO DA' DE REI LIM	C#	/ED:	8-4-99~0900 FED EY BKM BK &	
CUSTODY SEALS PRESENT / INTACT?  CCHAIN OF CUSTODY PRESENT IN THIS COOLER?  CHAIN OF CUSTODY SIGNED BY CLIENT?  CHAIN OF CUSTODY MATCHES SAMPLES?  COLETT?  COLET NO. SAMPLES RECEIVED AT 4°C +1-2?  COLET NO. NO. NO. NO. NO. NO. NO. NO. NO. NO.			EXCEPTIONS	COOLER TEM	DOLER TEMP ONLY IF		RESOLUTION  RESOLUTION  RESOLUTION  RESOLUTION  RESOLUTION  RESOLUTION  RESOLUTION  RESOLUTION	3 <i>a</i> 4
lu		Ì	١					

Use this apace (and additional sheets if necessary) to document samples that are received broken or compromised, C-O-C discrepancies, radiation checks, residual chlorine check, results of pH check if required. If samples required pH adjustment, record volume and type of preservative added.

340 County Road No. 5 P.O. Box 720 Tel: (207) 874-2400

# CHAIN of CUSTODY

PLEASE PRINT IN PEN Page \_\_\_ Tetra Tech NUS Brynn Howze (843) 584 4925 ( N. Charleston State SC Zip Coo Katahdin Quote # Purchase Order # Proi. Name / No. Address Bill (if different than above) Sampler (Print / Sign) Jeff Alexande Copies To: ANALYSIS AND CONTAINER TYPE PRESERVATIVES LAB USE ONLY Filt. KATAHDIN PROJECT MANAGER REMARKS: FED EX O UPS CLIENT SHIPPING INFO: AIRBILL NO: 813462904462 TEMP BLANK ☐ INTACT ☐ NOT INTACT No. of Cntrs. Date / Time Matrix Sample Description 8/3/99/1123 13GLM6161 2 13GLmØ3Ø1 2 134LMØ5Ø1 Z TRIP BUAN 125LPØSØ3#4 8/3/44/ 42SLP\$6\$3\$4 42SLP\$704\$5 1455 42SLP Ø8 \$6\$7 1510 425LP&90495 | 1545 5 425LP#100304 16#4 425LP# 11 64 65 1612 COMMENTS Date / Time Received By: (Signature) Relinquished By: (Signature) Date / Time quished By: (Signature) 8329 Mpp 813402904462 -59 090W Relinquished By: (Signature) Received By: (Signature) Relinquished By: (Signature) <del>(27)2002</del>4 FORMSOURCE INC. TO (207) 782-3311 FORM # CHIN-OF-CSTDY

# New England-ME Laboratory (207) 874-2400 CONFIRMATION

Page 1

ORDER NO WP-3500

Project Manager: Andrea J. Colby

ORDER DATE: 08/04/99

RT TO: PAUL CALLIGAN

PHONE: 850/385-9899

Tetra Tech NUS

FAX: 850/385-9860

1401 Oven Park Dr., Suite 102

DUE: 03 SEP

Tallahassee, FL 32308

FAC.ID: CNC CHARLESTON

INVOICE:

ACCOUNTS PAYABLE

PHONE: 412/921~7090

TETRA TECH NUS, INC.

13GLM0101

13GLM0301

PO: N7912-P99264

FOSTER PLAZA 7, 661 ANDERSEN DR.

PRO IDOM OMO

PITTSBURGH, PA 15220

ITEM LOG NUMBER SAMPLE DESCRIPTION

PROJECT: CTO#68

SAMPLED DATE/TIME

03 AUG 1123

03 AUG 1131

SAMPLED BY: J.ALEXANDER

WP3500-1

WP3500-2

DELIVERED BY: FEDEX

DISPOSE: AFTER 03 OCT

04 AUG

RECEIVED

WP3500-3 13GLM0501	03 AU	3 1105		
DETERMINATION	METHOD	OTY	PRICE	AMOUNT
Volatile Organics by 8260B	SW8260	3	75.00	225.00
Polynuclear Aromatic Hydrocarbons	EPA 8270	3	125.0 <b>0</b>	3 <b>75.</b> 00
Nitrogen, Nitrate (as N)	E300	3	30.00	90.00
Sulfate (as SO4)	E300	3	0.00	0.00
GC Subcontract		3	95.00	285.00
TOTALS	<u> </u>	3	325.00	975.00

			MERCOD OF THE		
2	WP3500-4	13TL01001	03 AUG 1730	04 AUG	AQ
	LOG NUMBER	SAMPLE DESCRIPTION	SAMPLED DATE/TIME	RECEIVED	MATRIX

<u>DETERMINATION</u>	<u>METHOD</u>	OTY	PRICE	AMOUNT
Volatile Organics by 8260B	SW8260	1	75.00	75.00

ORDER NOTE: QC-IV NFESC,,

DD(KAS007QC-DB3)

CNC CHARLESTON

REPORT COPY: MS. LEE LECK

MS. LEE LECK TETRATECH NUS

FOSTER PLAZA 7 661 ANDERSEN DR. PITTSBURG, PA 15220 REPORT AND DISK

TNAL PAGE

rap 3/apri

ICE: With Report

TOTAL ORDER AMOUNT

\$1,050.00

This is NOT an Invoice

AJC/BKR/KP/WEST.AJC(dw)/WEST.KP(dw)

08-09Please contact KATAHDIN ANALYTICAL SERVICES prompt y if you have any questi

0000025



CLIENT: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

Lab Number : WP-3500-1 Report Date: 09/14/99

PO No.

: N7912-P99264

Project

: CIO#68

WIC#: CNC CHARLESTON

REPORT OF ANALYTICAL RESULTS

Page 1 of 3

SAMPLE DESCRIPTION	IAM	RIX		SAMPLED	ву	SAMPLED D	ATE	RECEIVED
13GIM0101	Aqu	eous		J.ALEXAN	DER	08/03/9	9	08/04/99
PARAMETER	RESULT	UNITS	DF	*PQL	METHOD	ANALYZED	BY	NOTES
Nitrogen, Nitrate (as N) Sulfate (as SO4)	<0.050 28.	mg/L mg/L	1.0	0.050	E300 E300	08/04/99 08/14/99	CF CF	

<sup>\*</sup> PQL (Practical Quantitation Level) represents laboratory reporting limits and may not reflect sample-specific reporting limits. Sample-specific limits are indicated by results annotated with '<' values.

09/14/99

LJO/baeajc(dw)/msm PH04N3W1

CC: MS. LEE LECK TETRATECH NUS FOSTER PLAZA 7 661 ANDERSEN DR.

2000004



# KATAHDIN ANALYTICAL SERVICES REPORT OF ANALYTICAL RESULTS

"ent:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3500-1

SDG:

WP3500 9/13/99

Report Date: PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

N/A

Method:

**EPA 8270** 

Date Analyzed: 8/13/99

Sample Description	Matrix Sa	ampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0101	AQ	8/3/99	8/4/99	8/9/99	Ds	EPA 3510	KRT
Compound	Result	Units	DF	Sample PQL	Method PQL		
NAPHTHALENE	<10	ug/L	1.0	10	10		_
2-METHYLNAPHTHALENE	<10	ug/L	1.0	10	10		
ACENAPHTHYLENE	<10	ug/L	1.0	10	10		
ACENAPHTHENE	<10	ug/L	1.0	10	10		
FLUORENE	<10	ug/L	1.0	10	10		
PHENANTHRENE	<10	ug/L	1.0	10	10		
ANTHRACENE	<10	ug/L	1.0	10	10		
FLUORANTHENE	<10	ug/L	1.0	10	10		
***YRENE	<10	ug/L	1.0	10	10		
NZO[A]ANTHRACENE	<10	ug/L	1.0	10	10		
CHRYSENE	<10	ug/L	1.0	10	10		
BENZO[B]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO(K)FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[A]PYRENE	<10	ug/L	1.0	10	10		•
INDENO[1,2,3-CD]PYRENE	<10	ug/L	1.0	10	10		
DIBENZ[A,H]ANTHRACENE	<10	ug/L	1.0	10	10		
BENZO[G,H,I]PERYLENE	<10	ug/L	1.0	10	10		
NITROBENZENE-D5	62	%	1.0				
2-FLUOROBIPHENYL	63	. %	1.0				
TERPHENYL-D14	76	%	1.0				

≅ Report Notes:



# KATAHDIN ANALYTICAL SERVICES REPORT OF ANALYTICAL RESULTS

Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3500-1

SDG:

WP3500

Report Date:

9/13/99

PO No. :

N7912-P99264

Project:

CTO#68

% Solids:

N/A

Method:

SW8260

Date Analyzed:

8/10/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0101	AQ	8/3/99	8/4/99	8/10/99	KMC	5030	KMC
Compound	Res	sult Units	DF	Sample PQL	Method PQL	_	
BENZENE	<	5 ug/L	1.0	5	5		
TOLUENE	<	5 ug/L	1,0	5	5		
1,2-DIBROMOETHANE	<	5 ug/L	1.0	5	5		
ETHYLBENZENE	<	5 ug/L	1.0	5	5		
NAPHTHALENE	<	5 ug/L	1.0	5	5		
MTBE	<	5 ug/L	1.0	5	5		
TOTAL XYLENES	<	5 ug/L	1.0	5	5		
DIBROMOFLUOROMETHANE	10	)2 %	1.0				
1,2-DICHLOROETHANE-D4	10	)1 %	1.0				
*OLUENE-D8	10	07 %	1.0				
2-BROMOFLUOROBENZENE	9.	4 %	1.0				

≺eport Notes:

2000006



CLIENT: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

Lab Number : WP-3500-2

Report Date: 09/14/99 PO No. : N7912-P99264

Project : CTO#68

WICH: ONC CHARLESTON

REPORT OF ANALYTICAL RESULTS

Page 2 of 3

SAMPLE DESCRIPTION	IAM	RIX		SAMPLED	BY	SAMPLED DATE RECEIVED			
13GLM0301	Aqu	eous		J.ALEXAN	DER	08/03/9	9	08/04/99	
PARAMETER	RESULT	UNITS	DF	*PQL	METHOD	ANALYZED	BY	NOTES	
Nitrogen, Nitrate (as N) Sulfate (as SO4)	<0.050 20.	mg/L mg/L	1.0		E300	08/04/99 08/14/99	CF CF		

<sup>\*</sup> PQL (Practical Quantitation Level) represents laboratory reporting limits and may not reflect sample-specific reporting limits. Sample-specific limits are indicated by results annotated with '<' values.

09/14/99

LJO/baeajc(dw)/msm PH04N3W1

CC: MS. LEE LECK TEIRATECH NUS FOSTER PLAZA 7 661 ANDERSEN DR.

0000007



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

**JHRYSENE** 

BENZO[B]FLUORANTHENE

**BENZO[K]FLUORANTHENE** 

INDENO[1,2,3-CD]PYRENE

DIBENZ[A,H]ANTHRACENE

BENZO[G,H,I]PERYLENE

NITROBENZENE-D5

2-FLUOROBIPHENYL

TERPHENYL-D14

BENZO|A]PYRENE

Proj. ID: CNC CHARLESTON

Lab Number:

WP3500-2

SDG:

WP3500

Report Date:

9/13/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

Method:

N/A

Date Analyzed:

EPA 8270 8/11/99

Sample Description	Matrix	Sam	pled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst *
13GLM0301	ρA	8	3/3/99	8/4/99	8/9/99	DS	EPA 3510	KRT
Compound	Re	esult	Units	DF	Sample PQL	Method PQL		
NAPHTHALENE		<9	ug/L	1.0	9	10		
2-METHYLNAPHTHALENE		<9	ug/L	1.0	9	10		
ACENAPHTHYLENE		<9	ug/L	1.0	9	10		
ACENAPHTHENE	,	<9	ug/L	1.0	9	10		
FLUORENE	•	<9	ug/L	1.0	9	10		
PHENANTHRENE		<9	ug/L	1.0	9	10		
ANTHRACENE	•	<9	ug/L	1.0	9	10		
FLUORANTHENE		<9	ug/L	1.0	9	10		
PYRENE		<9	ug/L	1.0	9	10		
3ENZO[AJANTHRACENE	•	<9	ug/L	1.0	9	10		

1.0

1.0

1.0

1.0

1.0

1.0

1,0

1.0

1.0

1.0

9

9

9

9

9

9

9

10

10

10

10

10

10

10

<9

<9

<9

<9

<9

<₿

<9

65

66

105

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

e: ort Notes:





int: PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3500-2

SDG: Report Date: WP3500 9/13/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

....

Method:

N/A

Date Analyzed:

SW8260 8/10/99

Sample Description	Matrix	Sampled Date	oled Date Rec'd Date		Ext'd By	Ext. Method	Analyst
13GLM0301	AQ	8/3/99	8/4/99	8/10/99	KMC	5030	КМС
Compound	Resi	ult Units	DF	Sample PQL	Method PQL		_
BENZENE	<5	ug/L	1.0	5	5		
TOLUEN <b>E</b>	<5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE	<5	ug/L	1.0	5	5		
ETHYLBENZENE	<5	ug/L	1.0	5	5		
NAPHTHALENE	<5	i ug/L	1.0	5	5		
MTBE	<5	ug/L	1.0	5	5		
TOTAL XYLENES	<5	ug/L	1.0	5	5		
DIBROMOFLUOROMETHANE	104	4 %	1.0				
DICHLOROETHANE-D4	100	s %	1.0				
TOLUENE-D8	100	9 %	1.0				
'-BROMOFLUOROBENZENE	96	%	1.0				

port Notes:



CLIENT: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

Lab Number : WP-3500-3 Report Date: 09/14/99

PO No.

: N7912-P99264

Project

: CTO#68

WIC#: CNC CHARLESTON

REPORT OF ANALYTICAL RESULTS

Page 3 of 3

SAMPLE DESCRIPTION	CAM .	TRIX		SAMPLED	BY	SAMPLED D	RECEIVED	
13GLM0501	Aqı	leous		J.ALEXAN	DER	08/03/9	9	08/04/99
PARAMETER	RESULT	UNITS	DF	*PQL	WETHOD	ANALYZED	BY	NOTES
Nitrogen, Nitrate (as N) Sulfate (as SO4)	<0.050 64.	mg/L mg/L	1.0	0.050 1.0	E300	08/04/99 08/26/99		

<sup>\*</sup> PQL (Practical Quantitation Level) represents laboratory reporting limits and may not reflect sample-specific reporting limits. Sample-specific limits are indicated by results annotated with '<' val

09/14/99

LJO/baeajc(dw)/msm PH04N3W1

CC: MS. LEE LECK
TETRATECH NUS
FOSTER PLAZA 7
661 ANDERSEN DR.

Tel: (603) 431-5777 Fax: (603) 436-3356



Client:

PALII CALLIGAN

Tetr. \*\* h NUS

1401 ( A Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3500-3

SDG:

WP3500

Report Date:

9/13/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

N/A

Method:

**EPA 8270** 

Date Analyzed: 8/13/99

Sample Description	Matrix Sa	mpled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0501	AQ 8/3/99		8/4/99	8/9/99	DS	EPA 3510	KRT
Compound	Result	Units	DF	Sample PQL	Method PQL		
NAPHTHALENE	<10	ug/L	1.0	10	10		
2-METHYLNAPHTHALENE	<10	ug/L	1.0	10	10	*	
ACENAPHTHYLENE	<10	ug/L	1.0	10	10		
ACENAPHTHENE	<10	ug/L	1.0	10	10		
FLUORENE	<10	ug/L	1.0	10	10		
PHENANTHRENE	<10	ug/L	1.0	10	10		
ANTHRACENE	<10	ug/L	1.0	10	10		
FLUORANTHENE	<10	ug/L	1.0	10	10		
PYRENE	<10	ug/L	1.0	10	10		
'NZO[A]ANTHRACENE	<10	ug/L	1.0	10	10		
ARYSENE	<10	ug/L	1.0	10	10		
BENZO[B]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[K]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[A]PYRENE	<10	ug/L	1.0	10	10		ı
INDENO[1,2,3-CD]PYRENE	<10	ug/L	1.0	10	10		
DIBENZ[A,H]ANTHRACENE	<10	ug/L	1.0	10	10		
BENZO[G,H,I]PERYLENE	<10	ug/L	1.0	10	10		
NITROBENZENE-D5	61	96	1.0				
2-FLUOROBIPHENYL	60	%	1.0				
TERPHENYL-D14	74	%	1.0				

ort Notes:

0000011



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3500-3

SDG:

WP3500

Report Date:

9/13/99

PO No.:

N7912-P99264

Project: % Solids: CTO#68

N/A

Method:

SW8260

Date Analyzed: 8/10/99

Sample Description	Matrix	Matrix Sampled Date		Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0501	AQ 8/3/99		8/4/99	8/10/99	KMC	5030	KMC
Compound	Resu	it Units	DF	Sample PQL	Method PQL		
BENZENE	<5	ug/L	1.0	5	5		
TOLUENE	<5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE	<5	ug/L	1.0	5	5		
ETHYLBENZENE	<5	ug/L	1.0	5	5		
NAPHTHALENE	<5	ug/L	1.0	5	5		
MTBE -	<5	ug/L	1.0	5	5		
TOTAL XYLENES	<5	ug/L	1.0	5	5		
DIBROMOFLUOROMETHANE	108	%	1.0				
1,2-DICHLOROETHANE-D4	110	%	1.0				
*OLUENE-D8	109	%	1.0				
?-BROMOFLUOROBENZENE	96	%	1.0				

.eport Notes:

0000012



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

`OLUENE-D8

\_ BROMOFLUOROBENZENE

Proj. ID: CNC CHARLESTON

Lab Number:

WP3500-4

SDG:

WP3500 9/13/99

Report Date:

N7912-P99264

PO No. : Project:

CTO#68

% Solids:

N/A

Method: Date Analyzed: 8/10/99

SW8260

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13TL01 <b>00</b> 1	AQ	AQ 8/3/99		8/10/99	KMC	5030	KMC
Compound	Rest	alt Units	DF	Sample PQL	Method PQL		
BENZENE	<5	ug/L	1.0	5	5		
TOLUENE	<5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE	<5	ug/L	1.0	5	5		
ETHYLBENZENE	<5	ug/L	1.0	5	5		
NAPHTHALENE	<5	ug/L	1.0	5	5		
MTBE	<5	ug/L	1.0	5	5		
TOTAL XYLENES	<5	-	1.0	5	5		
DIBROMOFLUOROMETHANE	106	s <u> </u>	1.0				
1,2-DICHLOROETHANE-D4	110	) %	1.0				

1.0

1.0

110

96

ort Notes:



### Method Blank and Laboratory Control Sample Results

Client: Tetra Tech NUS
Work Order: WP3500

#### METHOD BLANK RESULTS

#### LABORATORY CONTROL SAMPLE RESULTS

			METHOD DEATH REDUCTS						LABORATORI CONTROL SAMI LE RESULTS				
	Date	Date:		Co	ncentration		Practical		True	Measured	Percent	Acceptance	Acceptance
	of	of	Units	]	Measured	Acceptance	Quantitation	Units	Value	Value	Recovered	Range	Range
Parameter	Prep _	Analysis			in Blank	Range	Level**					(%)	(mg/kg)
Nitrate-Nitrogen	04-Aug-99	04-Aug-99	mg/L	<	0.050 <	0.050	0.050	mg/L	2.5	2.34	93.6	80-120	
Sulfate	14-Aug-99	14-Aug-99	mg/L	<	1.0 <	1.0	1.0	mg/L	10	10.2	102.0	80-120	`
	26-Aug-99	26-Aug-99	mg/L	<	1.0 <	1.0	1.0	mg/L	10	10.8	108.0	80-120	

<sup>\*\*</sup> Practical quantitation level is the lowest concentration measurable for samples with normal chemical and physical composition during routine laboratory operations.

### **DATA QUALITY COMMENTS:**

Results of all quality control measurements are within the laboratory and method specified acceptance range except as noted.



### Duplicate and Matrix Spike/Matrix Spike Duplicate Results

Client: Tetra Tech NUS
Work Order: WP3500

#### DUPLICATE RESULTS

### MATRIX SPIKE/MATRIX SPIKE DUPLICATE RESULTS

_																	
			Sample Acceptance				Concentration or Quantity Matrix Spike Recovery (%)							_			
	Katahdin		Measuren	nents	Mean		Range	Units S	Sampl	Spike	Sample	Sample	Sample	Sample	Acceptance	RPD	Acceptance
Parameter	Sample No	Units	Rep 1	Rep 2	Conc	RPD	for RPD		Only	Added	+Spike	+Spike	+Spike	+Spike	Range	(%)	Range
						(%)	(%)				Dup 1	Dup 2	Dup 1	Dup 2	(%)	_	(%)
Nitrate - N	WP3500-2	mg/L	<0.050	<0.050	<0.050	0.0	0-20	mg/L	<0.050	2.0	1.77		88.5		75-125		0-20
Sulfate	WP3500-2	mg/L	19.704	19.558	19.631	0.7	0-20	mg/L	19.7	10	35,2		155.0		75-125		0-20

RPD = Relative percent difference, which is the absolute value of the difference between two replicate results divided by the mean concentration then multiplied by 100%.

### **DATA QUALITY COMMENTS:**

Results of all quality control measurements are within the laboratory or contract specified acceptance range except as noted. The laboratory does not use the sample duplicate and matrix spike acceptance ranges as acceptance criteria for a specific analysis. Sample duplicate and matrix spike data are used to evaluate method performance in the environmental sample matrix only. Please refer to LCS data for assessment of quality control for each parameter.

 Matrix spike recovery is outside the laboratory's specified acceptance range indicating potential sample matrix interference and potential bias of reported value for this parameter.

## 4B SEMIVOLATILE ORGANICS METHOD BLANK SUMMARY

(mm)

EPA SAMPLE NO.

SBLK;080999

Lab Name: Katahdin Analytical Services

SDG No.: WP3500

Lab File ID: Z

Z1717

Lab Sample ID: SBLK;080999

Instrument ID:

5972-Z

Date Extracted: 8/9/99

GC Column: RTX-624 ID: 0.18

Date Analyzed: 08/11/99

Matrix: (soil/water) WATER

. . . . . . \_ \_\_\_

Time Analyzed: 21:04

Level: (low/med)

LOW

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, LCS'S, MS AND MSD'S

Client Sample ID	Lab Sample ID	Lab Data File	Date Injected	Time Injected
LCS;080999	LCS;080999	Z1718	8/11/99	9:51:00 PM
13GLM0301	WP3500-2	Z1720	8/11/99	11:25:00 PM
13GLM0101	WP3500-1	Z1727	8/13/99	8:33:00 AM
13GLM0501	WP3500-3	Z1728	8/13/99	9;20:00 AM



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

SBLK;080999

SDG:

Report Date:

WP3500 9/13/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

N/A

Method:

**EPA 8270** 

Date Analyzed: 8/11/99

Sample Description	Matrix Sam	pled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
SBLK;080999	AQ	-	-	8/9/99	DS	EPA 3510	KRT
Compourid	Result	Units	DF	Sample PQL	Method PQL		
NAPHTHALENE	<10	ug/L	1.0	10	10		
2-METHYLNAPHTHALENE	<10 <sup>.</sup>	ug/L	1.0	10	10		
ACENAPHTHYLENE	<10	ug/L	1.0	10	10		
ACENAPHTHENE	<10	ug/L	1.0	10	10		
FLUORENE	<10	ug/L	1.0	10	10		
PHENANTHRENE	<10	ug/L	1.0	10	10		
ANTHRACENE	<10	ug/L	1.0	10	10		
FLUORANTHENE	<10	ug/L	1.0	10	10		
PYRENE	<10	ug/L	1.0	10	10		
'IZO[A]ANTHRACENE	<10	ug/L	1.0	10	10		
પ્ <sub>ર∗</sub> ્ત⊀YSENE	<10	ug/L	1.0	10	10		
BENZO[B]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[K]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[A]PYRENE	<10	ug/L	1.0	10	10		
INDENO[1,2,3-CD]PYRENE	<10	ug/L	1.0	10	10		
DIBENZ[A,HJANTHRACENE	<10	ug/L	1.0	10	10		
BENZO[G,H,I]PERYLENE	<10	ug/L	1.0	10	10		
NITROBENZENE-D5	68	%	1.0				
2-FLUOROBIPHENYL	70	. %	1.0				
TERPHENYL-D14	102	%	1.0				

rt Notes:

## Katahdin Analytical Services 8270 LCS Recovery Sheet

Lab File: Z1718

Sample ID: LCS;080999

Date Run: 8/11/99

Analyst: KRT

Time Injected 9:51:00 PM

Matrix: AQ

Compound Name	Spike Amt (ug/L)	Result (ug/L)	Rec (%)	Limits (%)
2-METHYLNAPHTHALENE	50	37.0	74	70-130
ACENAPHTHENE	50	39.8	80	70-130
ACENAPHTHYLENE	50	40.3	80	70-130
ANTHRACENE	50	48.8	98	70-130
BENZO[A]ANTHRACENE	50	45.0	90	70-130
BENZO[A]PYRENE	50	37.8	76	70-130
BENZO[B]FLUORANTHENE	50	34.4	*69	70-130
BENZO[G,H,I]PERYLENE	50	38.9	78	70-130
BENZO[K]FLUORANTHENE	50	43.0	86	70-130
CHRYSENE	50	47.3	95	70-130
DIBENZ[A,H]ANTHRACENE	50	37.5	75	70-130
FLUORANTHENE	50	48.6	97	70-130
FLUORENE	50	39.5	79	70-130
INDENO[1,2,3-CD]PYRENE	50	45.6	91	70-130
NAPHTHALENE	50	38.2	76	70-130
PHENANTHRENE	50	46.3	92	70-130
PYRENE	50	45.5	91	70-130



## **VOLATILE ORGANICS METHOD BLANK SUMMARY**

EPA SAMPLE NO.

VBLKS10A

Lab Name: Katahdin Analytical Services

SDG No.: WP3500

Lab File ID:

S5961

Lab Sample ID: VBLKS10A

Date Analyzed: 08/10/99

Time Analyzed: 16:54

GC Column; RTX-624 ID: 0.18

(mm)

Heated Purge: (Y/N) N

Instrument ID: 5972-S

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, LCS'S, MS AND MSD'S

Client Sample ID	Lab Sample ID	Lab Data File	Date Injected	Time Injected
LCSS10B	LCSS10B	S5960	8/10/99	3:58:00 PM
13GLM0101	WP3500-1	S5965	8/10/99	7:49:00 PM
13GLM0301	WP3500-2	S5966	8/10/99	8:28:00 PM
13GLM0501	WP3500-3	S5967	8/10/99	9:07:00 PM
13TL01001	WP3500-4	S5968	8/10/99	9:46:00 PM



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

VBLKS10A

SDG:

WP3500

Report Date:

9/13/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

N/A

Method:

SW8260

Date Analyzed:

8/10/99

Sample Description	Matrix	Sampl	ed Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst ·
VBLKS10A	AQ		-	-	8/10/99	КМС	5030	КМС
Compound	Re	sult	Units	DF	Sample PQL	Method PGL	-	
BENZENE	•	<5	ug/L	1,0	5	5		_
TOLUENE		<b>&lt;</b> 5	ug/L	1.0	5	5		
,2-DIBROMOETHANE		<b>&lt;</b> 5	ug/L	1.0	5	5		
THYLBENZENE		<b>&lt;</b> 5	ug/L	1.0	5	5		
NAPHTHALENE		<b>&lt;</b> 5	ug/L	1.0	5	5		
ATBE		<b>්</b>	ug/L	1.0	5	5		
OTAL XYLENES		<5	ug/L	1.0	5	5		
DIBROMOFLUOROMETHANE	į	95	%	1.0				
,2-DICHLOROETHANE-D4	9	95	%	1.0				
OLUENE-D8	1	02	%	1.0				
-BROMOFLUOROBENZENE	1	02	%	1.0				

eport Notes:

## Katahdin Analytical Services 8260 LCS Recovery Sheet

Lab File: S5960

Sample ID: LCSS10B

Date Run: 8/10/99

Analyst: KMC

Time Injected 3:58:00 PM

Matrix: AQ

Compound Name	Spike Amt (ug/L)	Result (ug/L)	Rec (%)	Limits (%)
1,2-DIBROMOETHANE	50	48.1	96	60-140
BENZENE	50	46.4	93	60-140
ETHYLBENZENE	50	57.2	114	60-140
MTBE	50	52.5	105	60-140
NAPHTHALENE	50	65.9	132	60-140
FOLUENE	50	49.4	99	60-140
FOTAL XYLENES	150	178	119	60-140







# ENSR Air Toxics Specialty Laboratory 42 Nagog Park Acton, MA 01720

DATE:

August 31, 1999

TO:

Andrea Colby

Katahdin Analytical 340 County Road No. 5

P.O. Box 720

Westbrook, ME 04098

Re:

Organic Analyses of Aqueous Samples by Gas Chromatography Flame

Ionization Detection (GC/FID)

PROJECT #: 8601-008-200

LAB ID #:

990138

### ANALYTICAL PROCEDURE:

Three (3) aqueous samples were analyzed under the guidelines of EPA SW846 Method 3810.

A Hewlett Packard 5890 series II gas chromatograph (GC) equipped with a Hewlett Packard flame ionization detector (FID) was used for the analysis. A 1.0 mL headspace aliquot of each sample was injected into the column for analysis. The operating conditions of the GC/FID are listed in Table 1. A five point calibration was performed for the target analyte (methane).

No problems occurred during sample receipt or log-in.

A laboratory blank was analyzed daily in the same manner as the samples. Target compounds were not present in the laboratory blank.

MS/MSD was performed on sample WP3492-5(08) / WP3492-5(05)

Date Samples Received by the Laboratory:

08/10/99

Date Analysis Started:

08/13/99

A:\990131\katrpt2.doc





# TABLE 1 GC/FID OPERATING CONDITIONS

Instrument	Hewlett Packard 5890 Series II GC
Injector Temperature	195°C
Column	80/100 Carboxen 1004
Parameters	1/16" OD; stainless steel
Carrier Gas	UHP Helium
Flow Rate	16 ml/min
Detector	Flame Ionization Detector
Temperature	210°C
Temperature Program	Initial Temp: 135°C
	Hold: 0.0 min
·	Ramping Rate: 20°C/min
	Final Temperature: 150°C
<u>-</u>	Final Hold: 6.25 min
<del></del> -	
Data System	Turbochrom 4.1 software

## Katahdin ANALYTICAG STRUICES ANALYTICAG STRUICES ANALYTICAG STRUICES Tel: (207) 874-2400 Fax: (207) 775-4029

## **CHAIN of CUSTODY**

	97) 874-2400 07) 775-4029						PLEAS	E PRINT	IN PEN	1	Pag	ge	of
Client	<del> </del>		Contac		<i>,</i> ,		Phone #			Fa	x #	_	
Korand - Aralyt	<u> </u>		<u> </u>		<u> </u>					(	)		
ss City				State Zip Code									
Purchase Order #	Proj. Name / No.				Katahdin Quote #								
Bill (if different than above)			Ac	idress			_						
Sampler (Print / Sign)			_					Copie	es To:	_		<u> </u>	
LAB USE ONLY WORK ORDER	#:	_ •				į		IS AND C PRESER			E		
	DJECT MANAGER			Filt.	Filt.	Filt.	Filt.	Filt.	Filt.	Filt. □Y□N	Filt.	Filt.	Filt.
REMARKS: & & E.M.T.	<u> </u>			<u>.</u>	:				:	-			
SHIPPING INFO:	☐ ups	CLIEI	NT					<b> </b>   :	:	į		-	
AIRBILL NO:				,	1					-	.		
TEMP°C TEMP BLANK	□ INTACT	□ NOT	INTACT					:		:			
* Sample Description	Date / Time coll'd	Matrix	No. of Cntrs.	<u>ان</u> الكثر	-	:		:	:		:		
ME3500-1	2511/17018	AR.	1	X									
19 10 30 2	P3.79/1.31	:	j	X				<u> </u>			•	<u> </u>	
	1271/105	÷ Y	)	X		ļ 	<u> </u>						
	/												}
	/			-									_
	/		-					<del> </del>					
	/		1								<b>†</b> —		
	/							<del>                                     </del>	-				
-	/		<del> </del>				-	<del>                                     </del>					
-	/						-	<u> </u>					
-	/		<u> </u>					1		ļ		<del></del>	ļ — —
	/		<u> </u>		-		<del> </del>	<u> </u>	-				
	/		-		<del> </del> -	<u> </u>	<del> </del>				1	<u> </u>	
	/					<u> </u>					ļ	<del></del>	
	/		<u> </u>								ļ		
	/		<u> </u>										
	/												
OMMENTS			3 * 7		>				ا وا	<u>.</u> 			
													_
nquished By: (Signature) Date	e / Time Rece	ived By: (6 مراسموری	Signature معرب دیدری	e) ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Relinquis	hed By: (	(Signatur		ate / Tir <i>o/44 - 1</i>		Received	By: (Sig	
Relinquished By: (Signature) Date	e / Time Rece	ived By: (S	Signature	<del>2)</del>	Relinquis	hed By: (	(Signatur		ate / Ti		Received	By: (Sign	ature)

## SAMPLE LOG-IN & RECEIPT CHECKLIST

Proj Mgr. M. Hout		;	Lab Pool#:	<u>14038</u>
nspected & Logged in by:	REZ	_	Date Time: <u>%/</u>	10/14 10
Sample Matrix	Number of Samples	Analysis Requested	Analyze by (date)	Storage Location
ACUEOUS 4006 V	1,415 3	He.	8/27/99	RI
			RESULTS DUIZ 9/=	
	:		DU= 9/=	
			!	
	· 		· :	-
Circle the appropriate response:		·		
		·		
Shipped / Hand delivered  COC present / not present	on receipt	·		
Shipped / Hand delivered  COC present / not present	•	g container		
Shipped / Hand delivered	esent on shipping	g container		
Shipped / Hand delivered  COC present / not present  COC Tape present / not present	esent on shipping receipt	g container	•	
Shipped / Hand delivered  COC present / not present  COC Tape present / not present  Samples broken / intact on	receipt  on receipt  G	· C	ed	
Shipped / Hand delivered  COC present / not present  COC Tape present / not present  Samples broken / intact on  Samples ambient / chilled on	receipt on receipt on receipt on receipt	· C	ed	
Shipped / Hand delivered  COC present / not present  COC Tape present / not present  Samples broken / intact on  Samples ambient chilled of  Samples preserved correctly	receipt on receipt  y incorrectly / no	one recommende	ed	
Shipped / Hand delivered  COC present / not present  COC Tape present / not present  Samples broken / intact on  Samples ambient chilled of  Samples preserved correctly  Received within / outside here  COC tapes present / not present	receipt  on receipt  y incorrectly / not olding time esent on sample	one recommende		
Shipped / Hand delivered  COC present / not present  COC Tape present / not present  Samples broken / intact on  Samples ambient / chilled on  Samples preserved correctly  Received within / outside here	receipt  on receipt  y incorrectly / not olding time esent on sample	one recommende		

2 9

	EPA SAMPLE NO.
Lab Name: ENSR Contra	wP3500-1 (A)
Lab Code: Case No.;	SAS SDG NO.:
Matrix: (soil/water) water	Lab Sample ID: 990138-1
Sample wt / vol: 32.5 ml (g/ml)	Lab File ID:MEE_019
Level: (low/med)low	Date Received:08/10/99
% Moisture:NA	Date Analyzed:08/13/99
GC Column: _ Carboxen 1004 OD: 1/16	" Dilution Factor: 1
Soil Extract Volume:NA(µI)	Soil Aliquot Volume: NA (µl)
CAS NO. COMPOUND	CONCENTRATION UNITS: (µg/L or PPMv) µg/L Q
74-82-8 <b>Me</b> thane	20

	EPA SAMPLE NO
Lab Name: ENSR Contract:	WP3500-2 (A)
Lab Code: Case No.:	SAS NO.: SDG NO.:
Matrix: (soil/water) water	Lab Sample ID: 990138-2
Sample wt / vol: 32.5 ml (g/ml)	Lab File ID:MEE_020
Level: (low/med) low	Date Received:08/10/99
% Moisture: NA	Date Analyzed:08/13/99
GC Column: _ Carboxen 1004 OD: 1/16"	Dilution Factor:1
Soil Extract Volume: NA (µI)	Soil Aliquot Volume: NA (µI)
CAS NO. COMPOUND	CONCENTRATION UNITS: (µg/L or PPMv) µg/L Q
74-82-8 Methane	9.4

EFA SAIVIPLE NO.
WP3500-3 (B)
_ SAS NO.: SDG NO.:
Lab Sample ID: 990138-3
Lab File ID: MEE_022
Date Received:08/10/99
Date Analyzed:08/13/99
Dilution Factor:1
Soil Aliquot Volume: NA (µi)
CONCENTRATION UNITS: (µg/L or PPMv) µg/L Q
3.7 J

### EPA SAMPLE NO.

Lab Name: ENSR	Contract:		VBLK01	
Lab Code:	Case No.:	_ SAS NO.:	SDG NO.:	
Matrix: (soil/water)	_ water	Lab Sample ID:	Method Blank	
Sample wt / vol: 32.	5 ml (g/ml)	Lab File ID: ME	E_013	
Level: (low/med)	_ low	Date Received:	NA	
% Moisture: NA		Date Analyzed:	08/13/99	
GC Columh: _ Carboxen	1004 OD: 1/16"	Dilution Factor:	_1	_
Soil Extract Volume:	NA (µl)	Soil Aliquot Volume	:: NA (µl)	
CAS NO.	COMPOUND	CONCENTRATION (µg/L or PPMv)		Q
74-82-8	Methane	5.2		U

## 3 MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY

Name: ENSK_		_	Contrac	:t:	
Code:	Case N	10.: 8	SAS NO.:	_ SDG NO.:	
rix Spike - EPA Sample	∍NO.:WP3	492-5			
	SPIKE ADDED	SAMPLE CONCENTRATION		MS I %	QC LIMITS
COMPOUND	(µg/L)	(µg/L)	(µg/L)	REC #	REC.
Methane	205.0	22	178.9	76%	
COMPOUND	SPIKE ADDED (µg/L)	· i		QC # RPD	
Methane	205.0	196.5	85% 12%	50	50-150
		:			

### 4 METHOD BLANK SUMMARY

EPA SAMPLE NO.

Lab N	Name: ENSR	Contr	act:	VBLK01
Lab (	Code: C	Case No.:	SAS NO.: SD0	3 NO.:
Lab F	File ID: MEE_013	· · · · · ·	Lab Sample ID: M	ethod blank
nstru	ument ID: HPGC	#3	Date Analyzed: 08/	13/99
Matri	x: (soil/water) wa	ter	Level: (low/med)	low
	THIS METHOD BLAN	IK APPLIES TO THE	FOLLOWING SAMPLES; N	MS AND MSD
	EPA	LAB	LAB	DATE
	SAMPLE NO.	SAMPLE ID	FILE ID	ANALYZED
01	1.0801	108	MEE 014	08/13/99
02	WP3492-5 (08)MS WP3492-5 (05)MSD	990131-1 MS	MEE 016	08/13/99
03	WP3492-5 (05)MSD	990131-1 MSD	MEE 017	08/13/99
04	WP3500-1 (A)	990138-1	MEE_019	08/13/99
05	WP3500-2 (A)	990138-1 990138-2	MEE_020	08/13/99
06	WP3500-3 (B)	990138-3	MEE_022	08/13/99
07				
08				• •
09				
10				
11				
12				
13				
14				
15			1	
47				
18				
10			1	
20 Î				
21				
22				
23	<u> </u>			
24				
25				
26				
	MENTS:			
2222	. 1 of 1			



August	27	1000

Mr. Paul Calligan

Tetra Tech Nus

1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

RE: Katahdin Lab Number:

WP3395

Project ID:

**CNC Charleston** 

Project Manager:

Ms. Andrea J.Colby

Sample Receipt Date(s):

7/27/99

Dear Mr. Calligan:

Please find enclosed the following information:

- Report of Analysis
- Quality Control Data Summary
- Chain of Custody
- Confirmation

Should you have any questions or comments concerning this Report of Analysis, please do not hesitate to contact the project manager listed above. This cover letter is an integral part of the ROA.

We appreciate your continued use of our laboratory and look forward to working with you in the future. The following signature indicates technical review and acceptance of the data.

Sincerely,

KATAHDIN ANALYTICAL SERVICES

Hara Croud
Authorized Signature



# SDG NARRATIVE KATAHDIN ANALYTICAL SERVICES TETRA TECH NUS CASE CNC CHARLESTON

### Sample Receipt

The following samples were received on July 27, 1999 and were logged in under Katahdin Analytical Services work order number WP3395 for a hardcopy due date of August 26, 1999.

KATAHDIN	TTNUS
Sample No.	Sample Identification
WP3395-1	12TL00801
WP3395-2	12GLM0401
WP3395-3	12GLM0401D
WP3395-4	12GLM0501
WP3395-5	12GLM0301
WP3395-6	12GLM0701
WP3395-7	13GLM0201
WP3395-8	13GLM0201D
WP3395-9	13GLM0401
WP3395-10	29GLM0201
WP3395-11	29GLM0401
WP3395-12	29GLM0401D
WP3395-13	29GLM0501
WP3395-14	ZBR00101
WP3395-15	12GLM0101
WP3395-16	12GLM0201
WP3395-17	12GLM0601

The samples were logged in for the analyses specified on the chain of custody form. All problems encountered and resolved during sample receipt have been documented on the applicable chain of custody forms.

Sample analyses have been performed by the methods as noted herein.

### Volatile Organics Analysis

Seventeen aqueous samples were received by the Katahdin Analytical Services, Inc. GC/MS laboratory on July 27, 1999 and were specified to be analyzed by USEPA method 8260B for the analytes benzene, toluene, ethylbenzene, xylenes, MTBE, naphthalene, and EDB.



Analyses for this workorder were performed on the 5972-M and 5973-U instruments. A VSTD050 (50 ppb standard) was used for the continuing calibration standard. Internal standard and surrogate compounds were also spiked at 50 ug/l.

Batch QC (VBLK, and LCS) was performed in each twelve-hour window. Results are included in this data package. The LCS QC samples were spiked with the entire list of compounds quantitated for at 50 ppb. No matrix spike/matrix spike duplicate was performed on any of the samples in this workorder.

Method 8000B, section 7.5.1.2.1 (Revision 2, 12/96) states, "in those instances where the RSD for one or more analytes exceeds 20%, the initial calibration curve may still be acceptable if the mean of the RSD values for all analytes in the calibration is less than or equal to 20%." Method 8260B narrows this 20% maximum to 15%.

In the calibration curves analyzed in this SDG, the average %RSD for all analytes was 10.4% and 15.0%, making the curves acceptable.

Several manual integrations were performed due to split peaks; all have been flagged with a "M" (software-generated) on the pertinent quantitation reports. All "M" flags have been dated and initialed by the analyst performing the integration. In addition, all "M" flags have been reviewed and approved by the GC/MS supervisor. Copies of each manual integration are included in the pertinent quantitation reports.

No other protocol deviations were noted by the volatile organics staff.

### Semivolatile Organics Extraction and Analysis

Sixteen aqueous samples were received by Katahdin Analytical Services laboratory on July 27, 1999 for analysis in accordance with 8270C for a client specified PAH list of analytes.

Extraction of the samples occurred following USEPA method 3510 on July 28, 1999. A laboratory control spike/laboratory control spike duplicate pair, consisting of all PAH analytes spiked into organic free water, was extracted in the batch.

The initial calibration curve analyzed in this SDG had some of the target analyte %RSD values exceeding 15 %.

Method 8000B, section 7.5.1.2.1 (Revision 2, 12/96) states, "in those instances where the RSD for one or more analytes exceeds 20%, the initial calibration curve may still be acceptable if the mean of the RSD values for all analytes in the calibration is less than or equal to 20%." Section 7.3.7.1 of method 8270C (revision 3, 12/96) narrows this 20% maximum to 15%.

In the calibration curve analyzed in this SDG, the average %RSD for all analytes was 10.1%, making the curve acceptable.



Several manual integrations were performed due to split peaks; all have been flagged with a "M" by the data system. All manual integrations have been dated and initialed by the responsible analyst. Copies of each manual integration are included in the data package. All manual integrations have been reviewed and approved by the GC/MS supervisor.

### Wet Chemistry Analysis

Samples for work order WP3395 were analyzed for nitrate and sulfate in accordance with "Methods for Chemical Analysis of Water and Wastes", EPA 600/4-79-020, 1979, Revised 1983. No deviations were noted by the Wet Chemistry group.

KATAHDIN ANALYTICAL SERVICES,					LAB (W	ORK ORDER)	#	<u></u>	JP 3395	
SAMPLE RECEIPT CONDITION REPO Tel. (207) 874-2400 Fax (207) 775-4029	ŖŦ				PAGE:_		1	OF	Ц	
Fax (201) 115-4029		·-,			COOLE	R:	]	OF	4	<del>_</del>
- · - i		•			COC#_					
CLIENT: Tetra Tech		_			SDG#_					
						TIME RECEIV	'ED:		7.27.99 ( Fed E	2850
		•				ERED BY: VED BY:				<u> </u>
PROJECT: CNC						NTRY BY:			Sav	
		_				EVIEW BY / PI	M: <u></u>		ADC	
	YES	NO	EXCEPTIONS		COMMENTS			RESC	LUTION	
1. CUSTODY SEALS PRESENT / INTACT?	<b>T</b>									
2. CHAIN OF CUSTODY PRESENT IN THIS COOLER?		9				<u> </u>				·
3. CHAIN OF CUSTODY SIGNED BY CLIENT?	<b>(3</b>									
4. CHAIN OF CUSTODY MATCHES SAMPLES?		☑ **			No vots for	126LM040	?( 	was	decided t	red sinces
5. TEMPERATURE BLANKS PRESENT?	<b>Y</b>				TEMP BLANK TEM	MP (*C)= <u>1.9</u>	<u>_</u>			y-viols ca
0. 20	, 🔲	Image: Control of the control of the			COOLER TEMP (*C	C )=	NA.			
(CE) ICE PACKS PRESENT (Y)or N?	•,				(RECORD COOLE	R TEMP ONLY IF	TEMP B	LANK IS N	NOT PRESENT)	
7. VOLATILES FREE OF HEADSPACE?	Ø									·
8. TRIP BLANK PRESENT IN THIS COOLER	$\square$		, <b>u</b>		·					
9. PROPER SAMPLE CONTAINERS AND VOLUME?	Image: Control of the control of the					1				
10. SAMPLES WITHIN HOLD TIME UPON RECEIPT?	Ø									
11. SAMPLES PROPERLY PRESERVED(1)?	☑′			٠,						<del>-</del>
12. CORRECTIVE ACTION REPORT FILED?		<b>I</b>	N/A							
13. ANALYTICAL PROGRAMS (CIRCLE ONE) COMME	ERCIAL	CLP HAZ	WRAP NFESC	COE	AFCEE OTHER	(STATE OF ORIG	SIN):			
LOG-IN NOTES(1): NO VOAS FOR	120	'TW Or	101							
1 PAH bottle f	or ear	ch 13	GLMO301,	1362	10401, 29GLA	40501 arr	ived l	proker	n (extra v	olumeavail.)
			Se~ '							
		``								4
		,	1							Co.

Use this s. Land additional sheets if necessary) to document samples that are received broken. Compromised, C-O-C discrepancies, radiation checks, residual chlorine check, results of pH check if required. If earnpies required pH adjustment, record volume and type of preservative added.

AMPLE RECEIPT CONDITION REPO I. (207) 874-2400	ORT				PAGE:	2	_OF	4	<del></del>
x (207) 775-4029		٠.			COOLER:	2	_OF	4	<u> </u>
ENT: Tetra Tech		_	•.		COC# SDG#				
					DATE / TIME DELIVERED		<u>+·</u>	27.99 Fe	0850 d Ex
OJECT: CNC	4 F	<del></del>			RECEIVED B LIMS ENTRY LIMS REVIEW	BY:		San	5a~
•	YES	NO	EXCEPTIONS	COMME		M D ( / PIM. <u>:</u>	DES	DLUTION	
CUSTODY SEALS PRESENT / INTACT?			EXCEPTIONS	COMME			KES(	JEUTION	
HAIN OF CUSTODY PRESENT IN THIS COOLER?	U Ka	<u>u</u>							
HAIN OF CUSTODY SIGNED BY CLIENT?	<b>a</b>								
HAIN OF CUSTODY MATCHES SAMPLES?	<b>a</b>			<del></del>	<del></del>				
EMPERATURE BLANKS PRESENT?		प्		TEMP BL	LANK TEMP (°C):	=			
AMPLES RECEIVED AT 4°C +/- 2? CE I/ICE PACKS PRESENT (*) or N?	· 🗹				R TEMP (°C )= D COOLER T <b>EM</b>	5,5 NA PONLY IF TEMP	BLANK IS	NOT PRESEN	ıT)
OLATILES FREE OF HEADSPACE?	Y								
RIP BLANK PRESENT IN THIS COOLER		U	, 🗅	<del>-,</del>			<del></del>		
PROPER SAMPLE CONTAINERS AND VOLUME?	$\Box$			<del></del>					
SAMPLES WITHIN HOLD TIME UPON RECEIPT?	U								
SAMPLES PROPERLY PRESERVED <sup>(1)</sup> ?	Œ				•				
CORRECTIVE ACTION REPORT FILED?		Ø	N/A						
ANALYTICAL PROGRAMS (CIRCLE ONE) COMMI	ERCIAL	CLP HA	ZWRAP (NFESC)	COE AFCEE	OTHER (STATI	E OF ORIGIN):		· · · · · ·	
				, , , , , , , , , , , , , , , , , , ,					

Use this space (and additional sheets if necessary) to document samples that are received broken or compromised, C-O-C discrepancies, radiation checks, residual chlorine check, results of pH check if required. If samples required pH adjustment, record volume and type of preservative added

KATAHDIN ANALYTICAL SERVICES		LAB (WORK ORDER) #					
SAMPLE RECEIPT CONDITION REPO Tel. (207) 874-2400 Fax (207) 775-4029	ORT			PAGE: 3 OF 4			
1 ax (201) 113-1029				COOLER: 3 OF 4			
CLIENT: Tetra Tech		<u> </u>	•.	COC#SDG#DATE / TIME RECEIVED: 7.27.99 0850			
PROJECT: CNC	<u> </u>	· . —		DELIVERED BY:  RECEIVED BY:  LIMS ENTRY BY:  So  LIMS REVIEW BY / PM:			
1. CUSTODY SEALS PRESENT / INTACT?	YES	NO 🔲	EXCEPTIONS	COMMENTS RESOLUTION			
2. CHAIN OF CUSTODY PRESENT IN THIS COOLER?	<u> </u>						
3. CHAIN OF CUSTODY SIGNED BY CLIENT?							
4. CHAIN OF CUSTODY MATCHES SAMPLES?	$\mathbf{P}_{\mathbf{q}}$						
5. TEMPERATURE BLANKS PRESENT?				TEMP BLANK TEMP (°C)= 3,0			
6. SAMPLES RECEIVED AT 4°C +/- 27 (CE) ICE PACKS PRESENT (Y) or N?	+ <b>1</b>			COOLER TEMP (*C )= <u>NA</u> (RECORD COOLER TEMP ONLY IF TEMP BLANK IS NOT PRESENT)			
7. VOLATILES FREE OF HEADSPACE?	<b>P</b>						
8. TRIP BLANK PRESENT IN THIS COOLER			, <b>u</b>				
9. PROPER SAMPLE CONTAINERS AND VOLUME?							
10. SAMPLES WITHIN HOLD TIME UPON RECEIPT?							
11. SAMPLES PROPERLY PRESERVED(1)?	· ·			`			
12. CORRECTIVE ACTION REPORT FILED?		$\square$	N/A	-			
13. ANALYTICAL PROGRAMS (CIRCLE ONE) COMM	ERCIAL	CLP HA	ZWRAP NFESC ACOI	DE AFCEE OTHER (STATE OF ORIGIN):			
LOG - IN NOTES <sup>(1)</sup> :							
			٩				
		,	•				
			<i>)</i>				

Use this s and additional sheets if necessary) to document samples that are received broke. check if required. If samples required pH adjustment, record volume and type of preservative added

ATAHDIN ANALYTICAL SERVICES	INC		<b>1</b> .	LAB (MODE OPDED) #	WP 3395
AMPLE RECEIPT CONDITION REPO				LAB (WORK ORDER) #	WI DO ID
AMPLE RECEIPT CONDITION REPO el. (207) 874-2400	JK I			PAGE: 식	of 4
ex (207) 775-4029		•		1 AGE,	
		·		COOLER: 4	OF 4
			••	COC#	
IENT: Tetra Tech				SDG#	
		<del></del>		DATE / TIME RECEIVED:	7.27.99 0850
		-		DELIVERED BY:	FedEx
0.1.				RECEIVED BY:	Sp
ROJECT: CNC				LIMS ENTRY BY:	Sa
	•			LIMS REVIEW BY / PM:	KL
	YES	NO	EXCEPTIONS	COMMENTS	RESOLUTION
CUSTODY SEALS PRESENT / INTACT?	9				
CHAIN OF CUSTODY PRESENT IN THIS COOLER?		9			
CHAIN OF CUSTODY SIGNED BY CLIENT?					
CHAIN OF CUSTODY MATCHES SAMPLES?					
TEMPERATURE BLANKS PRESENT?	<b>I</b>		Q	TEMP BLANK TEMP (°C)= 2.7	
SAMPLES RECEIVED AT 4°C +/- 27	, <b>1</b>			COOLER TEMP (°C )= NA	
CE AICE PACKS PRESENT (Y) or N?	_	1000	_	(RECORD COOLER TEMP ONLY IF TEMP	BLANK IS NOT PRESENT)
VOLATILES FREE OF HEADSPACE?				•	, ,
TRIP BLANK PRESENT IN THIS COOLER		<b>U</b>			
. PROPER SAMPLE CONTAINERS AND VOLUME?	<u></u>	ā	, <u> </u>		<del></del>
	<u>u</u>		Ö		
0. SAMPLES WITHIN HOLD TIME UPON RECEIPT?			<del></del>	•	
1. SAMPLES PROPERLY PRESERVED(1)?	4				
2. CORRECTIVE ACTION REPORT FILED?			N/A	` <u>-</u>	
3. ANALYTICAL PROGRAMS (CIRCLE ONE) COMM	IERCIAL	CLP HA	ZWRAP (NFESC) ACOE	E AFCEE OTHER (STATE OF ORIGIN):	
(1)					
LOG - IN NOTES <sup>(1)</sup> :					
			•		
		•			
			٦		

Use this space (and additional sheets if necessary) to document samples that are received broken or compromised, C-O-C discrepancies, radiation checks, residual chlorine check, results of pH check if required. If samples required pH adjustment, record volume and type of preservative added.

## Katahdin P.O. Box 720 Westbrook ME 04098 Tel: (207) 874-2400 Fac: (207) 775-4029

### CHAIN OF CUSTODY

Fax: (207) 775-4029 PLEASE PRINT IN PEN Page af Contact Phone # Fax # (843)554-4925( Zip Code 교역 4 호 소 State S.C. Address N. Charleton Proj. Name / No. Katahdin Quote # Purchase Order # Bill (if different than above) Address Copies To: IS AND CONTAINER TYPI PRESERVATIVES WORK ORDER #: WP3395 LAB USE ONLY KATAHDIN PROJECT MANAGER REMARKS: SHIPPING INFO: FEDEX ☐ UPS CLIENT AIRBILL NO: 7/3 02904554 TEMP°C ☐ INTACT D NOT INTACT TEMP BLANK No. of Date / Time Matrix Sample Description ∞il'd Critins. 1/24/94/0730 12TLPP891 GW 12GLMØ4Ø1 3 /ळऽ ス 12GLMØ4ØID 2 /005 12GLM9501 3 1008 5 /1014 3 ス 12GLMØ301 2 /aGLMØ7Ø1 1223 2 13GLMØZØI 1521 13GLMØZØID 15a 1 7 13GLMQ401 1510 3 126HMB191 2 1205 2 3 12GHM\$6\$ 3 2 3 ars 3 IDS  $\supset$ 7 29GLM&CX ZBRLOO | 61 RINSATE 1450 Date / TI 1/26/66 Received By: (Signature) Relinquished By: (Signature) Relinquished By: (Signature) Date / Time Received By: (Sigp-\*\*(e) Time 213462904554 7:27:99 085081 alerel Della Relinquished By: (Signature) Time Received By: (Signature) Relinquished By: (Signature) Date / Time Received By: (Signature) Date /

FORMSOURCE INC. 12 (207) 782-3311 FORM & CHN-OF-CSTDY

ORIGINAL 0000059 ORDER NO WP-3395 Project Manager: Andrea J. Colby

ORDER DATE: 07/27/99

REPORT TO: Paul Calligan

INVOICE:

PHONE: 850/385-9899 FAX: 850/385-9860

Tetra Tech NUS

ACCOUNTS PAYABLE

DUE: 26 AUG

1401 Oven Park Dr., Suite 102 Tallahassee, FL 32308

FAC. ID: CNC CHARLESTON

PHONE: 412/921-7090

TETRA TECH NUS, INC.

PO: N7912-P99264

FOSTER PLAZA 7, 661 ANDERSEN DR.

PITTSBURGH, PA 15220 PROJECT: CTO #68

SAMPLED BY: J. HILL, J. ALEXANDER DELIVERED BY: FEDEX DISPOSE: AFTER 26 AUG

ITEM LOG NUMBER SAMPLE DESCRIPTION SAMPLED DATE/TIME RECEIVED MATRIX 1 WP3395-1 12TL00801 24 JUL 0730 27 JUL

DETERMINATION METHOD QTY PRICE AMOUNT Volatile Organics by 8260B SW8260 75.00

		227	MEMILOD	OMM	DD + 0 <b>5</b>	3.4017P
	WP3395-14	ZBRL00101	26 JUL	1450		
	<b>W</b> P3395-13	29GLM0501	26 JUL			
	WP3395-12	29GLM0401D	26 JUL	1125		
	<b>W</b> P3395-11	29GLM0401	26 JUL	1125		
	<b>W</b> P3395-10	29GLM0201	26 JUL	1105		
	WP3395-9	13GLM0401	24 JUL	1510		
	WP3395-8	13GLM0201D	24 JUL	1521		
	WP3395-7	13GLM0201	24 JUL	1521		
	WP3395-6	12GLM0701	24 JUL	1223		
	WP3395-5	12GLM0301	24 JUL	1014		
	WP3395-4	12GLM0501	24 JUL	1008		
	WP3395-3	12GLM0401D	24 JUL	1005		
2	WP3395-2	12GLM0401	24 JUL	1005	27 JUL	AQ
	LOG NUMBER	SAMPLE DESCRIPTION	SAMPLED DATE	/TIME	<u>RECEIVED</u>	MATRIX

DETERMINATION	METHOD	OTY	PRICE	TRUOMA
Volatile Organics by 8260B	SW8260	13	75.00	975.00
Polynuclear Aromatic Hydrocarbons	EPA 8270	13	125.00	1625.00
			•	
TOTALS		13	200.00	2600.00

ORDER NO WP-3395

Project Manager: Andrea J. Colby

ORDER DATE: 07/27/99

REPORT TO: Paul Calligan

PHONE: 850/385-98

Tetra Tech NUS

FAX: 850/385-9

1401 Oven Park Dr., Suite 102

DUE: 26 AUG

Tallahassee, FL 32308

FAC.ID: CNC CHARLESTON

INVOICE:

ACCOUNTS PAYABLE

PHONE: 412/921-7090

TETRA TECH NUS, INC.

PO: N7912-P99264

FOSTER PLAZA 7, 661 ANDERSEN DR.

PITTSBURGH, PA 15220

PROJECT: CTO #68

SAMPLED BY: J. HILL, J. ALEXANDER DELIVERED BY: FEDEX

DISPOSE: AFTER 26 AUG

	LOG NUMBER	SAMPLE DESCRIPTION	SAMPLED DATE/TIME	RECEIVED	MATRIX
3	WP3395-15	12GLM0101	25 JUL 1205	27 JUL	AQ
	WP3395-16	12GLM0201	25 JUL 1210		
	WP3395-17	12GLM0601	25 JUL 1215		

DETERMINATION	METHOD	OTY	PRICE	AMOUNT
Volatile Organics by 8260B	SW8260	3	75.00	225.00
Polynuclear Aromatic Hydrocarbons	EPA 8270	3	125.00	375.00
Nitrogen, Nitrate (as N)	E300	3	30.00	90.00
Sulfate (as SO4)	E300	3	0.00	0.00
GC Subcontract		3	95.00	285.00
TOTALS		3	325.00	975.00

ORDER NOTE:

QC-IV NFESC

DD(KAS007QC-DB3)

CNC CHARLESTON

REPORT COPY: MS. LEE LECK

TETRA TECH NUS FOSTER PLAZA 7 661 ANDERSEN DR. PITTSBURGH, PA 15220

REPORT & DISK

INVOICE: With Report

TOTAL ORDER AMOUNT \$3,650.00

This is NOT an Invo

AJC/BKR

07-27Please contact KATAHDIN ANALYTICAL SERVICES promptly if you have any questi



Client:

Paul Calligan

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3395-7

SDG:

WP3395

Report Date: PO No.:

8/26/99 N7912-P99264

Project:

CTO #68

% Solids:

N/A

Method:

**EPA 8270** 

Date Analyzed: 8/6/99

Sample Description	Matrix S	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0201	AQ	7/24/99	7/27/99	7/28/99	DS	EPA 3510	KRT
Compound	Resu	lt Units	DF	Sample PQL	Method PQL		
NAPHTHALENE	<10	ug/L	1.0	10	10	,	-
2-METHYLNAPHTHALENE	<10	ug/L	1.0	10	10		
ACENAPHTHYLENE	<10	ug/L	1.0	10	10		
ACENAPHTHENE	<10	ug/L	1.0	10	10		
FLUORENE	<10	ug/L	1.0	10	10		
PHENANTHRENE	<10	ug/L	1.0	10	10		
ANTHRACENE	<10	ug/L	1.0	10	10		
FLUORANTHENE	<10	ug/L	1.0	10	10		
PYRENE	<10	ug/L	1.0	10	10		
BENZO[A]ANTHRACENE	<10	ug/L	1.0	10	10		
HRYSENE	<10	ug/L	1.0	10	10		
BENZO[B]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[K]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[A]PYRENE	<10	ug/L	1.0	10	10		
INDENO[1,2,3-CD]PYRENE	<10	ug/L	1.0	10	10		
DIBENZ[A,H]ANTHRACENE	<10	ug/L	1.0	10	10		
BENZO[G,H,I]PERYLENE	<10	ug/L	1.0	10	10		
NITROBENZENE-D5	48	%	1.0				
2-FLUOROBIPHENYL	51	%	1.0				
TERPHENYL-D14	75	%	1.0				



Client:

Paul Calligan

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3395-7

SDG:

WP3395

Report Date:

8/26/99

PO No.:

N7912-P99264

Project:

CTO #68

% Solids:

N/A

Method: Date Analyzed: 7/31/99

SW8260

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0201	DA	7/24/99	7/27/99	7/31/99	JSS	5030	JSS

13GLM0201	AQ 7	/24/99	7/27/99	7/31/99	JSS	5030	JSS
Compound	Result	Units	DF	Sample PQL	Method PQL		
BENZENE	<5	ug/L	1.0	5	5		
TOLUENE	<b>&lt;</b> 5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE	<5	ug/L	1.0	5	5		
ETHYLBENZENE	<5	ug/L	1.0	5	5		
NAPHTHALENE	<5	ug/L	1,0	5	5		
MTBE	<5	ug/L	1.0	5	5		
TOTAL XYLENES	<5	ug/L	1.0	5	5		
DIBROMOFLUÓRÓMETHAÑE	125	%	1.0				
1,2-DICHLOROETHANE-D4	127	%	1.0				
TOLUENE-D8	118	%	1.0				
P-BROMOFLUOROBENZENE	99	%	1.0				



Client:

Paul Calligan

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Taliahassee, FL 32308

PYRENE

CHRYSENE

BENZO[AJPYRENE

BENZO[A]ANTHRACENE

**BENZO[B]FLUORANTHENE** 

BENZO(K)FLUORANTHENE

INDENO[1,2,3-CD]PYRENE

DIBENZ[A,H]ANTHRACENE

BENZO[G,H,I]PERYLENE

NITROBENZENE-D5

2-FLUOROBIPHENYL

TERPHENYL-D14

Proj. ID: CNC CHARLESTON

Lab Number:

Report Date:

WP3395-8

SDG:

WP3395 8/26/99

PO No.:

N7912-P99264

Project:

CTO #68

% Solids:

10

10

10

10

10

10

10

10

10

N/A

Method: Date Analyzed:

**EPA 8270** 8/6/99

Sample Description	Matrix	Samp	led Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0201D	AQ	7/2	24/99	7/27/99	7/28/99	DS	EPA 3510	KRT
Compound	R	esult	Units	DF	Sample PQI	Method PQL		
NAPHTHALENE		<10	ug/L	1.0	10	10		
2-METHYLNAPHTHALENE		<10	ug/L	1.0	10	10		
ACENAPHTHYLENE		<10	ug/L	1.0	10	10		
ACENAPHTHENE	•	<10	ug/L	1.0	10	10		
FLUORENE		<10	ug/L	1.0	10	10		
PHENANTHRENE		<10	ug/L	1.0	10	10		
ANTHRACENE		<10	ug/L	1.0	10	10		
FLUORANTHENE		<10	ug/L	1.0	10	10		

1.0

1.0

1.0

1.0

1.0

1.0

1.0

1.0

1.0

1.0

1.0

1.0

10

10

10

10

10

10

10

10

10

<10

<10

<10

<10

<10

<10

<10 <10

<10

43

47

78

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

%



Client:

Paul Calligan

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Taliahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3395-8

SDG:

WP3395 8/26/99

Report Date:

N7912-P99264

PO No. : Project:

CTO #68

% Solids:

N/A

Method:

SW8260

Date Analyzed: 7/31/99

Sample Description	Matrix	Samp	led Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0201D	AQ	7/	24/99	7/27/99	7/31/99	JSS	5030	JSS
Compound	Re	sult	Units	DF	Sample PQL	Method PQL		
BENZENE	-	<b>&lt;</b> 5	ug/L	1.0	5	5		
TOLUENE		<5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE		<5	ug/L	1.0	5	5		
ETHYLBENZENE		<5	ug/L	1.0	5	5		
NAPHTHALENE		<5	ug/L	1.0	5	5		
MTBE		<5	ug/L	1.0	5	5		
TOTAL XYLENES		<5	ug/L	1.0	5	5		
DIBROMOFLUOROMETHANE	1	28	<b>%</b>	1.0				
1,2-DICHLOROETHANE-D4	1	27	%	1.0				
TOLUENE-D8	1	17	%	1.0				
P-BROMOFLUOROBENZENE	,	98	%	1.0				



Client:

Paul Calligan

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3395-9

SDG:

WP3395 8/26/99

Report Date: PO No.:

N7912-P99264

Project:

CTO #68

% Solids:

N/A

Method:

EPA 8270

Date Analyzed:

8/9/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0401	PA	7/24/99	7/27/99	7/28/99	D\$	EPA 3510	KRT
Compound	Res	sult Units	DF	Sample PQ <u>L</u>	Method PQL		
NAPHTHALENE	<1		1.0	10	10		
2-METHYLNAPHTHALENE	<1	l0 ug/L	1.0	10	10		
ACENAPHTHYLENE	<1	l0 ug/L	1.0	10	10		
ACENAPHTHENE	<1	10 ug/L	1.0	10	10		
FLUORENE	<1	l0 <b>ug</b> /L	1.0	10	10		
PHENANTHRENE	<1	10 ug/L	1.0	10	10		
ANTHRACENE	<1	10 ug/L	1.0	10	10		
FLUORANTHENE	<1	IO ug/L	1.0	10	10		
PYRENE	<1	lO ug/L	1.0	10	10		
BENZO[A]ANTHRACENE	<1	10 ug/L	1.0	10	10		
CHRYSENE	<1	10 ug/L	1.0	10	10		
BENZO[B]FLUORANTHENE	<1	l0 ug/L	1.0	10	10		
BENZOĮKJFLUORANTHENE	<1	10 ug/L	1.0	10	10		
BENZO[A]PYRENE	<1	10 ug/L	1.0	10	10		
INDENO[1,2,3-CD]PYRENE	<1	IO ug/L	1.0	10	10		
DIBENZIA, HJANTHRACENE	<1	10 ug/L	1.0	10	10		
BENZO(G,H,I]PERYLENE	<1	10 ug/L	1.0	10	10		
NITROBENZENE-D5	5	7 %	1.0				
2-FLUOROBIPHENYL	5	8 %	1.0				
TERPHENYL-D14	9	4 %	1.0				



Client:

Paul Calligan

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3395-9

SDG:

WP3395 8/26/99

Report Date:

N7912-P99264

PO No. : Project:

CTO #68

% Solids:

N/A

Method:

SW8260

Date Analyzed: 8/2/99

Sample Description	Matrix	Samp	led Date	Rec'd Date	Ext, Date	Ext'd By	Ext. Method	Analyst
13GLM0401	AQ 7/24/99		24/99	7/27/99	8/2/99	КМС	5030	КМС
Compound	R	esuit	Units	DF	Sample PQL	Method PQL		
BENZENE		<5	ug/L	1.0	5	5		
TOLUENE		<5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE		<5	ug/L	1.0	5	5		
ETHYLBENZENE		<5	ug/L	1.0	5	5		
NAPHTHALE <b>N</b> E		<5	ug/L	1.0	5	5		
MTBE		<5	ug/L	1.0	5	5		
TOTAL XYLENES		<5	ug/L	1.0	5	5		
DIBROMOFLUOROMETHANE	•	108	%	1.0				
1,2-DICHLOROETHANE-D4	•	106	%	1.0				
TOLUENE-D8		114	%	1.0				
P-BROMOFLUOROBENZENE		95	%	1.0				

## SEMIVOLATILE ORGANICS METHOD BLANK SUMMARY

(mm)

EPA SAMPLE NO.

SBLK;072899

Lab Name: Katahdin Analytical Services

SDG No.: WP3395

Lab File ID:

Z1645

Lab Sample ID: SBLK;072899

Instrument ID:

5972-Z

Date Extracted: 7/28/99

GC Column: RTX-624 ID: 0.18

Date Analyzed: 08/05/99

Matrix: (soil/water) WATER

Time Analyzed: 13:28

Level: (low/med)

LOW

### THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, LCS'S, MS AND MSD'S

Client Sample ID	Lab Sample ID	Lab Data File	Date Injected	Time Injected
LCS;072899	LCS;072899	Z1646	8/5/99	2:16:00 PM
LCSD;072899	LCSD;072899	Z1647	8/5/99	3:03:00 PM
12GLM0401	WP3395-2	Z1651	8/5/99	6:09:00 PM
12GLM0401D	WP3395-3	Z1652	8/5/99	6:56:00 PM
12GLM0501	WP3395-4	Z1653	8/5/99	7:43:00 PM
12GLM0301	WP3395-5	Z1656	8/6/99	11:14:00 AM
12GLM0701	WP3395-6	Z1657	8/6/99	12:00:00 PM
13GLM0201	WP3395-7	Z1658	8/6/99	12:45:00 PM
13GLM0201D	WP3395-8	Z1659	8/6/99	1:32:00 PM
29GLM0201	WP3395-10	Z1661	8/6/99	3:04:00 PM
29GLM0401	WP3395-11	Z1662	8/6/99	3:51:00 PM
29GLM0401D	WP3395-12	Z1663	8/6/99	4:38:00 PM
29GLM0501	WP3395-13	Z1664	8/6/99	5:25:00 PM
ZBRL00101	WP3395-14	Z1665	8/6/99	6:13:00 PM
12GLM0101	WP3395-15	Z1666	8/6/99	7:00:00 PM
12GLM0201	WP3395-16	Z1667	8/6/99	7:47:00 PM
12GLM0601	WP3395-17	Z1668	8/6/99	8:35:00 PM
13GLM0401	WP3395-9	Z1676	8/9/99	1:57:00 PM



Client:

Paul Calligan

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

SBLK;072899

SDG: Report Date: WP3395 8/26/99

PO No.:

N7912-P99264

Project:

CTO #68

% Solids:

N/A

Method:

EPA 8270

Date Analyzed: 8/5/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
SBLK;072899	AQ	-	•	7/28/99	DS	EPA 3510	KRT
Compound	Re	esult Units	DF	Sample P <u>QI</u>	Method PQL		
NAPHTHALENE	<	:10 ug/L	1.0	10	10		
2-METHYLNAPHTHALENE	<	:10 ug/L	1.0	10	10		
ACENAPHTHYLENE	<	:10 ug/L	1.0	10	10		
ACENAPHTHENE	<	:10 ug/L	1.0	10	10		
FLUORENE	<	:10 ug/L	1.0	10	10		
PHENANTHRENE	<	:10 ug/L	1.0	10	10		
ANTHRACENE	<	:10 ug/L	1.0	10	10		
FLUORANTHENE	<	:10 ug/L	1.0	10	10		
PYRENE	<	:10 ug/L	1.0	10	10		
BENZO[A]ANTHRACENE	<	:10 ug/L	1.0	10	10		
CHRYSENE	<	:10 ug/L	1.0	10	10		
BENZO[B]FLUORANTHENE	<	:10 ug/L	1.0	10	10		
BENZO[K]FLUORANTHENE	<	:10 ug/L	1.0	10	10		
BENZO[A]PYRENE	<	:10 ug/L	1.0	10	10		Ÿ
INDENO[1,2,3-CD]PYRENE	•	:10 ug/L	1.0	10	10		
DIBENZ[A,H]ANTHRACENE	<	:10 ug/L	1.0	10	10		
BENZO[G,H,I]PERYLENE	<	:10 ug/L	1.0	10	10		
NITROBENZENE-D5	(	60 %	1.0				
2-FLUOROBIPHENYL		57 %	1.0				
TERPHENYL-D14	•	78 %	1.0				

## Katahdin Analytical Services LCS/LCSD Report

Sample	File Name	Date Acquired	Time inj	Analyst	Matrix	Method
LCS;072899	Z1646	8/5/99	14:16	KRT	AQ	8270
LCSD;072899	Z1647	8/5/99	15:03	KRT	AQ	8270

	Spk Amt	LCS Result	LCSD Resu	lt LCS Rec	LCSD Rec	Rec. Limits	RPD	RPD Limit
Compound Name	ug/L	ug/L	ug/L	(%)	(%)	(%)	(%)	(%)
2-METHYLNAPHTHALENE	50	22.6	33.5	*45	*67	70-130	*39	30
ACENAPHTHENE	50	26.3	35.2	*53	70	70-130	28	30
ACENAPHTHYLENE	50	26.1	35.3	•52	71	70-130	*31	30
ANTHRACENE	50	33.7	40.7	•67	81	70-130	19	30
BENZO[A]ANTHRACENE	50	29.7	36.7	*59	73	70-130	21	30
BENZO[A]PYRENE	50	29.7	35.9	*59	72	70-130	20	30
BENZO[B]FLUORANTHENE	50	27.0	34.3	*54	*69	70-130	24	30
BENZO[G,H,I]PERYLENE	50	28.2	31.5	•56	•63	70-130	12	30
BENZO[K]FLUORANTHENE	50	35.4	42.8	71	86	70-130	19	30
CHRYSENE	50	32.2	37.6	*64	75	70-130	16	30
DIBENZ[A,H]ANTHRACENE	50	26.6	30.0	*53	*60	70-130	12	30
FLUORANTHENE	50	32.0	37.4	*64	75	70-130	16	30
FLUORENE	50	27.3	34.0	*55	*68	70-130	21	30
D. ENO[1,2,3-CD]PYRENE	50	24.7	25.8	*49	*52	70-130	5.9	30
ITHALENE	50	21.9	33.3	*44	*67	70-130	•41	30
PHENANTHRENE	50	30.6	38.3	*61	77	70-130	23	30
PYRENE	50	31.7	41.2	*63	82	70-130	26	30

### VOLATILE ORGANICS METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLKS31A

Lab Name: Katahdin Analytical Services

SDG No.: WP3395

Lab File ID:

S5732

Lab Sample ID: VBLKS31A

Date Analyzed: 07/31/99

Time Analyzed: 10:16

GC Column: RTX-624 ID: 0.18

(mm)

Heated Purge: (Y/N) N

Instrument ID: 5972-S

### THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, LCS'S, MS AND MSD'S

Client Sample ID	Lab Sample ID	Lab Data File	Date Injected	Time Injected
LCSS31A	LCSS31A	S5731	7/31/99	9:19:00 AM
12TL00801	WP3395-1	S5737	7/31/99	1:51:00 PM
12GLM0401	WP3395-2	S5738	7/31/99	2:28:00 PM
12GLM0401D	WP3395-3	S5739	7/31/99	3:05:00 PM
12GLM0501	WP3395-4	S5740	7/31/99	3:42:00 PM
12GLM0301	WP3395-5	S5741	7/31/99	4:20:00 PM
12GLM0701	WP3395-6	S5742	7/31/99	4:57:00 PM
13GLM0201	WP3395-7	S5743	7/31/99	5:35:00 PM
13GLM0201D	WP3395-8	S5744	7/31/99	6:12:00 PM



Client: Paul Calligan

> Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

VBLKS31A

SDG:

WP3395 8/26/99

Report Date:

PO No.: Project:

N7912-P99264 CTO #68

% Solids:

N/A

Method: Date Analyzed:

SW8260 7/31/99

Sample Description	Matrix	x Sampled Date		Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
VBLKS31A	PAQ		-		7/31/99	JSS	5030	JSS
Ca-manual	D.	esult	l for the	DF	Sample PQL	Method PQL		
Compound	r.e	s s u ii.	Units	Δŗ	rul.	rer ———		
BENZENE		<5	ug/L	1.0	5	5		
TOLUENE		<5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE	,	<5	ug/L	1.0	5	5		
ETHYLBENZENE		<5	ug/L	1.0	5	5		
NAPHTHALENE	,	<5	ug/L	1.0	5	5		
MTBE		<5	ug/L	1.0	5	5		
TOTAL XYLENES		<5	ug/L	1.0	5	5		
DIBROMOFLUOROMETHANE	1	103	%	1.0				
1,2-DICHLOROETHANE-D4	1	101	%	1.0				
TOLUENE-D8	1	112	%	1.0				
P-BROMOFLUOROBENZENE	1	103	%	1.0				

### 4A VOLATILE ORGANICS METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLKS02A

Lab Name: Katahdin Analytical Services

SDG No.: WP3395

Lab File ID:

S5770

Lab Sample ID: VBLKS02A

Date Analyzed: 08/02/99

Time Analyzed: 9:50

GC Column: RTX-624 ID: 0.18

(mm)

Heated Purge: (Y/N) N

Instrument ID: 5972-S

### THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, LCS'S, MS AND MSD'S

Client Sample ID	Lab Sample ID	Lab Data File	Date Injected	Time Injected
LCSS02A	LCSS02A	S5769	8/2/99	9:02:00 AM
13GLM0401	WP3395-9	S5771	8/2/99	10:45:00 AM
29GLM0201	WP3395-10	S5772	8/2/99	11:22:00 AM
29GLM0401	WP3395-11	S5773	8/2/99	12:00:00 PM
29GLM0401D	WP3395-12	S5774	8/2/99	12:37:00 PM



Client:

Paul Calligan

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

VBLKS02A

SDG:

WP3395

Report Date:

8/26/99

PO No.: Project:

N7912-P99264

CTO #68

% Solids:

N/A

Method:

SW8260

Date Analyzed:

8/2/99

Sample Description	Matrix	Sampled Da	te Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
VBLKS02A	AQ	-	-	8/2/99	KMC	5030	кмс
Compound	Re	sult Un	its DF	Sample PQI	Method PQL		
BENZEŅE		<5 ug/L	1.0	5	5		
TOLUENE	•	<5 ug/L	1.0	5	5		
1,2-DIBROMOETHANE	•	<5 ug/L	1.0	5	5		
ETHYLBENZENE	•	<5 ug/L	1.0	5	5		
NAPHTHALENE	•	<5 ug/L	1.0	5	5		
MTBE	•	<5 ug/L	1.0	5	5		
TOTAL XYLENES	•	<5 ug/L	1.0	5	. <b>5</b>		
DIBROMOFLUOROMETHANE	1	04 9	6 1.0				
I,2-DICHLOROETHANE-D4	1	02 9	6 1.0				
TOLUENE-D8	1	12 9	6 1.0				
-BROMOFLUOROBENZENE	Ş	98 9	6 1.0				

### **Katahdin Analytical Services 8260 LCS Recovery Sheet**

Lab File: S5731

Sample ID: LCSS31A

Date Run: 7/31/99

Analyst: JSS

Time Injected 9:19:00 AM

Matrix: AQ

Compound Name	Spike Amt (ug/L)	Result (ug/L)	Rec (%)	Limits (%)
1,2-DIBROMOETHANE	50	50.1	100	60-140
BENZENE	50	53.0	106	60-140
ETHYLBENZENE	50	60.0	120	60-140
МТВЕ	50	53.9	108	60-140
NAPHTHALENE	50	62.2	124	60-140
TOLUENE	50	58.1	116	60-140
TOTAL XYLENES	150	187	124	60-140

### **Katahdin Analytical Services 8260 LCS Recovery Sheet**

Lab File: S5769

Sample ID: LCSS02A

Date Run: 8/2/99

Analyst: KMC

Time Injected 9:02:00 AM

Matrix: AQ

Compound Name	Spike Amt (ug/L)	Result (ng/L)	Rec (%)	Limits (%)
1,2-DIBROMOETHANE	50	48.4	97	60-140
BENZENE	50	50.6	101	60-140
ETHYLBENZENE	50	59.4	119	60-140
MTBE	50	52.3	104	60-140
NAPHTHALENE	50	62.6	125	60-140
TOLUENE	50	54.4	109	60-140
TOTAL XYLENES	150	186	124	60-140

# ENSR Air Toxics Specialty Laboratory 42 Nagog Park Acton, MA 01720

DATE:

August 24, 1999

TO:

Andrea Colby

Katahdin Analytical 340 County Road No. 5

P.O. Box 720

Westbrook, ME 04098

Re:

Organic Analyses of Aqueous Samples by Gas Chromatography Flame

Ionization Detection (GC/FID)

PROJECT #: 8601-008-200

LAB ID #: 990121

### ANALYTICAL PROCEDURE:

Three (3) aqueous samples were analyzed under the guidelines of EPA SW846 Method 3810.

A Hewlett Packard 5890 series II gas chromatograph (GC) equipped with a Hewlett Packard flame ionization detector (FID) was used for the analysis. A 1.0 mL headspace aliquot of each sample was injected into the column for analysis. The operating conditions of the GC/FID are listed in Table 1. A five point calibration was performed for the target analyte, methane.

No problems occurred during sample receipt or log-in.

#### ENSR Consulting and Engineering Air Toxics Specialty Laboratory

### QUALITY CONTROL:

- 1. A laboratory blank was analyzed daily in the same manner as the samples. Methane was present in levels below the detection limit in the laboratory blank. Sample data has not been qualified.
- 2. A Matrix Spike was performed on the following sample: WP3395-16(B)

All recoveries were within QC limits.

Date Samples Received by the Laboratory: 7/28/99

Date Analysis Started: 8/4/99

C:\My Documents\katrpt9.doc



October 1, 1999

Mr. Paul Calligan
Tetra Tech Nus
1401 Oven Park Dr., Suite 102
Tallahassee, FL 32308

RE: Katahdin Lab Number:

WP3703

Project ID:

**CNC Charleston** 

Project Manager:

Ms. Andrea J.Colby

Sample Receipt Date(s):

8/24/99

Dear Mr. Calligan:

Please find enclosed the following information:

- \* Report of Analysis
- \* Quality Control Data Summary
- \* Chain of Custody
- \* Confirmation

Should you have any questions or comments concerning this Report of Analysis, please do not hesitate to contact the project manager listed above. This cover letter is an integral part of the ROA.

We appreciate your continued use of our laboratory and look forward to working with you in the future. The following signature indicates technical review and acceptance of the data.

Sincerely,

KATAHDIN ANALYTICAL SERVICES

Authorized Signature

Data



# SDG NARRATIVE KATAHDIN ANALYTICAL SERVICES TETRA TECH NUS CASE CNC CHARLESTON

### Sample Receipt

The following samples were received on August 24, 1999 and were logged in under Katahdin Analytical Services work order number WP3703 for a hardcopy due date of September 23, 1999.

KATAHDIN	TTNUS	ĞEL
Sample No.	Sample Identification	Sample Identification
WP3703-1	26GLM0801	
WP3703-2	26GLM10D01	
WP3703-3	26GLM0401	
WP3703-4	26GLM0601	
WP3703-5	26GLM0501	
WP3703-6	26GLM0701	•
WP3703-7	26GLM0701D	
WP3703-8	13 <b>GLM</b> 0601	
WP3703-9	32GLM0601	
WP3703-10	21GLM0301	
WP3703-11	21GLM0201	
WP3703-12	21GLM0201D	·
WP3703-13	21GLM07D01	
WP3703-14	21GLM0801	
WP3703-15	26GLM09D01	
WP3703-16	26GLM0301	
WP3703-17	26GLM0201	
WP3703-18	30GLM0301	
WP3703-19	30GLM0701	
WP3703-20	30GLM0101	
WP3703-21	30GLM0501	
WP3703-22	26TL00101	
WP3703-23	24SLB070405	
WP3703-24	24SLB040304	9908879-01
WP3703-25	24SLB020203	
WP3703-26	24SLB040304D	9908879-05
WP3703-27	42SLP200304	
WP3703-28	42SLP210304	
	•	

The samples were logged in for the analyses specified on the chain of custody form. All problems encountered and resolved during sample receipt have been documented on the applicable chain of custody forms.



Sample analyses have been performed by the methods as noted herein.

### Volatile Organic Analysis

Six soil/sediment and twenty-two aqueous samples were received by the Katahdin Analytical Services, Inc. GC/MS laboratory on August 24, 1999 and were specified to be analyzed by USEPA method 8260B for the analytes benzene, toluene, ethylbenzene, xylenes, MTBE, naphthalene, and EDB.

Analyses for this workorder were performed on the 5970-Q (aqueous), 5972-F (aqueous), 5973-U (low level soil), and 5972-M (low level soil) instruments. A VSTD050 (50 ppb standard) was used for the continuing calibration standard. Internal standard and surrogate compounds were also spiked at 50 ppb.

Batch QC (VBLK, and LCS) was performed in each twelve-hour window. Results are included in this data package. The LCS QC samples were spiked with the entire list of compounds quantitated for at 50 ppb. Matrix spike/matrix spike duplicate pairs were performed on samples WP3703-2 (aqueous) and WP3703-28 (soil).

Initial analysis of sample WP3703-20 yielded a concentration of naphthalene over the upper limit of the calibration curve. Reanalysis occurred at a 1:2 dilution successfully. Both sets of data are included in this data package.

Several manual integrations were performed due to split peaks; all have been flagged with a "M" (software-generated) on the pertinent quantitation reports. All "M" flags have been dated and initialed by the analyst performing the integration. In addition, all "M" flags have been reviewed and approved by the GC/MS supervisor. Copies of each manual integration are included in the pertinent quantitation reports.

No other protocol deviations were noted by the volatile organics staff.

### Semivolatile Organic Analysis

Six soil/sediment and twenty-one aqueous samples were received by Katahdin Analytical Services laboratory on August 24, 1999 for analysis in accordance with 8270C for a client specified PAH list of analytes.

Extraction of the soil samples occurred following USEPA method 3550 on August 24 and 25, 1999. A laboratory control spike was extracted in each batch, along with a matrix spike/matrix spike duplicate pair on sample WP3703-26 in the 08/25/99 extraction batch.

Extraction of aqueous samples WP3703 1-13, 15, 16, 18-21 were extracted following USEPA method 3510 on August 25, 1999. A laboratory control spike was extracted in the batch, along with a matrix spike/matrix spike duplicate pair on sample WP3703-2. Sample WP3703-17 was



extracted on August 26, 1999, following USEPA method 3510. A laboratory control spike was extracted in the batch.

The original extract for sample WP3703-14 was lost during the concentration process. This sample was reextracted on September 8, 1999, outside of extraction holding times. A laboratory control spike was extracted in this batch.

Analysis of sample WP3703-3 yielded a low recovery of the surrogate nitrobenzene-d5. No reextraction was performed due to the obvious matrix/chromatographic interferences.

Initial analysis of sample WP3703-13 yielded a low surrogate recovery. Reanalysis yielded a similar result. The sample was reextracted on September 10, 1999, outside of extraction holding times, following USEPA method 3510. Surrogate recoveries for this reextracted sample met QC windows. All three sets of data for this sample are included in this data package.

Initial analysis of sample WP3703-16 yielded low surrogate recoveries. The sample was reextracted on September 10, 1999, outside of extraction holding times, following USEPA method 3510. Surrogate recoveries for this reextracted sample met QC windows. Both sets of data for this sample are included in this data package.

Initial analysis of sample WP3703-20 yielded concentrations of naphthalene and 2-methylnaphthalene over the upper limit of the calibration curve. Reanalysis occurred at a 1:2 dilution successfully. Both sets of data are included in this data package.

Several manual integrations were performed due to split peaks; all have been flagged with a "M" by the data system. All manual integrations have been dated and initialed by the responsible analyst. Copies of each manual integration are included in the data package. All manual integrations have been reviewed and approved by the GC/MS supervisor.

No other protocol deviations were noted by the semivolatiles organics staff.

### Wet Chemistry Analysis

Alternate method for analysis of nitrate was approved by Kelly Johnson-Carper due to holding time constraints upon sample arrival. All analyses were performed within hold time. No protocol deviations were noted by the Wet Chemistry staff.

#### Metals Analysis

The samples of Katahdin Work Order WP3703 were prepared and analyzed for metals in accordance with the "Test Methods for Evaluating Solid Waste", SW-846, November 1986, Third Edition.



### Inductively-Coupled Plasma (ICP) Atomic Emission Spectroscopic Analysis

Soil-matrix Katahdin Sample Nos. WP3703-(24, 25, 26) were originally digested for ICP analysis on 08/26/99 (QC Batch PH261CS0) in accordance with USEPA Method 3050B. The measured zinc concentration (0.16 mg/L) of the preparation blank that is associated with QC Batch PH261CS0 exceeds the laboratory's acceptance limits, and therefore redigestion of Katahdin Sample Nos. WP3703-(24, 25, 26) for zinc was required. In addition, the digestate of Katahdin Sample No. WP3703-25 was spilled (and lost) before ICP analyses of antimony, arsenic, iron, lead, selenium, and thallium were completed, so redigestion of this sample was necessary to provide additional digestate volume for analysis. For these reasons, Katahdin Sample Nos. WP3703-(24, 25, 26) were redigested for ICP analysis on 09/02/99 (QC Batch PI02ICS0, containing Katahdin Sample Nos. WP3703-25) and 09/13/99 (QC Batch PI13ICS1, containing Katahdin Sample Nos. WP3703-24 and WP3703-26). These redigestates are identified throughout the raw data by the suffix "R" appended to the Katahdin sample number, e.g. "WP3703-025R".

The measured recovery (161.9%) for the laboratory control sample that is associated with QC Batch PI021CS0 exceeds the laboratory's acceptance limits, and Katahdin Sample No. WP3703-25 therefore required redigestion for iron analysis. Katahdin Sample No. WP3703-25 was redigested a second time for ICP analysis on 09/14/99 (QC Batch PI14ICS0). This redigestate is identified throughout the raw data by the suffix "X" appended to the Katahdin sample number, e.g. "WP3703-025X".

ICP analyses of Katahdin Work Order WP3703 sample digestates were performed in accordance with USEPA Method 6010B, using a Thermo Jarrell Ash (TJA) Trace ICP spectrometer and a TJA 61 ICP spectrometer. All samples were analyzed within holding times and all QC criteria were met with the following comments or exceptions:

Some of the results for run QC samples (ICV, ICB, CCV, CCB, ICSA, and ICSAB) included in the accompanying data package may have exceeded acceptance limits for some elements. Please note that all client samples and batch QC samples associated with out-of-control results for run QC samples were subsequently reanalyzed for the analytes in question.

### Analysis of Mercury by Cold Vapor Atomic Absorption (CVAA) Spectrophotometry

Soil-matrix Katahdin Sample Nos. WP3703-(24, 25, 26) were digested for mercury analysis on 09/03/99 (QC Batch PI03HGS0) in accordance with USEPA Method 7470A. Katahdin Sample No. WP3703-24 was prepared with duplicate matrix-spiked aliquots.

Mercury analyses of Katahdin Work Order WP3703 sample digestates were performed using a Leeman Labs PS200 automated mercury analyzer. All samples were analyzed within holding times and all run QC criteria were met.

( ) KATAHDIN ANALYTICAL SERVICES	: INC			()	LAB (WORK ORDER) # WP 3703
SAMPLE RECEIPT CONDITION REP					
Tel. (207) 874-2400 Fax (207) 775-4029					PAGE: OF S
, ,					cooler: of 5
T 1 T 1					COC#
CLIENT: Tetra Tech		_			SDG#
					DELIVERED BY: Fed Ex
0.10					RECEIVED BY:Sa
PROJECT: CNC					LIMS ENTRY BY: BE-R
					LIMS REVIEW BY / PM:
	YES	NO	EXCEPTIONS		COMMENTS RESOLUTION
1. CUSTODY SEALS PRESENT / INTACT?	<b>I</b>				
2.CHAIN OF CUSTODY PRESENT IN THIS COOLER?	4				
3, CHAIN OF CUSTODY SIGNED BY CLIENT?					
4. CHAIN OF CUSTODY MATCHES SAMPLES?					
5. TEMPERATURE BLANKS PRESENT?					TEMP BLANK TEMP (*C)=
6. SAMPLES RECEIVED AT 4°C V-27 (ICE) ICE PACKS PRESENT (Y) or N?					COOLER TEMP (*C )= NA (RECORD COOLER TEMP ONLY IF TEMP BLANK IS NOT PRESENT)
	( <u>J</u>	П			(NEOSID SOSIENI EMI SIZI II PEMI SE MINISTO I PRESENT
7. VOLATILES FREE OF HEADSPACE?					
8. TRIP BLANK PRESENT IN THIS COOLER		_	_		
9. PROPER SAMPLE CONTAINERS AND VOLUME?	<b>(4)</b>				
10. SAMPLES WITHIN HOLD TIME UPON RECEIPT?	3				
11. SAMPLES PROPERLY PRESERVED <sup>(1)</sup> ?			3		
12. CORRECTIVE ACTION REPORT FILED?		4	N/A		
13. ANALYTICAL PROGRAMS (CIRCLE ONE) COMM	ERCIAL	CLP HA	ZWRAP NFESC	ACOE	AFCEE OTHER (STATE OF ORIGIN):
LOG - IN NOTES <sup>(1)</sup> :					
					·

Use this space (and additional sheets if necessary) to document samples that are received broken or compromised, C-O-C discrepancies, radiation checks, residual chlorine check, results of pH check if required. If samples required pH adjustment, record volume and type of preservative added.

0
Ō
Ō
2
2
5

KATAHDIN ANALYTICAL SERVICES SAMPLE RECEIPT CONDITION REP				LAB (WORK ORE	DER) #	lw	P3703	
Tel. (207) 874-2400				PAGE:	2_	_OF	5	
Fax (207) 775-4029				COOLER:	2	_OF	5	
CLIENT: Tetra Tech		_ <u>-</u>		COC# SDG#				<del>-</del>
				DATE / TIME REC DELIVERED BY: RECEIVED BY:			-24-99 px Fed Ex Ser-	<u>250</u>
PROJECT: CNC		_		LIMS ENTRY BY: LIMS REVIEW BY			BER	
	YES	NO	EXCEPTIONS	COMMENTS		RESO	LUTION	
1. CUSTODY SEALS PRESENT / INTACT?		9						<del> </del>
2.CHAIN OF CUSTODY PRESENT IN THIS COOLER?		9			<del></del>			
3. CHAIN OF CUSTODY SIGNED BY CLIENT?					<del></del>			
4. CHAIN OF CUSTODY MATCHES SAMPLES?	团							
5. TEMPERATURE BLANKS PRESENT?				TEMP BLANK TEMP (°C)=	2.6	\$ 50 by	for 8/241	( Vant Calling
6. SAMPLES RECEIVED AT 4°G-+/- 2?		4		COOLER TEMP (°C )=(RECORD COOLER TEMP ONI	NA LY IF TEMP			
7. VOLATILES FREE OF HEADSPACE?			<b>I</b>					
8. TRIP BLANK PRESENT IN THIS COOLER		I						
9. PROPER SAMPLE CONTAINERS AND VOLUME?	e					. <u></u>		
10. SAMPLES WITHIN HOLD TIME UPON RECEIPT?	<b>3</b>							
11. SAMPLES PROPERLY PRESERVED <sup>(1)</sup> ?			<b>I</b>					
12. CORRECTIVE ACTION REPORT FILED?			N/A					
13. ANALYTICAL PROGRAMS (CIRCLE ONE) COMM	ERCIAL	CLP HA	ZWRAP (NFESC) ACO	E AFCEE OTHER (STATE OF (	ORIGIN):			·
LOG - IN NOTES <sup>(1)</sup> :						·• · · · · · · · · · · · · · · · · · ·		
200 11/10/20 .								

Use it check it equired. If samples required pH adjustment, record volume and type of preservative

n or compromised, C-O-C discrepancies, radiation checks, residual chlorine check, results of pH 2d.

( ) CATAHDIN ANALYTICAL SERVICES SAMPLE RECEIPT CONDITION REP	-		<b>(</b>	LAB (WORK ORDER) #	
fel. (207) 874-2400 Fax (207) 775-4029				PAGE:	of_ <u>\$</u>
ax (201) 113-4023				COOLER:3	of <u>5</u>
CLIENT: Tetratech				COC# SDG#	
				DATE / TIME RECEIVED:	8-24-99 0850
				DELIVERED BY: RECEIVED BY:	Fed Ex
PROJECT: CNC				LIMS ENTRY BY:	BKK
				LIMS REVIEW BY / PM:	AC
	YES	NO	EXCEPTIONS	COMMENTS	RESOLUTION
. CUSTODY SEALS PRESENT / INTACT?	<b>9</b>				
CHAIN OF CUSTODY PRESENT IN THIS COOLER?					
3. CHAIN OF CUSTODY SIGNED BY CLIENT?	3				
I. CHAIN OF CUSTODY MATCHES SAMPLES?	Ø				
5. TEMPERATURE BLANKS PRESENT?		T		TEMP BLANK TEMP (°C)=	
SAMPLES RECEIVED AT 4°C 1/2-2?	3			COOLER TEMP (°C)= 3.1 NA	
ICE ICE PACKS PRESENT (Y) or N?				(RECORD COOLER TEMP ONLY IF TEMP BI	LANK IS NOT PRESENT)
VOLATILES FREE OF HEADSPACE?			<b>2</b>		
3, TRIP BLANK PRESENT IN THIS COOLER		₫			
). PROPER SAMPLE CONTAINERS AND VOLUME?	<b>'</b>				
IO. SAMPLES WITHIN HOLD TIME UPON RECEIPT?	3				
1. SAMPLES PROPERLY PRESERVED <sup>(1)</sup> ?			, <b>d</b>		
2. CORRECTIVE ACTION REPORT FILED?		G'	N/A		
3. ANALYTICAL PROGRAMS (CIRCLE ONE) COMM	/ERCIAL	CLP HA	ZWRAP NFESC ACOF	AFCEE OTHER (STATE OF ORIGIN):	
LOG - IN NOTES <sup>(1)</sup> :	·				

Use this space (and additional sheets if necessary) to document samples that are received broken or compromised, C-O-C discrepancies, radiation checks, residual chlorine check, results of pH check if required. If samples required pH adjustment, record volume and type of preservative added.

~
0
0
0
_
4
N

KATAHDIN ANALYTICAL SERVICES						LAB (WOR	K ORDER	t) #	WP:	3703	
<b>SAMPLE RECEIPT CONDITION REP</b> Tel. (207) 874-2400 Fax (207) 775-4029	ORI					PAGE:		4	_ofS		
1 4 (251) 115 4025						COOLER:_		4	_OF <u>\$</u>		
CLIENT: Tetra Tech						COC# SDG# DATE / TIM	ME RECEI	VED:_	8-24-9	7 0850	<u> </u>
PROJECT: CNC						DELIVERE RECEIVED LIMS ENTF LIMS REVI	) BY: RY BY:	PM:	8	FedEr So-	
	YES	NO	EXCEPTION	S	COMM	ENTS			RESOLUTI	ON	
1. CUSTODY SEALS PRESENT / INTACT?	U										
2.CHAIN OF CUSTODY PRESENT IN THIS COOLER?		3									
3. CHAIN OF CUSTODY SIGNED BY CLIENT?									<del></del>		
4. CHAIN OF CUSTODY MATCHES SAMPLES?	<b>4</b>										
5. TEMPERATURE BLANKS PRESENT?					TEMP I	BLANK TEMP (*	c)= <u>l_</u>	٥	ASK not	died you	l calling
6. SAMPLES RECEIVED AT 4º6-t/-2? (CE) ICE PACKS PRESENT ('Y) or N?		Ø				ER TEMP (°C )= RD COOLER TE		NA F TEMP	BLANK IS NOT P	RESENT)	
7. VOLATILES FREE OF HEADSPACE?			$\Box$						· <u> </u>		
8. TRIP BLANK PRESENT IN THIS COOLER		g				<del></del>			·		<del> </del>
9. PROPER SAMPLE CONTAINERS AND VOLUME?	(3)		. 🚨			<del></del>	<del></del>				
10. SAMPLES WITHIN HOLD TIME UPON RECEIPT?											<del></del>
11. SAMPLES PROPERLY PRESERVED <sup>(1)</sup> ?			_ <b>_ _</b>							<u> </u>	
12. CORRECTIVE ACTION REPORT FILED?		4	N/A								
13, ANALYTICAL PROGRAMS (CIRCLE ONE) COMM	MERCIAL	CLP HA	ZWRAP NFE	SC ACOE	AFCEE	OTHER (STA	TE OF ORK	3IN):			
LOG - IN NOTES <sup>(1)</sup> .					-						
											1

0
٥
٥
_
4
Ų

( )				I
KATAHDIN ANALYTICAL SERVICES SAMPLE RECEIPT CONDITION REP	•			LAB (WORK ORDER) #(Δ)? 3.703
Tel. (207) 874-2400				PAGE: 5 OF 5
Fax (207) 775-4029				COOLER: 5 of 5
				COOLER:
				COC#
CLIENT: Tetra Tech				SDG#
				DATE / TIME RECEIVED: 8.24-91 0850
				DELIVERED BY: FedEx
PROJECT: CNC				RECEIVED BY: SE-CL
TROSEO1:	-	_		LIMS REVIEW BY / PM:
				7\\Z
	YES	NO	EXCEPTIONS	COMMENTS RESOLUTION
1. CUSTODY SEALS PRESENT / INTACT?	(3			
A CUANT OF CHOTORY PRESENT IN THIS COOLERS		g		
2.CHAIN OF CUSTODY PRESENT IN THIS COOLER?	<del></del>	_		<del></del>
3. CHAIN OF CUSTODY SIGNED BY CLIENT?	(E)			
4. CHAIN OF CUSTODY MATCHES SAMPLES?		☑*		
	<b>4</b>			De notifical autitable
5. TEMPERATURE BLANKS PRESENT?	<del></del>		_	TEMP BLANK TEMP (°C)= 1.8 by fox 8/24/29.
6. SAMPLES RECEIVED AT 4°6 4/- 2?  (ICE I) ICE PACKS PRESENT (Y) or N?		<b>A</b>		COOLER TEMP (°C )= NA (RECORD COOLER TEMP ONLY IF TEMP BLANK IS NOT PRESENT)
7. VOLATILES FREE OF HEADSPACE?			<b>9</b>	•
·		Ī		
8. TRIP BLANK PRESENT IN THIS COOLER				
9. PROPER SAMPLE CONTAINERS AND VOLUME?	<u> </u>			
10. SAMPLES WITHIN HOLD TIME UPON RECEIPT?	<b>9</b>			
4-2				
11. SAMPLES PROPERLY PRESERVED <sup>(1)</sup> ?			댇	
12. CORRECTIVE ACTION REPORT FILED?		प	N/A	
13. ANALYTICAL PROGRAMS (CIRCLE ONE) COMM	MERCIAL	CLP HAZ	WRAP (NFESC	ACOE AFCEE OTHER (STATE OF ORIGIN):
N 1 C 2	PAHI	~# les	tos samole	26 GLM09DOI is labeled 26 GLM0901 (dateltime matches)
LOG - IN NOTES <sup>(1)</sup> :	17712 1	UU 11 143	.OR SUMME	To de l'Oct. la lais a la fait (mille liftha es)

Use this space (and additional sheets if necessary) to document samples that are received broken or compromised, C-O-C discrepancies, radiation checks, residual chlorine check, results of pH check if required. If samples required pH adjustment, record volume and type of preservative added.



340 County Road No. 5 P.O. Box 720 Westbrook, ME 04098 Tel: (207) 874-2400

### CHAIN of CUSTODY

Page 1 of 2 PLEASE PRINT IN PEN Client Fax# Bryn Howze N. Charleston Tetra Tech NUS (843) 554-City Purchase Order # Proj. Name / No. Katahdin Quote # Bill (if different than above) Address Copies To: Sampler (Print / Sign) ANALYSIS AND CONTAINER TYPE PRESERVATIVES WORK ORDER #: WP3703 LAB USE ONLY Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. Filt. KATAHDIN PROJEČT MÁNAGER REMARKS: 202 CLIENT SHIPPING INFO: FED EX ☐ UPS AIRBILL NO:\_ TEMP BLANK ☐ INTACT ☐ NOT INTACT TEMP°C Date / Time No. of Sample Description Matrix Cntrs. collid 3 266LM0801 3 26GLMIØDØIM 5 MS/MSD aa 5 26 GLY 10 DOI 3 ŌÃ 5 3 2 26GLM0401 aġ 266LMØ6Ø1 5 3 2 2 26GLM Ø5Ø1 5 3 2 266LM \$7\$1 5 ag 5 3 26 GLM Ø7Ø1D 2 3 3/21/99/1140 2 13GLM0601 8/2/99/1557 3 329LM \$6\$/ 94 8/22/99/1152 216LMØ301 5 2 3 9 3 2 216 LM0201 5 09 216 MB2010 5 aq5 3 216 LMØTDØ1 ag AIGLMB8 \$1 2 3 æ Soil Date / Time Received By: (Signature) Date Relinquished By: (Signature) Relinquished By: (Signature) Received By 181 81344268172 Haum Date / Time Date / Received By: (Signature) Belinquished By: (Signature) Time Relinquished By: (Signature) Received By: (Signature)

# atahdin

Tel: (207) 874-2400

### CHAIN of CUSTODY

Page 2 of 2 PLEASE PRINT IN PEN Phone # Fax # Iefra Tech NUS Brun Howe (643) 554-4925 ( - NH-21 Ave. H Charleston City State Zip Code Proj. Name / No. Katahdin Quote # Purchase Order # Bill (if different than above) Address Copies To: Sampler (Print / Sign) ANALYSIS AND CONTAINER TYPE PRESERVATIVES WORK ORDER #: WP3703 LAB USE ONLY KATAHDIN PROJECT MANAGER REMARKS: ☐ UPS ☐ FED EX ☐ CLIENT SHIPPING INFO: AIRBILL NO: TEMP°C TEMP BLANK □ INTACT □ NOT INTACT Date / Time No. of Sample Description Matrix coll'd + Xun Fac from PAH Soil 4011 36M49001 3 ag 2 5 3 266-LM Ø3 Ø1 a9 5 3 26GCM & 201 aa 9 2 3 30GLMU id 1 3 ag 2 3 306LM 0301 30GLM\$5\$1 ag 2 36GLM0141 425LP200304 50i hour Aurnaround 42SLP210304 9/23/19/1415 4 50il hour turn around 26TL00101 COMMENTS \* Do TAL metals analysis from PAtt jar. juished By: (Signature) Date / Grime 8-24 946 Received By. (Signature) Relinquished By: (Signature) Date / Time Received By: (Signature) Relinquished By: (Signature) Date / Time Received By: (Signature) Relinquished By: (Signature) Date / Time Received By: (Signature)

FORMSOURCE INC. 52 (207) 782-3311 FORM # CHN-OF-CSTDY

**ORIGINAL** 0000145

Page 1

ORDER NO WP-3703

Project Manager: Andrea J. Colby

ORDER DATE: 08/24/99

REPORT TO: PAUL CALLIGAN

PHONE: 850/385-989

Tetra Tech NUS

FAX: 850/385-986 💉

1401 Oven Park Dr., Suite 102

DUE: 23 SEP

Tallahassee, FL 32308

FAC. ID: CNC CHARLESTON

INVOICE:

ACCOUNTS PAYABLE

PHONE: 412/921-7090

TETRA TECH NUS, INC.

PO: N7912-P99264

FOSTER PLAZA 7, 661 ANDERSEN DR.

PITTSBURGH, PA 15220

PROJECT: CTO #68

SAMPLED BY: CLIENT DELIVERED BY: FEDEX

DISPOSE: AFTER 23 OCT

EM LOG NUMBER	SAMPLE DESCRIPTION	SAMPLED I	DATE/TIME_	RECEIVED	MATRIX
1 WP3703-1	26GLM0801	21	AUG 1513	24 AUG	AQ
WP3703-2	26GLM10D01	21	AUG 1240		
WP3703-3	26GLM0401	21	AUG 0945		
WP3703-4	26GLM0601	21	AUG 1005		
WP3703-5	26GLM0501	21	AUG 0945		
WP3703-6	26GLM0701	21	AUG 1155		
WP3703-7	26GLM0701D	21	AUG		
WP3703-8	13 <b>GLM</b> 0601	21	AUG 1140		
WP3703-9	32GLM0601	21	AUG 1557		
WP3703-10	21GLM0301	22	AUG 1152		
WP3703-11	21GLM0201		AUG 0955		
WP3703-12	21GLM0201D	22	AUG		
WP3703-13	21GLM07D01	22	AUG 1430		» n.
<b>W</b> P3703-14	21GLM0801		AUG 1500		
WP3703-15	26GLM09D01	23	AUG 1645		-
WP3703-16	26GLM0301	23			
	26GLM0201	23	AUG 1520		
<b>W</b> P3703-18	30GLM0301				
WP3703-19	30GLM0701	22	AUG 1515		
DETERMINATI	ON	METH	OD OTY	PRICE	AMOUNT
	ganics by 8260B	SW8260	19		1425.00
	Aromatic Hydrocarbons				2375.00
TOTALS			19	200.00	3800.00
•					

Page 2

ORDER NO WP-3703 Project Manager: Andrea J. Colby

ORDER DATE: 08/24/99

PHONE: 850/385-9899 RP-RT TO: PAUL CALLIGAN Tetra Tech NUS FAX: 850/385-9860

1401 Oven Park Dr., Suite 102 DUE: 23 SEP

Tallahassee, FL 32308 FAC.ID: CNC CHARLESTON

INVOICE: ACCOUNTS PAYABLE PHONE: 412/921-7090

PO: N7912-P99264 TETRA TECH NUS, INC.

FOSTER PLAZA 7, 661 ANDERSEN DR.

PITTSBURGH, PA 15220 PROJECT: CTO #68

AMPLED BY: CLIENT DELIVERED BY:	FEDEX DI	SPOSE: AFTER 23 OCT
LOG NUMBER SAMPLE DESCRIPTION	SAMPLED DATE/TIM	E RECEIVED MATRIX
2 WP3703-20 30GLM0101	22 AUG 121	
WP3703-21 30GLM0501	22 AUG 122	<del></del>
DETERMINATION	METHOD OTY	PRICE AMOUNT
Volatile Organics by 8260B	SW8260 2	
Polynuclear Aromatic Hydrocarbons	EPA 8270 2	
Nitrate as N	353.2 2	
Sulfate (as SO4)	E300 2	
Methane Subcontract	2	95.00 190.00
TOTALS	2	325.00 650.00
LOG NUMBER SAMPLE DESCRIPTION	SAMPLED DATE/TIM	E RECEIVED MATRIX
WP3703-22 26TL00101	23 AUG	24 AUG AQ
DETERMINATION	METHOD OTY	
Volatile Organics by 8260B	SW8260 1	75.00 75.00
LOG NUMBER SAMPLE DESCRIPTION	SAMPLED DATE/TIM	E RECEIVED MATRIX
4 WP3703-23 24SLB070405	23 AUG 091	5 24 AUG SL
<u>DETERMINATION</u>	METHOD OTY	PRICE AMOUNT
Solids-Total Residue (TS)	CLP/CIP SO 1	0.00 0.00
Polynuclear Aromatic Hydrocarbons	EPA 8270 1	
Volatile Organics by 8260B	SW8260 1	85.00 85.00
TOTALS	1	220.00 220.00

Page 3

ORDER NO WP-3703

Project Manager: Andrea J. Colby

ORDER DATE: 08/24/99

REPORT TO: PAUL CALLIGAN

PHONE: 850/385-98

Tetra Tech NUS

FAX: 850/385-98c.

1401 Oven Park Dr., Suite 102

DUE: 23 SEP

Tallahassee, FL 32308

FAC.ID: CNC CHARLESTON

INVOICE: ACCOUNTS PAYABLE PHONE: 412/921-7090

TETRA TECH NUS, INC.

PO: N7912-P99264

FOSTER PLAZA 7, 661 ANDERSEN DR. PITTSBURGH, PA 15220

PROJECT: CTO #68

SAMPLED BY: CLIENT

DELIVERED BY: FEDEX

DISPOSE: AFTER 23 OCT

LOG NUMBER SAMPLE DESCRIPTION	SAMPLED DATE	TIME	RECEIVED	MATRIX
5 WP3703-24 24SLB040304	23 AUG	0950	24 AUG	SL
DETERMINATION	<u>METHOD</u>	QTY	PRICE	AMOUNT
Volatile Organics by 8260B	SW8260	1	85.00	85.00
Polynuclear Aromatic Hydrocarbons	EPA 8270	1	135.00	135.00
Target Analyte List Metals, Total		1	100.00	100.00
Solids-Total Residue (TS)	CLP/CIP SO	1	0.00	0.00
Grain Size Subcontract		1	110.00	110.00
Total Combustible Organics	ASTM D2974	1	30.00	30.00
TOC Subcontract		1	60.00	60.00
TPH Subcontract		1	75.00	75.00
TOTALS		1	595.00	595.0^

LOG NUMBER SAMPLE DESCRIPTION WP3703-25 24SLB020203	SAMPLED DATE, 23 AUG		RECEIVEI 24 AUG	
DETERMINATION	METHOD	OTY	PRICE	TNUOMA
Volatile Organics by 8260B	SW8260	1	85.00	85.00
Solids-Total Residue (TS)	CLP/CIP SO	1	0.00	0.00
Polynuclear Aromatic Hydrocarbons	EPA 8270	1	135.00	135.00
Target Analyte List Metals, Total		1	100.00	100.00
TOTALS		<u>1</u>	320.00	320.00

#### Page 4

ORDER NO WP-3703

Project Manager: Andrea J. Colby

ORDER DATE: 08/24/99

RT TO: PAUL CALLIGAN

PHONE: 850/385-9899

Tetra Tech NUS

FAX: 850/385-9860

1401 Oven Park Dr., Suite 102

DUE: 23 SEP

Tallahassee, FL 32308

FAC.ID: CNC CHARLESTON

INVOICE: ACCOUNTS PAYABLE

PHONE: 412/921-7090

TETRA TECH NUS, INC.

PO: N7912-P99264

FOSTER PLAZA 7, 661 ANDERSEN DR.

\_\_\_

PITTSBURGH, PA 15220

PROJECT: CTO #68

SAMPLED BY: CLIENT

DELIVERED BY: FEDEX

DISPOSE: AFTER 23 OCT

	LOG NUMBER	SAMPLE DESCRIPTION	SAMPLED DATE,	/TIME	<u> RECEIVED</u>	MATRIX
7	WP3703-27	42SLP200304	23 AUG	1400	24 AUG	SL
	WP3703-28	42SLP210304	23 AUG	1415		
	DETERMINATION	ИС	METHOD	OTY	PRICE	AMOUNT
	Volatile Org	ganics by 8260B	SW8260	2	85.00	170.00
	Polynuclear	Aromatic Hydrocarbons	EPA 8270	2	135.00	270.00
	Solids-Total	l Residue (TS)	CLP/CIP SO	2	0.00	0.00
	TOTALS			2	220.00	440.00

	LOG NUMBER SAMPLE DESCRIPTION	SAMPLED DATE	/TIME	RECEIVED	MATRIX
Ú	WP3703-26 24SLB040304D	23 AUG		24 AUG	SL
	<u>DETERMINATION</u>	METHOD	OTY	PRICE	AMOUNT
	Volatile Organics by 8260B	SW8260	1	85.00	85.00
	Polynuclear Aromat c Hydrocarbons	EPA 8270	1	135.00	135.00
	Solids-Total Residue (TS)	CLP/CIP SO	1	0.00	0.00
	Total Combustible Organics	ASTM D2974	1	30.00	30.00
	TOC Subcontract		1	60.00	60.00
	Target Analyte List Metals, Total		1	100.00	100.00
	TPH Subcontract		1	75.00	75.00
	TOTALS		1	485.00	485.00

Page 5

ORDER NO WP-3703

Project Manager: Andrea J. Colby

ORDER DATE: 08/24/99

REPORT TO: PAUL CALLIGAN

PHONE: 850/385-98

Tetra Tech NUS

FAX: 850/385-986

1401 Oven Park Dr., Suite 102

DUE: 23 SEP

Tallahassee, FL 32308

FAC.ID: CNC CHARLESTON

ACCOUNTS PAYABLE INVOICE:

PHONE: 412/921-7090

TETRA TECH NUS, INC.

PO: N7912-P99264

FOSTER PLAZA 7, 661 ANDERSEN DR. PITTSBURGH, PA 15220

PROJECT: CTO #68

SAMPLED BY: CLIENT

DELIVERED BY: FEDEX

DISPOSE: AFTER 23 OCT

ORDER NOTE: QC-II+ W/NARRATIVE

DD(KAS007QC-DB3)

CNC CHARLESTON

NFESC

REPORT COPY: MS. LEE LECK

TETRA TECH NUS FOSTER PLAZA 7 661 ANDERSEN DR. PITTSBURGH, PA 15220

REPORT AND DISK

INVOICE: With Report

TOTAL ORDER AMOUNT \$6,585.0

This is NOT an Invol

AJC/BKR/WEST.AJC(dw)

09-21Please contact KATAHDIN ANALYTICAL SERVICES promptly if you have any questi



# KATAHDIN ANALYTICAL SERVICES Summary of Report Notes

Report Note	Note Text
#	'#' flag denotes surrogate compound recovery is out of criteria.
E	'E' flag indicates an estimated value. The analyte was detected in the sample at a concentration greater than the standard calibration range.
J	'J' flag denotes an estimated value less than the Laboratory's Practical Quantitation Level.
0-2	Sample dilution required for quantitation of one or more target analytes; therefore, standard laboratory Practical Quantitation Level (PQL) could not be achieved.



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

Report Date:

WP3703-8

SDG:

WP3703 9/24/99

PO No.:

N7912-P99264

Project:

CTO #68

% Solids:

N/A

Method:

**EPA 8270** 

Date Analyzed: 9/7/99

Sample Description	Matrix S	ampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext, Method	Analyst
13GLM0601	AQ	8/21/99	8/24/99	8/25/99	DS	EPA 3510	KRT
Compound	Result	t Units	DF	Sample PQL	Method PQL		
NAPHTHALENE	<10	ug/L	1.0	10	10		_
2-METHYLNAPHTHALENE	<10	ug/L	1.0	10	10		
ACENAPHTHYLENE	<10	ug/L	1.0	10	10		
ACENAPHTHENE	<10	ug/L	1.0	10	10		
FLUORENE	<10	ug/L	1.0	10	10		
PHENANTHRENE	<10	ug/L	1.0	10	10		
ANTHRACENE	<10	ug/L	1.0	10	10		
FLUORANTHENE	<10	ug/L	1.0	10	10		
PYRENE	<10	ug/L	1.0	10	10		
BENZO[A]ANTHRACENE	<10	ug/L	1.0	10	10		
CHRYSENE	<10	ug/L	1.0	10	10		
BENZO[B]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZOKIFLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[A]PYRENE	<10	ug/L	1.0	10	10		
INDENO[1,2,3-CD]PYRENE	<10	ug/L	1.0	10	10		
DIBENZ[A,H]ANTHRACENE	<10	ug/L	1.0	10	10		
BENZO[G,H,I]PERYLENE	<10	ug/L	1.0	10	10		
NITROBENZENE-DS	76	%	1.0				
2-FLUOROBIPHENYL	76	%	1.0				
TERPHENYL-D14	90	%	1.0				



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP3703-8

SDG:

WP3703

Report Date:

9/24/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

N/A

Method:

SW8260

Date Analyzed:

8/25/99

Sample Description	Matrix	Sampled Date		Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13GLM0601	ρA	AQ 8/21/99		8/24/99	8/25/99	КМС	5030	КМС
Compound	R	esult	Units	DF	Sample PQL	Method PQL		
BENZENE		<5	ug/L	1.0	5	5	e .	
TOLUENE		<5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE		<5	ug/L	1.0	5	5		
ETHYLBENZENE		<5	ug/L	1.0	5	5		
NAPHTHALENE		<5	ug/L	1.0	5	5		
MTBE		<5	ug/L	1.0	5	5		
TOTAL XYLENES		<5	ug/L	1.0	5	5		
DIBROMOFLUOROMETHANE		104	%	1.0				
1,2-DICHLOROETHANE-D4		100	%	1.0				
TOLUENE-D8		91	%	1.0				
P-BROMOFLUOROBENZENE		90	%	1.0				

Report Notes:

#### **4B** SEMIVOLATILE ORGANICS METHOD BLANK SUMMARY

EPA SAMPLE NO.

Lab Name: Katahdin Analytical Services

SDG No.: WP3703

SBLK1;082599

Lab File ID:

Z1964

Lab Sample ID: SBLK1;082599

Instrument ID:

5972-Z

Date Extracted: 8/25/99

GC Column: RTX-5

ID: 0.25

Date Analyzed: 09/07/99

(mm)

Matrix: (soil/water) WATER

Level: (low/med) LOW

Time Analyzed: 14:09

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, LCS'S, MS AND MSD'S

Client Sample ID	<u>Lab</u> Sample ID	Lab Data File	Date Injected	Time Injected
LCS;082599	LCS:082599	Z1965	9/7/99	2:58:00 PM
26GLM0801	WP3703-1	Z1966	9/7/99	3:47:00 PM
26GLM10D01	WP3703-2	Z1967	9/7/99	4:36:00 PM
26GLM10D01MS	WP3703-2MS	Z1968	9/7/99	5:24:00 PM
26GLM10D01MSD	WP3703-2MSD	Z1969	9/7/99	6:12:00 PM
26GLM0401	WP3703-3	Z1970	9/7/99	7:00:00 PM
26GLM0601	WP3703-4	Z1971	9/7/99	7:51:00 PM
26GLM0501	WP3703-5	Z1972	9/7 <i>1</i> 99	8:39:00 PM
26GLM0701	WP3703-6	Z1973	9/7/99	9:29:00 PM
26GLM0701D	WP3703-7	Z1974	9/7/99	10:17:00 PM
13GLM0601	WP3703-8	Z1975	9/7/99	11:05:00 PM
32GLM0601	WP3703-9	Z1976	9/7/99	11:55:00 PM
21GLM0301	WP3703-10	Z1977	9/8/99	12:43:00 AM
21GLM0201D	WP3703-12	Z1990	9/8/99	9:34:00 AM
21 GLM07 D01	WP3703-13	Z1991	9/8/99	10:21:00 AM
26GLM09D01	WP3703-15	Z1992	9/8/99	11:10:00 AM
26GLM0301	WP3703-16	Z1993	9/8/99	11:59:00 AM
30GLM0301	WP3703-18	Z2010	9/9/99	2:01:00 PM
21GLM07D01	WP3703-13RA	Z2011	9/9/99	2:48:00 PM
30GLM0701	WP3703-19	Z2015	9/9/99	5:59:00 PM
30GLM0101	WP3703-20	Z2016	9/9/99	6:48:00 PM
30GLM0501	WP3703-21	Z2017	9/9/99	7:35:00 PM
21GLM0201	WP3703-11	Z2030	9/10/99	2:03:00 PM
30GLM0101	WP3703-20DL	Z2040	9/13/99	10:29:00 AM



Client:

**PAUL CALLIGAN** 

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

SBLK1;082599

SDG:

WP3703

Report Date: PO No.:

9/24/99 N7912-P99264

Project:

CTO #68

% Solids:

N/A

Method:

EPA 8270

Date Analyzed: 9/7/99

Sample Description	Matrix Sam	pled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
SBLK1;082599	AQ	AQ -		8/25/99	DS	EPA 3510	KRT
Compound	Result	Units	DF	Sample PQL	Method PQL	-	
NAPHTHALENE	<10	ug/L	1.0	10	10		
2-METHYLNAPHTHALENE	<10	ug/L	1.0	10	10		
ACENAPHTHYLENE	<10	ug/L	1.0	10	10		
ACENAPHTHENE	<10	ug/L	1.0	10	10		
FLUORENE	<10	ug/L	1.0	10	10		
PHENANTHRENE	<10	ug/L	1.0	10	10		
ANTHRACENE	<10	ug/L	1.0	10	10		
FLUORANTHENE	<10	ug/L	1.0	10	10		
PYRENE	<10	ug/L	1.0	10	10		
BENZO[A]ANTHRACENE	<10	ug/L	1.0	10	10		
CHRYSENE	<10	ug/L	1.0	10	10		
BENZO[B]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[K]FLUORANTHENE	<10	ug/L	1.0	10	10		
BENZO[A]PYRENE	<10	ug/L	1.0	10	10		
INDENO[1,2,3-CD]PYRENE	<10	ug/L	1.0	10	10		
DIBENZIA, HJANTHRACENE	<10	ug/L	1.0	10	10		
BENZO[G,H,I]PERYLENE	<10	ug/L	1.0	10	10		
NITROBENZENE-D5	68	%	1.0				
2-FLUOROBIPHENYL	69	%	1.0				
TERPHENYL-D14	86	%	1.0				

Report Notes:

# Katahdin Analytical Services 8270 LCS Recovery Sheet

Lab File: Z1909

Sample ID: LCS1;082599

Date Run: 8/31/99

Analyst: KRT

Time Injected 5:19:00 PM

Matrix: SL

Compound Name	Spike Amt (ug/Kg)	Result (ug/Kg)	Rec (%)	Limits (%)
2-METHYLNAPHTHALENE	1667	1530	92	60-140
ACENAPHTHENE	1667	1630	98	60-140
ACENAPHTHYLENE	1667	1600	96	60-140
ANTHRACENE	1667	1710	102	60-140
BENZO[A]ANTHRACENE	1667	1780	107	60-140
BENZO[A]PYRENE	1667	1750	105	60-140
BENZO[B]FLUORANTHENE	1667	1700	102	60-140
BENZO[G,H,I]PERYLENE	1667	1660	100	60-140
BENZO[K]FLUORANTHENE	1667	1930	116	60-140
CHRYSENE	1667	1930	116	60-140
DIBENZ[A,H]ANTHRACENE	1667	1800	108	60-140
FLUORANTHENE	1667	1790	107	60-140
FLUORENE	1667	1700	102	60-140
INDENO[1,2,3-CD]PYRENE	1667	1820	109	60-140
NAPHTHALENE	1667	1560	94	60-140
PHENANTHRENE	1667	1800	108	60-140
PYRENE	1667	1770	106	60-140

# Katahdin Analytical Services MS/MSD Report

Sample	File Name	Date Acquired	Time inj	Analyst	Matrix	Method
WP3703-2	Z1967	9/7/99	4:36:00 PM	KRT	AQ	8270_99
WP3703-2MS	Z1968	9/7/99	5:24:00 PM	KRT	AQ	8270_99
WP3703-2MSD	Z1969	9/7/99	6:12:00 PM	KRT	AQ	8270_99

Compound Name	Native (ug/L)	MS Spk Amount (ug/L)	MSD Spk Amount (ug/L)	MS Result (ug/L)	MSD Result (ug/L)	MS REC (%)	MSD REC (%)	Recovery Limits (%)	RPD (%)	RPD Limit (%)
BENZO[G,H,I]PERYLENE	0	49	49	56.6	56,0	115	114	60-140	1.1	30
2-METHYLNAPHTHALENE	0	49	49	42.9	42.2	87	86	60-140	1.6	30
NAPHTHALENE	0	49	49	40,3	41.4	82	84	60-140	2.7	30
INDENO[1,2,3-CD]PYRENE	0	49	49	59.8	59.1	122	120	60-140	1.2	30
FLUORENE	0	49	49	47.2	43.1	96	88	60-140	9.1	30
FLUORANTHENE	0	49	49	46.7	43.3	95	88	60-140	7.6	30
DIBENZ(A,H)ANTHRACENE	0	49	49	52.8	52.3	108	107	60-140	0.95	30
PHENANTHRENE	0	49	49	47.8	46.9	97	96	60-140	1.9	30
BENZO[K]FLUORANTHENE	. 0	49	49	52.8	51.8	108	106	60-140	1.9	30
PYRENE	0	49	49	53.8	54.8	110	112	60-140	1.8	30
BENZO[B]FLUORANTHENE	0	49	49	40.7	40.0	83	82	60-140	1.7	30
BENZO[A]PYRENE	0	49	49	46.5	45.8	95	93	60-140	1.5	30
BENZO[A]ANTHRACENE	0	49	49	47.0	46.6	96	95	60-140	0.85	30
ANTHRACENE	0	49	49	46.6	45.1	95	92	60-140	3.3	30
ACENAPHTHYLENE	0	49	49	45,9	42.2	94	86	60-140	8.4	30
NAPHTHENE	0	49	49	45.8	42.3	94	86	60-140	7.9	30
OHRYSENE	0	49	49	53.2	52.6	108	107	60-140	1.1	30

# **VOLATILE ORGANICS METHOD BLANK SUMMARY**

EPA SAMPLE NO.

VBLKF25A

Lab Name: Katahdin Analytical Services

SDG No.: WP3703

Lab File ID:

F1601

Lab Sample ID: VBLKF25A

Date Analyzed: 08/25/99

Time Analyzed: 9:28

GC Column: RTX-624 ID: 0.18

(mm)

Heated Purge: (Y/N) N

Instrument ID: 5972-F

#### THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, LCS'S, MS AND MSD'S

Client Sample ID	Lab Sample ID	Lab Data File	Date Injected	Time Injected
LCSF25A	LCSF25A	F1600	8/25/99	8:35:00 AM
26GLM10D01MS	WP3703-2MS	F1605	8/25/99	12:11:00 PM
26GLM10D01MSD	WP3703-2MSD	F1606	8/25/99	12:47:00 PM
26GLM0801	WP3703-1	F1608	8/25/99	2:00:00 PM
26GLM10D01	WP3703-2	F1609	8/25/99	2:36:00 PM
26GLM0401	WP3703-3	F1610	8/25/99	3:13:00 PM
26GLM0601	WP3703-4	F1611	8/25/99	3:49:00 PM
26GLM0501	WP3703-5	F1612	8/25/99	4:26:00 PM
26GLM0701	WP3703-6	F1613	8/25/99	5:02:00 PM
26GLM0701D	WP3703-7	F1814	8/25/99	5:38:00 PM
13GLM0601	WP3703-8	F1615	8/25/99	6:15:00 PM
32GLM0601	WP3703-9	F1616	8/25/99	6:51:00 PM



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

VBLKF25A

SDG:

WP3703 9/24/99

Report Date:

PO No.: Project:

N7912-P99264

% Solids:

CTO #68 N/A

Method:

Date Analyzed:

SW8260 8/25/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
VBLKF25A	AQ	-	-	8/25/99	KMC	5030	КМС
Compound	Resi	ult Units	DF	Sample PQL	Method PQL		
BENZENE	<5	ug/L	1.0	5	5		_
TOLUENE	<5	ug/L	1.0	5	5		
1,2-DIBROMOETHANE	<5	ug/L	1.0	5	5		
ETHYLBENZENE	<5	ug/L	1.0	5	5		
NAPHTHALENE	<5	ug/L	1.0	5	5		
MTBE	<5	ug/L	1.0	5	5		
TOTAL XYLENES	<5	ug/L	1.0	5	. 5		
DIBROMOFLUOROMETHANE	104	4 %	1.0				
1,2-DICHLOROETHANE-D4	100	96	1.0				
OLUENE-D8	91	%	1.0				
P-BROMOFLUOROBENZENE	91	%	1.0				

Report Notes:

# **Katahdin Analytical Services** 8260 LCS Recovery Sheet

Lab File: F1600

Sample ID: LCSF25A

Date Run: 8/25/99

Analyst: KMC

Time Injected 8:35:00 AM

Matrix: AQ

Compound Name	Spike Amt (ug/L)	Result (ug/L)	Rec (%)	Limits (%)
1,2-DIBROMOETHANE	50	54.0	108	60-140
BENZENE	50	48.0	96	60-140
ETHYLBENZENE	50	49.7	99	60-140
MTBE	50	51.9	104	60-140
NAPHTHALENE	50	50.4	101	60-140
TOLUENE	50	48.3	96	60-140
TOTAL XYLENES	150	144	96	60-140

# Katahdin Analytical Services MS/MSD Report

ample	File Name	Date Acquired	Time inj	Analyst	Matrix	Method
WP3703-2	F1609	8/25/99	2:36:00 PM	KMC	AQ	8260_99
WP3703-2MS	F1605	8/25/99	12:11:00 PM	KMC	AQ	<b>82</b> 60_99
WP3703-2MSD	F1606	8/25/99	12:47:00 PM	KMC	AQ	8260_99

Compound Name	Native (ug/L)	MS Spk Amount (ug/L)	MSD Spk Amount (ug/L)	MS Result (ug/L)	MSD Result (ug/L)	MS REC (%)	MSD REC (%)	Recovery Limits (%)	RPD (%)	RPD Limit (%)
TOTAL XYLENES	0	150	150	122	118	81	79	60-140	3.3	20
TOLUENE	0	50	50	41.8	39.5	84	79	60-140	5.6	20
NAPHTHALENE	0	50	50	47.4	45.2	95	90	60-140	4.8	20
MTBE	0	50	50	49.8	47.1	100	94	60-140	5.6	20
ETHYLBENZENE	Ö	50	50	<b>42</b> .0	41.0	84	82	60-140	2.4	20
BENZENE	0	50	50	42.5	39.9	85	80	60-140	6.3	20
1,2-DIBROMOETHANE	0	50	50	50.4	47.6	101	95	60-140	5.7	20



# SDG NARRATIVE KATAHDIN ANALYTICAL SERVICES TETRA TECH NUS CASE CNC CHARLESTON

#### Sample Receipt

The following samples were received on June 15, 1999 and were logged in under Katahdin Analytical Services work order number WP2899 for a hardcopy due date of July 15, 1999.

KATAHDIN	TTNUS	GEL
Sample No.	Sample Identification	Sample No.
WP2899-1	13SLB060405	
WP2899-2	13SLB040506	
WP2899-3	13SLB020607	
WP2899-4	13SLB010607	9906485-01
WP2899-5	13SLB010607D	9906485-02
WP2899-6	13TL00101	

The samples were logged in for the analyses specified on the chain of custody form. All problems encountered and resolved during sample receipt have been documented on the applicable chain of custody forms.

Sample analyses have been performed by the methods as noted herein.

#### Volatile Organic Analysis

One aqueous and five soil samples were received by the Katahdin Analytical Services, Inc. GC/MS laboratory on June 15, 1999 and were specified to be analyzed by USEPA method 8260B for the analytes benzene, toluene, ethylbenzene, xylenes, MTBE, naphthalene, and EDB.

Analyses for this workorder were performed on the 5972-S and 5972-Z instruments. A VSTD050 (50 ppb standard) was used for the continuing calibration standard. Internal standard and surrogate compounds were also spiked at 50 ug/l.

Batch QC (VBLK, and LCS) was performed in each twelve-hour window. Results are included in this data package. The LCS QC samples were spiked with the entire list of compounds quantitated for at 50 ppb. No matrix spike/matrix spike duplicate was performed on any sample in this workorder.

Method 8000B, section 7.5.1.2.1 (Revision 2, 12/96) states, "in those instances where the RSD for one or more analytes exceeds 20%, the initial calibration curve may still be acceptable if the mean of the RSD values for all analytes in the calibration is less than or equal to 20%." Method 8260B narrows this 20% maximum to 15%.



Two initial calibration curves are reported in this workorder. Both calibrations had several analytes exceeding the maximum allowable 15% RSD. Since the average %RSD values were 13.3% and 11.2%, respectively, the curves were acceptable.

Sample WP2899-1, 2, 3, and 5 required reanalysis due to surrogate or internal standard recovery deviations in the initial analysis. In all instances, similar results were obtained, confirming matrix interference. Both sets of data for each sample are included in this data package.

Several manual integrations were performed due to split peaks; all have been flagged with a "M" (software-generated) on the pertinent quantitation reports. All "M" flags have been dated and initialed by the analyst performing the integration. In addition, all "M" flags have been reviewed and approved by the GC/MS supervisor. Copies of each manual integration are included in the pertinent quantitation reports.

No other protocol deviations were noted by the volatile organics staff.

#### Semivolatile Organic Analysis

Five soil/sediment samples were received by Katahdin Analytical Services laboratory on June 15, 1999 for analysis in accordance with 8270C for the PAH list of analytes.

Extraction of the samples occurred following USEPA method 3550 on June 18, 1999. A laboratory control spike consisting of all PAH analytes spiked into organic free sand, was extracted in the batch, along with a site-specific MS/MSD pair on sample WP2899-2.

The initial calibration curve analyzed in this SDG had some of the target analyte %RSD values exceeding 15 %.

Method 8000B, section 7.5.1.2.1 (Revision 2, 12/96) states, "in those instances where the RSD for one or more analytes exceeds 20%, the initial calibration curve may still be acceptable if the mean of the RSD values for all analytes in the calibration is less than or equal to 20%." Section 7.3.7.1 of method 8270C (revision 3, 12/96) narrows this 20% maximum to 15%.

In the calibration curve analyzed in this SDG, the average %RSD for all analytes was 9.1%, making the curve acceptable.

Several manual integrations were performed due to split peaks; all have been flagged with a "M" by the data system. All manual integrations have been dated and initialed by the responsible analyst. Copies of each manual integration are included in the data package. All manual integrations have been reviewed and approved by the GC/MS supervisor.

No other protocol deviations were noted by the semivolatiles organics staff.





#### Wet Chemistry Analysis

For work order WP2899 the analyses for Total Combustible Organics (TCO) have been performed in accordance with the "Annual Book of ASTM Standards", 1987. Analyses for Solids-Total Residue (TS) for work order WP2899 samples have been performed in accordance with "Contract Laboratory Program Statement of Work for Inorganic Analysis".

All analyses were performed within analytical hold time. No protocol deviations were noted by the Wet Chemistry laboratory staff.

#### Subcontracted Analysis

Analyses for Total Organic Carbon, Total Petroleum Hydrocarbons and Grain size were subcontracted to outside laboratories. All sets of data are included as separate sections to the data package.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager and/or his designee, as verified by the following signature.

**Authorized Signature** 



KATAHDIN ANALYTICAL SERVICES, SAMPLE RECEIPT CONDITION REPO Tel. (207) 874-2400 Fax (207) 775-4029  CLIENT: Tetra Tech	ORT 	~· —		DATE / TIME RECEIVED: 06   000   0
PROJECT: CNC - Charlesta	<u> </u>	_		LIMS ENTRY BY: BKK LIMS REVIEW BY / PM: AC
	YES	NO	EXCEPTIONS	COMMENTS RESOLUTION
1. CUSTODY SEALS PRESENT / INTACT?				
2:CHAIN OF CUSTODY PRESENT IN THIS COOLER?				
3. CHAIN OF CUSTODY SIGNED BY CLIENT?				
4. CHAIN OF CUSTODY MATCHES SAMPLES?				
5. TEMPERATURE BLANKS PRESENT?	$\mathbf{u}$	Image: Control of the control of the		TEMP BLANK TEMP (°C)*
6. SAMPLES RECEIVED AT 4°C +/- 2? (ICE)/ ICE PACKS PRESENT (Y) or N?	<b>U</b>			COOLER TEMP (°C )= NA (RECORD COOLER TEMP ONLY IF TEMP BLANK IS NOT PRESENT)
7. VOLATILES FREE OF HEADSPACE?	<b>9</b>			
8. TRIP BLANK PRESENT IN THIS COOLER	<b>U</b> ~			
9. PROPER SAMPLE CONTAINERS AND VOLUME?	· 🛂			
10. SAMPLES WITHIN HOLD TIME UPON RECEIPT?	<b>□</b> }			
11. SAMPLES PROPERLY PRESERVED(1)?				•
12. CORRECTIVE ACTION REPORT FILED?			N/A	
13. ANALYTICAL PROGRAMS (CIRCLE ONE) COMME	ERCIAL	CLP HA	ZWRAP NFESC	ACOE AFCEE OTHER (STATE OF ORIGIN):
LOG - IN NOTES(1):				•
			•	
		•	)	

Use this 7 \( \) (and additional sheets if necessary) to document samples that are received brokeneck if \( \). \( \) dd. If samples required pH adjustment, record volume and type of preservative adds. \( \).

compromised, C-O-C discrepancies, radiation checks, residual chlorine check, re

åf ph

# Katahdin P.O. Box 720 Westbrook, ME 04098 Tel: (207) 874-2400 Feb: (207) 775-4029

# CHAIN OF CUSTODY

	207) 775-4029						PLEAS	E PRINT	IN PE	4	Paç	ge <i></i>	_ of <u></u> _
Client Tetra tech No	ıS		Contac		νē v.		Phone # (843)	554.	- 492	Fa:	x #		
AMSSNH-ZI, Auc H		City )	lorth	Ch	were oulests	٠, ۲	State 5	· C		Zip Code	· 299	705	-
Purchase Order #		j. Name / N							_	n Quote			
Bill (if different than above)			Ad	idress									
Sampler (Print / Sign)	Fronklin	12,	1	U	<u>/</u>			Copie	s To:				
LAB USE ONLY WORK ORDE	R#: WP 280	ίς/-·	•					PRESER	VATIVES				
KATAHDIN PA	OJECT MANAGER			Filt.	Filt. NOYON	Filt. DYDI	Filt.	Filt. DYDN	Filt. DYDN	Filt.	Filt.	Filt.	Filt.
HEMARKS:				R		رو ا							
SHIPPING INFO:	☐ UPS	CLIE	NT	/ED!	OHH Nuphthalex	ر د ب	y						0.5
TEMP°C TEMP BLAN	K 🗍 INTACT	□ мот	INTACT	CX/	HAH	Thair	Foc						77
* Sample Description	Date / Time 1999 <sup>coll'd</sup>	Matrix	No. of Cntrs.	137	Q. Z	9					:		L a
13563460405	6/14 / 1430	Soil	5	X	K								0
1354 304 4566	6/14 / 1440	Sil	5	X	X								0
135L BØZ 0607	6/14 /1455	Soil	5	γ.	¥								0
1356 13010607	414 /1515	Soil	6	K	X	Х	K						Ø
SL BO10607 0	6/14 / 1515	Soil	5	X	X		Х						0
13TLØØ141	6/14/-	H2\$	2_	X									_
	/												
	/												
	/												
	/							_			_		
	/												
	/		_										
	/												
	/												
	/												
	/								İ	İ			
COMMENTS		,			ı		1	1		1			
	ate / Time Rece 4/9/ 1/200 3/09	eived By: (S 6 <b>0</b> 96	Signature らみつ	) d	Relinquisi	hed By:	(Signature		te / Tir <b>长-デラ /ご</b>		Received I	By: (Sign	nature)
	<u>-`-</u> '	eived By: (S		<del></del>  -	Relinquis	hed By:	(Signature	_	ite / Tir	_ _	Received	By: (Sigi	nature)
DRMSOURCE INC <b>18</b> (207) 782-3311				<u> </u>				_					
RM # CHN-OF-CSTDY										SIBLAL			

ORIGINAL  $\infty$ 

Project Manager: Andrea J. Colby ORDER NO WP-2899

ORDER DATE: 06/15/99

REPORT TO: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

PHONE: 850/385-98 FAX: 850/385-98\_\_ DUE: 15 JUL

FAC.ID: CNC CHARLESTON

PHONE: 412/921-7090

PO: N7912-P99264

ACCOUNTS PAYABLE INVOICE:

TETRA TECH NUS, INC.

FOSTER PLAZA 7, 661 ANDERSEN DR. PITTSBURGH, PA 15220 PROJECT: CTO#68

DELIVERED BY: FEDEX SAMPLED BY: R.FRANKLIN DISPOSE: AFTER 14 AUG

ITEM LOG NUMBER SAMPLE DESCRIPTION SAMPLED DATE/TIME RECEIVED MATRIX

WP2899-1	13 <i>S</i> LB060405	14 JUN	1430	15 JUN	1 SL
WP2899-2	13SLB040506	14 JUN	1440		
WP2899-3	13SLB020607	14 JUN	1455		
DETERMINAT	ION	METHOD	QTY	PRICE	AMOUNT
Volatile On	ganics by 8260B	SW8260	3	85.00	255.00
Solids-Tota	al Residue (TS)	CLP/CIP SO	3	0.00	0.00
Polynuclear	Aromatic Hydrocarbons	EPA 8270	3	135.00	405.00
TOTALS			3	220.00	660.00

	LOG NUMBER SAMPLE DESCRIPTION	SAMPLED DATE,	<u>/TIME</u>	RECEIVED	MATRIX
2	WP2899-4 13SLB010607	14 JUN	1515	15 JUN	".
	DETERMINATION	METHOD	OTY	PRICE	AMOUNT
	Volatile Organics by 8260B	SW8260	1	85.00	85.00
	Polynuclear Aromatic Hydrocarbons	EPA 8270	1	135.00	135.00
	Total Combustible Organics	ASTM D2974	1	30.00	30.00
	Wet Lab Subcontract		1	245.00	245.00
	Solids-Total Residue (TS)	CLP/CIP SO	1	0.00	0.00
	TOTALS		1	495.00	495.00

	LOG NUMBER SAMPLE DESCRIPTION	SAMPLED DATE	/TIME	RECEIVED	MATRIX
3	WP2899-5 13SLB010607D	14 JUN	1515	15 JUN	SL
	DETERMINATION	METHOD	OTY	PRICE	AMOUNT
	Volatile Organics by 8260B	SW8260	1	85.00	85.00
	Polynuclear Aromatic Hydrocarbons	EPA 8270	1	135.00	135.00
	Total Combustible Organics	ASTM D2974	1	30.00	30.00
	Solids-Total Residue (TS)	CLP/CIP SO	1	0.00	0.00
	Wet Lab Subcontract		1	135.00	135.00
	TOTALS		1	385.00	385.00

#### New England-ME Laboratory (207) 874-2400 CONFIRMATION

Page 2

ORDER NO WP-2899

Project Manager: Andrea J. Colby

ORDER DATE: 06/15/99

RFPORT TO: PAUL CALLIGAN

PHONE: 850/385-9899

Tetra Tech NUS

FAX: 850/385-9860

1401 Oven Park Dr., Suite 102

DUE: 15 JUL

Tallahassee, FL 32308

FAC. ID: CNC CHARLESTON

INVOICE:

ACCOUNTS PAYABLE

PHONE: 412/921-7090

TETRA TECH NUS, INC.

PO: N7912-P99264

FOSTER PLAZA 7, 661 ANDERSEN DR.

PITTSBURGH, PA 15220

PROJECT: CTO#68

SAMPLED BY: R.FRANKLIN

DELIVERED BY: FEDEX

DISPOSE: AFTER 14 AUG

LOG NUMBER SAMPLE DESCRIPTION SAMPLED DATE/TIME RECEIVED

4 WP2899-6 13TL00101 14 JUN 15 JUN

OTYDETERMINATION METHOD PRICE TRUOMA SW8260 Volatile Organics by 8260B 1 85.00

ORDER NOTE:

OC-IV NFESC-D

DD(KAS007QC-DB3)

CNC CHARLESTON

REPORT COPY: MS. LEE LECK

TETRA TECH NUS FOSTER PLAZA 7 661 ANDERSEN DR. PITTSBURGH, PA 15220

REPORT & DISK

INVOICE: With Report

TOTAL ORDER AMOUNT \$1,625.00

This is NOT an Invoice

Abc/KP/WEST.AJC(dw)

06-16Please contact KATAHDIN ANALYTICAL SERVICES promptly if you have any questi





# KATAHDIN ANALYTICAL SERVICES Summary of Report Notes

Report Note	Note Text
s	'\$' flag denotes surrogate compound recovery is out of criteria. Re-extraction or re-analysis confirmed matrix interference.
O-13	Internal standard area(s) are out of criteria. Reanalysis confirmedmatrix interference.



# KATAHDIN ANALYTICAL SERVICES Summary of Report Notes

Report Note	Note Text
\$	'\$' flag denotes surrogate compound recovery is out of criteria. Re-extraction or re-analysis confirmed matrix interference.
O-13	Internal standard area(s) are out of criteria. Reanalysis confirmedmatrix interference.



CLIENT: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

Lab Number: WP-2899-1

Report Date: 08/05/99

PO No.

: N7912-P99264

Project

: CTO#68

WIC#: CNC CHARLESTON

REPORT OF ANALYTICAL RESULTS

Page 1 of 5

SAMPLE DESCRIPTION		MATRIX		SAMPL	ED BY	SAMPLED DATE RECEIVED			
13SLB060405	Solid			R.FRA	06/14/99		06/15/99		
PARAMETER	RESULT	UNITS	D <b>F</b>	*PQL	METHOD	ANALYZED	BY	NOTES	
Solids-Total Residue (TS)	91.	wt %	1.0	0.10	CLP/CIP S	OW 06/17/99	JF	1	

<sup>\*</sup> PQL (Practical Quantitation Level) represents laboratory reporting limits and may not reflect sample-specific reporting limits. Sample-specific limits are indicated by results annotated with '<' values.

(1) Sample Preparation on 06/16/99 by JF

08/05/99

LJO/baeajc(dw)/msm PF16TSS3

CC: MS. LEE LECK
TETRA TECH NUS
FOSTER PLAZA 7
661 ANDERSEN DR.



Client: PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

BENZOIBIFLUORANTHENE

BENZO[K]FLUORANTHENE

INDENO[1,2,3-CD]PYRENE

DIBENZ[A,H]ANTHRACENE

BENZO[G,H,I]PERYLENE

NITROBENZENE-D5

2-FLUOROBIPHENYL

TERPHENYL-D14

BENZO[A]PYRENE

<360

<360

<360

<360

<360

<360

73

76

86

ug/Kg

ug/Kg

ug/Kg

ug/Kg

ug/Kg

ug/Kg

%

%

%

Lab Number:

WP2899-1

SDG: Report Date: WP2899 7/30/99

PO No. :

N7912-P99264

Project:

CTO#68

% Solids:

92

Method: Date Analyzed: EPA 8270 7/21/99

Matrix Sampled Date Rec'd Date Ext. Date Ext'd By Ext. Method Analyst **Sample Description** SL 6/15/99 6/18/99 **GST** SW3550 KRT 13SLB060405 6/14/99 Sample Method Result Units DF PQL PQL Compound NAPHTHALENE <360 ug/Kg 1,1 360 330 <360 ug/Kg 360 330 2-METHYLNAPHTHALENE 1.1 <360 360 330 **ACENAPHTHYLENE** ug/Kg 1.1 **ACENAPHTHENE** <360 ug/Kg 1.1 360 330 **FLUORENE** <360 ug/Kg 1.1 360 330 360 330 <360 **PHENANTHRENE** ug/Kg 1.1 360 330 <360 ug/Kg 1.1 ANTHRACENE **FLUORANTHENE** <360 ug/Kg 1.1 360 330 PYRENE <360 ug/Kg 1.1 360 330 'NZO[A]ANTHRACENE <360 ug/Kg 1.1 360 330 <360 360 330 ug/Kg 1.1 ,RYSENE

1.1

1.1

1.1

1.1

1.1

1.1

1.1

1.1

1.1

360

360

360

360

360

360

330

330

330

330

330

330

ort Notes:



Client: PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-1

SDG:

WP2899 7/29/99

Report Date: PO No.:

N7912-P99264

Project:

CTO#68

W S-11-

CIO

% Solids:

92

Method:

SW8260

Date Analyzed: 6/15/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB060405	SL	6/14/99	6/15/99	6/15/99	DJP	5030	DJP
Compound	Resi	ult Units	DF	Sample PQL	Method PQL		
BENZENE	<6	ug/Kg	1.2	6	5		
TOLUENE	<6	ug/Kg	1.2	6	5		
1,2-DIBROMOETHANE	<6	ug/Kg	1.2	6	5		
ETHYLBENZENE	<6	ug/Kg	1.2	6	5		
NAPHTHALENE	<6	ug/Kg	1.2	6	5		
MTBE	<6	ug/Kg	1.2	6	5		
TOTAL XYLENES	<6	ug/Kg	1.2	6	5		
DIBROMOFLUOROMETHANE	\$17	8 %	1.2				
1,2-DICHLOROETHANE-D4	\$18	0 %	1.2				
TOLUENE-D8	\$14	8 %	1.2				
P-BROMOFLUOROBENZENE	105	5 %	1.2				

Report Notes: \$, 0-13



Client: **PAUL CALLIGAN** 

> Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-1RE

SDG:

WP2899 7/29/99

Report Date: PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

Method: Date Analyzed: 6/15/99

SW8260

Sample Description	Matrix S	ampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB060405	SL	SL 6/14/99		6/15/99	DJP	5030	DJP
Compound	Resul	t Units	DF	Sample PQL	Method PQL		
BENZENE	<6	ид/Кд	1.1	6	5		
TOLUENE	<6	ug/Kg	1.1	6	5		
1,2-DIBROMOETHANE	<6	ug/Kg	1.1	6	5		
ETHYLBENZENE	<6	ug/Kg	1,1	6	5		
NAPHTHALENE	<6	ug/Kg	1.1	6	5		
MTBE	<6	ug/Kg	1.1	6	5		
TOTAL XYLENES	<6	ug/Kg	1.1	6	5		
DIBROMOFLUOROMETHANE	\$213	%.	1.1				
1,2-DICHLOROETHANE-D4	\$213	%	1.1				
OLUENE-D8	\$169	%	1.1				
BROMOFLUOROBENZENE	96	%	1.1				

eport Notes:

\$, O-13



CLIENT: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

Lab Number: WP-2899-2

Report Date: 08/05/99

PO No. : N7912-P99264

Project

: CTO#68

WIC#: ONC CHARLESTON

REPORT OF ANALYTICAL RESULTS

Page 2 of 5

SAMPLE DESCRIPTION				SAMPL	ED BY	SAMPLED D	SAMPLED DATE RECEIVED		
13SLB040506	Solid			R.FRA	NKLIN	06/14/99		06/15/99	
PARAMETER	RESULT	UNITS	DF	*PQL	METHOD	ANALYZED	BY	NOTES	
Solids-Total Residue (TS)	97.	wt %	1.0	0.10	CLP/CIP S	SOW 06/17/99	JF	1	

<sup>\*</sup> POL (Practical Quantitation Level) represents laboratory reporting limits and may not reflect samplespecific reporting limits. Sample-specific limits are indicated by results annotated with '<' values. (1) Sample Preparation on 06/16/99 by JF

08/05/99

LJO/baeajc(dw)/msm PF16TSS3 CC: MS. LEE LECK TETRA TECH NUS FOSTER PLAZA 7 661 ANDERSEN DR.



Client:

**PAUL CALLIGAN** 

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-2

SDG:

WP2899 7/30/99

Report Date: PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

97

Method:

Date Analyzed: 7/21/99

**EPA 8270** 

Sample Description	Matrix S	ampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB040506	SL	6/14/99	6/15/99	6/18/99	GST	SW3550	KRT
Compound	Resul	t Units	DF	Sample PQL	Method PQL		
NAPHTHALENE	<330	ug/Kg	1.0	330	330		
2-METHYLNAPHTHALENE	<330	ug/Kg	1.0	330	330		
ACENAPHTHYLENE	<330	ug/Kg	1.0	330	330		
ACENAPHTHENE	<330	ug/Kg	1.0	330	330		
FLUORENE	<330	ug/Kg	1.0	330	330		
PHENANTHRENE	<330	ug/Kg	1.0	330	330		
ANTHRACENE	<330	ug/Kg	1.0	330	330		
FLUORANTHENE	<330	ug/Kg	1.0	330	330		
PYRENE	<330	ug/Kg	1.0	330	330		
NZO[A]ANTHRACENE	<330	ug/Kg	1.0	330	330		
ARYSENE	<330	ug/Kg	1.0	330	330		
BENZO[B]FLUORANTHENE	<330	ug/Kg	1.0	330	330		
BENZO[K]FLUORANTHENE	<330	ug/Kg	1.0	330	330		
BENZO[A]PYRENE	<330	ug/Kg	1.0	330	330		
INDENO[1,2,3-CD]PYRENE	<330	ug/Kg	1.0	330	330		
DIBENZ[A,H]ANTHRACENE	<330	ug/Kg	1.0	330	330		
BENZO[G,H,I]PERYLENE	<330	ug/Kg	1.0	330	330		
NITROBENZENE-D5	74	%	1.0				
2-FLUOROBIPHENYL	<b>7</b> 7	%	1.0				
TERPHENYL-D14	80	%	1.0				

ort Notes:



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-2

SDG:

WP2899

Report Date:

7/29/99 N7912-P99264

PO No. : Project:

CTO#68

% Solids:

97

Method:

SW8260

Date Analyzed: 6/15/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB040506	SL	6/14/99	6/15/99	6/15/99	DJP	5030	DJP
Compound	Re	suit Units	DF	Sample PQL	Method PQL		
BENZENE		:6 ug/Kg	1.3	6	5		
TOLUENE	•	6 ug/Kg	1.3	6	5		
1,2-DIBROMOETHANE	•	6 ug/Kg	1.3	6	5		
ETHYLBENZENE	•	6 ug/Kg	1.3	6	5		
NAPHTHALENE	•	6 ug/Kg	1.3	6	5		
MTBE	•	:6 ug/Kg	1.3	6	5		
TOTAL XYLENES	•	6 ug/Kg	1.3	6	5		
DIBROMOFLUOROMETHANE	\$1	93 %	1.3				
1,2-DICHLOROETHANE-D4	\$1	191 %	1.3				
TOLUENE-D8	\$1	65 %	1.3				
P-BROMOFLUOROBENZENE	1	04 %	1.3				

Report Notes:

\$, O-13



∩lient:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-2RE

SDG:

WP2899

Report Date:

7/29/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

97

Method:

\$W8260

Date Analyzed: 6/15/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB040506	sl.	6/1 <b>4/9</b> 9	6/15/99	6/15/99	DJP	5030	DJP
-				Sample	Method		
Compound	Res	iult Units	DF	PQL	PQL		
BENZENE	<(	6 ug/Kg	1.2	6	5		
TOLUENE	<(	6 ug/Kg	1.2	6	5		
1,2-DIBROMOETHANE	<(	6 ug/Kg	1.2	6	5		
ETHYLBENZENE	<6	6 ug√Kgr	1.2	6	5		
NAPHTHALENE	<(	6 ug/Kg	1.2	6	5		
MTBE	<6	6 ug/Kg	1.2	6	5		
TOTAL XYLENES	. <(	6 ug/Kg	1.2	€	5		
DIBROMOFLUOROMETHANE	\$15	51 %	1.2				
1 2-DICHLOROETHANE-D4	\$17	76 %	1.2				
LUENE-D8	77	7 %	1.2				
P-BROMOFLUOROBENZENE	<b>\$</b> 5	2 %	1.2				

port Notes:

\$, 0-13



CLIENT: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

Lab Number: WP-2899-3 Report Date: 08/05/99

PO No. : N7912-P99264

Project : CTO#68

WIC#: CNC CHARLESTON

REPORT OF ANALYTICAL RESULTS

Page 3 of 5

SAMPLE DESCRIPTION	M	MATRIX		SAMPL	ED BY	SAMPLED I	TE	RECEIVED
13SLB020607	S	Solid		R.FRA	NKLIN	06/14/9	9	06/15/99
PARAMETER	RESULT	UNITS	DF	*PQL	METHOD	ANALYZED	BY	NOTES

<sup>\*</sup> PQL (Practical Quantitation Level) represents laboratory reporting limits and may not reflect samplespecific reporting limits. Sample-specific limits are indicated by results annotated with '<' values. (1) Sample Preparation on 06/16/99 by JF

08/05/99

LJO/baeajc(dw)/msm PF16TSS3

CC: MS. LEE LECK TETRA TECH NUS FOSTER PLAZA 7 661 ANDERSEN DR.



Client: PAUL CALLIGAN

> Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-3 WP2899

SDG:

7/30/99

Report Date: PO No. :

N7912-P99264

Project:

CTO#68

% Solids:

96

Method:

EPA 8270 Date Analyzed: 7/22/99

Sample Description	Matrix S	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB020607	SL	6/14/99	6/15/99	6/18/99	GST	SW3550	KRT
Compound	Resul	it Units	DF	Sample PQL	Method PQL	_	
NAPHTHALENE	<330	ug/Kg	1.0	330	330		
2-METHYLNAPHTHALENE	<330	ug/Kg	1.0	330	330		
ACENAPHTHYLENE	<330	ug/Kg	1.0	330	330		
ACENAPHTHENE	<330	ug/Kg	1.0	330	330		
FLUORENE	<330	ug/Kg	1.0	330	330		
PHENANTHRENE	<330	ug/Kg	1.0	330	330		
ANTHRACENE	<330	ug/Kg	1.0	330	330		
FLUORANTHENE	<330	ug/Kg	1.0	330	330		
PYRENE	<330	ug/Kg	1.0	330	330		
SNZO[A]ANTHRACENE	<330	ug/Kg	1,0	330	330		
IRYSENE	<330	ug/Kg	1.0	330	330		
BENZO(B)FLUORANTHENE	<330	ug/Kg	1.0	330	330		
BENZOKIFLUORANTHENE	<330	ug/Kg	1.0	330	330		
BENZO[A]PYRENE	<330	ug/Kg	1.0	330	330		
INDENO[1,2,3-CD]PYRENE	<330	ug/Kg	1.0	330	330		
DIBENZ[A,H]ANTHRACENE	<330	=	1.0	330	330		
BENZO[G,H,I]PERYLENE	<330	ug/Kg	1.0	330	330		
NITROBENZENE-D5	69	%	1.0				
2-FLUOROBIPHENYL	71	%	1.0				
TERPHENYL-D14	74	%	1.0				

port Notes:



Client: **PAUL CALLIGAN** 

> Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-3

SDG:

WP2899 7/29/99

Report Date:

N7912-P99264

PO No.:

CTO#68

Project: % Solids:

SW8260

Method: Date Analyzed: 6/15/99

Sample Description	Matrix S	iampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13\$LB020607	SL	6/1 <b>4/99</b>	6/15/99	6/15/99	DJB	5030	DJP
Compound	Resul	t Units	DF	Sample PQL	Method PQL		
BENZENE	<6	ug/Kg	1.2	6	5	,	
TOLUENE	<6	ug/Kg	1.2	6	5		
1,2-DIBROMOETHANE	<6	ug/Kg	1.2	6	5		
ETHYLBENZENE	<6	ug/Kg	1.2	6	5		
NAPHTHALENE	<6	ug/Kg	1.2	6	5		
MTBE	<6	ug/Kg	1.2	6	5		
TOTAL XYLENES	<6	ug/Kg	1.2	6	, <b>5</b>		
DIBROMOFLUOROMETHANE	\$201	<b>%</b>	1.2				
,2-DICHLOROETHANE-D4	\$198	%	1.2				
FOLUENE-D8	\$169	%	1.2				
P-BROMOFLUOROBENZENE	91	%	1.2				

Report Notes:

\$, O-13



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-3RE

SDG:

WP2899 7/29/99

Report Date:

N7912-P99264

PO No.: Project:

CTO#68

% Solids:

Method:

SW8260

Date Analyzed: 6/15/99

Sample Description	Matrix S	ampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Arialyst
13SLB020607	SL	6/14/99	6/15/99	6/15/99	DJP	5030	DJP
Compound	Resul	it Units	DF	Sample PQL	Method PQL		
BENZENE	<6	ug/Kg	1.2	6	5		
TOLUENE	<6	ug/Kg	1.2	6	5		
1,2-DIBROMOETHANE	<6	ug/Kg	1.2	6	5		
ETHYLBENZENE	<6	ug/Kg	1.2	6	5		
NAPHTHALENE	<6	ug/Kg	1.2	6	5		
MTBE	<6	ug/Kg	1.2	6	5		
TOTAL XYLENES	<6	ug/Kg	1.2	6	5		
DIBROMOFLUOROMETHANE	\$ <u>2</u> 34	96	1.2				
1,2-DICHLOROETHANE-D4	\$234	%	1.2				
*OLUENE-D8	\$193	%	1.2				
-BROMOFLUOROBENZENE	86	%	1.2				

port Notes:

\$, 0-13



CLIENT: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

Lab Number: WP-2899-4

Report Date: 08/05/99

PO No.

: N7912-P99264

Project : CTO#68

WIC#: ONC CHARLESTON

REPORT OF ANALYTICAL RESULTS

Page 4 of 5

SAMPLE DESCRIPTION		MATRIX	1	SAMP	LED BY	SAMPLED D	ATE	RECEIVED
13SLB010607		Solid		R.FR	ANKLIN	06/14/9	9	06/15/99
PARAMETER	RESULT	UNITS	DF	*PQL	METHOD	ANALYZED	BY	NOTES
Solids-Total Residue (TS) Total Combustible Organics	93. 1.2	wt % wt %	1.0		CLP/CIP SOW ASIM D2974-8			1

<sup>\*</sup> PQL (Practical Quantitation Level) represents laboratory reporting limits and may not reflect sample-specific reporting limits. Sample-specific limits are indicated by results annotated with '<' values.

(1) Sample Preparation on 06/16/99 by JF

08/05/99

LJO/baeajc(dw)/msm PF16VSS2

CC: MS. LEE LECK TETRA TECH NUS FOSTER PLAZA 7 661 ANDERSEN DR.



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-4

SDG:

WP2899 7/30/99

Report Date: PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

93

Method:

EPA 8270

Date Analyzed: 7/21/99

Sample Description	Matrix :	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB010607	SL	6/14/99	6/15/99	6/18/99	GST	SW3550	KRT
Compound	Resu	ılt Units	DF	Sample PQL	Method PQL		-
NAPHTHALENE	<360	) ug/Kg	1.1	360	330		_
2-METHYLNAPHTHALENE	<360	ug/Kg	1.1	360	330		
ACENAPHTHYLENE	<360	ug/Kg	1.1	360	330		
ACENAPHTHENE	<360	ug/Kg	1.1	360	330		
FLUORENE	<360	ug/Kg	1,1	360	330		
PHENANTHRENE	<360	ug/Kg	1.1	360	330		
ANTHRACENE	<360	ug/Kg	1.1	360	330		
FLUORANTHENE	<360	ug/Kg	1.1	360	330		
PYRENE	<360	ug/Kg	1.1	360	330		
NZO[AJANTHRACENE	<360	) ug/Kg	1.1	360	330		
<b>∌HRYSENE</b>	<360	ug/Kg	1,1	360	330		
BENZO[B]FLUORANTHENE	<360	ug/Kg	1.1	360	330		
BENZO(K)FLUORANTHENE	<360	ug/Kg	1.1	360	330		
BENZO(A)PYRENE	<360	ug/Kg	1.1	360	330		
INDENO(1,2,3-CD)PYRENE	<360	ug/Kg	1.1	360	330		
DIBENZ(A,H)ANTHRACENE	<360	ug/Kg	1.1	360	330		
BENZO[G,H,I]PERYLENE	<360	ug/Kg	1.1	360	330		
NITROBENZENE-D5	69	%	1.1				
2-FLUOROBIPHENYL	70	%	1.1				
TERPHENYL-D14	79	%	1.1				

port Notes:



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-4

SDG:

WP2899

Report Date:

7/29/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

93

Method:

SW8260

Date Analyzed:

6/16/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB010607	SL	6/14/99	6/15/99	6/16/99	KRT	5030	KRT
Compound	Res	ult Units	DF	Sample PQL	Method PQL		
BENZENE	<6	ug/Kg	1.1	6	5		
TOLUENE	<6	ug/Kg	1.1	6	5		
1,2-DIBROMOETHANE	<6	ug/Kg	1.1	6	5		
ETHYLBENZENE	<6	ug/Kg	1.1	6	5		
NAPHTHALENE	<6	ug/Kg	1.1	6	5		
MTBE	<6	ug/Kg	1.1	6	5		
TOTAL XYLENES	<6	ug/Kg	1.1	6	5		
DIBROMOFLUOROMETHANE	12	5 %	1.1				
1,2-DICHLOROETHANE-D4	12	8 %	1.1				
TOLUENE-D8	12	0%	1.1				
P-BROMOFLUOROBENZENE	94	<b>1</b> %	1.1				

Report Notes:



CLIENT: PAUL CALLIGAN

Tetra Tech NUS

1401 Oven Park Dr., Suite 102

Tallahassee, FL 32308

Lab Number : WP-2899-5

Report Date: 08/05/99

PO No. : N7912-P99264

Project

: CTO#68

WIC#: CNC CHARLESTON

REPORT OF ANALYTICAL RESULTS

Page 5 of 5

SAMPLE DESCRIPTION		MATRIX	:	SAMP	LED BY	SAMPLED D	ATE	RECEIVED
13SLB010607D		Solid		R.FR	anklin	06/14/9	9	06/15/99
PARAMETER	RESULT	UNITS	DF	*PQL	METHOD	ANALYZED	BY	NOTES
Solids-Total Residue (TS) Total Combustible Organics	90. 2.1	wt &	1.0		CLP/CIP SOW ASIM D2974-8			1

<sup>\*</sup> PQL (Practical Quantitation Level) represents laboratory reporting limits and may not reflect samplespecific reporting limits. Sample-specific limits are indicated by results annotated with '<' values. (1) Sample Preparation on 06/16/99 by JF

08/05/99

LJO/baeajc(dw)/msm PF16VSS2

CC: MS, LEE LECK TETRA TECH NUS FOSTER PLAZA 7 661 ANDERSEN DR.



Client: PAUL CALLIGAN

> Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-5

SDG: Report Date: WP2899 7/30/99

PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

Method:

EPA 8270

Date Analyzed: 7/22/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB010607D	SL	6/14/99	6/15/99	6/18/99	GST	SW3550	KRT
Compound	Re	suit Units	DF	Sample PQL	Method PQL		
NAPHTHALENE	<	360 ug/Kg	1.1	360	330	,	
2-METHYLNAPHTHALENE	<3	360 ug/Kg	1.1	360	330		
ACENAPHTHYLENE	<	360 ug/Kg	1.1	360	330		
ACENAPHTHENE	<3	360 ug/Kg	1.1	360	330		
FLUORENE	<3	160 ug/Kg	1.1	360	330		
PHENANTHRENE	<3	960 ug/Kg	1.1	360	330		
ANTHRACENE	<3	360 ug/Kg	1.1	360	330		
FLUORANTHENE	<	360 ug/Kg	1.1	360	330		
PYRENE	<3	160 ug/Kg	1.1	360	330		
BENZO[A]ANTHRACENE	<3	960 ug/Kg	1.1	360	330		
CHRYSENE	<3	960 ug/Kg	1.1	360	330		
BENZO(B)FLUORANTHENE	<3	160 ug/Kg	1.1	360	330		
BENZOKKITUORANTHENE	<3	160 ug/Kg	1.1	360	330		
BENZO[A]PYRENE	<3	360 ug/Kg	1.1	360	330		
INDENO[1,2,3-CD]PYRENE	<	160 ug/Kg	1.1	360	330		
DIBENZ[A,H]ANTHRACENE	<3	160 ug/Kg	1.1	360	330		
BENZO[G,H,I]PERYLENE	<	960 ug/Kg	1.1	360	330		
NITROBENZENE-D5	7	<b>73</b> %	1.1				
2-FLUOROBIPHENYL	7	4 %	1.1				
TERPHENYL-D14	9	95 %	1.1				

Report Notes:



Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-5

SDG:

WP2899

Report Date:

7/29/99

PO No.:

N7912-P99264

Project: % Solids: CTO#68 90

Method:

SW8260

Date Analyzed: 6/15/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB010607D	SL	6/14/99	6/15/99 DF	6/15/99 Sample PQL	DJP Method PQL	5030	DJP
Compound	Res	uit Units					
BENZENE.	<7	' ug/Kg	1.4	7	5		
TOLUENE	<7	7 ug/Kg	1.4	7	5		
1,2-DIBROMOETHANE	<7	7 ug/Kg	1.4	7	5		
ETHYLBENZENE	<7	ug/Kg	1.4	7	5		
NAPHTHALENE	<7	ug/Kg	1.4	7	5		
MTBE	<7	ug/Kg	1.4	7	5		
TOTAL XYLENES	<7	7 ug/Kg	1.4	7	5		
DIBROMOFLUOROMETHANE	\$18	32 %	1.4				
1,2-DICHLOROETHANE-D4	\$18	33 %	1.4				
DLUENE-D8	13	7%	1.4				
P-BROMOFLUOROBENZENE	78	3 %	1.4				

¿port Notes:

\$, 0-13



### KATAHDIN ANALYTICAL SERVICES REPORT OF ANALYTICAL RESULTS

Client: **PAUL CALLIGAN** 

> Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

WP2899-5RE

SDG:

WP2899 7/29/99

Report Date:

N7912-P99264

PO No.:

Project:

CTO#68

% Solids:

Method: Date Analyzed:

SW8260 6/16/99

Sample Description	Matrix	Sam	pled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13SLB010607D	SL	6.	/14/99	6/15/99	6/16/99	KRT	5030	KRT
Compound	Re	esult	Units	DF	Sample PQL	Method PQL		
BENZENE		<6	ug/Kg	1.3	6	5		
TOLUENE	,	<6	ug/Kg	1.3	6	5		
1,2-DIBROMOETHANE	,	<6	ug/Kg	1.3	6	5		
ETHYLBENZENE		<6	ug/Kg	1.3	6	5		
NAPHTHALENE	,	<6	ug/Kg	1.3	6	5		
MTBE	,	<6	ug/Kg	1.3	6	5		
TOTAL XYLENES		<6	ug/Kg	1.3	6	5		
DIBROMOFLUOROMETHANE	;	86	%	1.3				
1,2-DICHLOROETHANE-D4		92	%	1.3				
TOLUENE-D8	\$	65	%	1.3				
P-BROMOFLUOROBENZENE	\$	35	%	1.3				

Report Notes:



### KATAHDIN ANALYTICAL SERVICES REPORT OF ANALYTICAL RESULTS

Client:

**PAUL CALLIGAN** 

Tetra Tech NUS 1401 Oven.Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID:

**CNC CHARLESTON** 

Lab Number:

WP2899-6

SDG:

WP2899 7/29/99

Report Date: PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

Method:

SW8260

Date Analyzed: 6/17/99

Sample Description	Matrix S	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
13TL00101	SL	6/14/99	6/15/99	6/17/99	KMC	5035	KMC
Compound	Resu	K Units	DF	Sample PQL	Method PQL		
BENZENE	<5	ug/Kgdrywt	1.0	5	5		
TOLUENE	<5	ug/Kgdrywt	1.0	5	5		
1,2-DIBROMOETHANE	<5	ug/Kgdrywt	1.0	5	5		
ETHYLBENZENE	<5	ug/Kgdrywt	1.0	. 5	5		
NAPHTHALENE	<5	ug/Kgdrywt	1.0	5	5		
MTBE	<5	ug/Kgdrywt	1.0	5	5		
TOTAL XYLENES	<5	ug/Kgdrywt	1.0	5	5		
DIBROMOFLUCROMETHANE	118	%	1.0				
1,2-DICHLOROETHANE-D4	123	%	1.0				
OLUENE-D8	112	%	1.0				
BROMOFLUOROBENZENE	105	%	1.0				

eport Notes:

### 2A SOIL SEMIVOLATILE SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: Katahdin Analytical Services

SDG No.: WP2899

Matrix: SOIL

Client Sample ID	Lab Sample ID	SMC1 (NBZ)#	SMC2 (FBP) #	SMC3 (TPH)#	Total Out
SBLK;061899	SBLK:061899	70	76	88	0
LCS;061899	LCS;061899	71	80	88	0
13SLB060405	WP2899-1	73	76	86	0
13SLB040506	WP2899-2	74	77	80	0
13SLB010607	WP2899-4	69	70	79	0
13SLB010607D	WP2899-5	73	74	95	0
13SLB020607	WP2899-3	69	71	74	0
13SLB040506MS	WP2899-2MS	72	73	81	0
13SLB040506MSD	WP2899-2MSD	80	76	87	0

### QC LIMITS

SMC1	(NBZ)	=	NITROBENZENE-D5	(14-107)
SMC2	(FBP)	=	2-FLUOROBIPHENYL	(32-109)
SMC3	(TPH)	=	TERPHENYL-D14	(26-116)

<sup>#</sup> Column to be used to flag recovery value

Page 1 of 1

FORM II SVOA-1

<sup>\*</sup> Values are outside of QC limits



### KATAHDIN ANALYTICAL SERVICES REPORT OF ANALYTICAL RESULTS

Client:

**PAUL CALLIGAN** 

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

SBLK;061899

SDG:

WP2899 7/30/99

Report Date: PO No.:

N7912-P99264

Project:

CTO#68

% Solids:

100

Method:

EPA 8270

Date Analyzed: 7/21/99

Sample Description	Matrix S	ampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
SBLK;061899	SL	•	•	6/18/99	GST	SW3550	KRT
Compound	Resu	it Units	DF	Sample PQL	Method PQL		
NAPHTHALENE	<330	ug/Kg	1.0	330	330		
2-METHYLNAPHTHALENE	<330	ug/Kg	1.0	330	330		
ACENAPHTHYLENE	<330	ug/Kg	1.0	330	330		
ACENAPHTHENE	<330	ug/Kg	1.0	330	330		
FLUORENE	<330	ug/Kg	1.0	330	330		
PHENANTHRENE	<330	ug/Kg	1.0	330	330		
ANTHRACENE	<330	ug/Kg	1.0	330	330		
FLUORANTHENE	<330	ug/Kg	1.0	330	330		
PYRENE	<330	ug/Kg	1.0	330	330		
BENZO[A]ANTHRACENE	<330	ug/Kg	1.0	330	330		
CHRYSENE	<330	ug/Kg	1.0	330	330		
BENZO[B]FLUORANTHENE	<330	ug/Kg	1.0	330	330		
BENZOKIFLUORANTHENE	<330	ug/Kg	1.0	330	330		
BENZOJAJPYRENE	<330	ug/Kg	1.0	330	330		
INDENO[1,2,3-CD]PYRENE	<330	ug/Kg	1.0	330	330		
DIBENZ[A,H]ANTHRACENE	<330	ug/Kg	1.0	330	330		
BENZO[G,H,I]PERYLENE	<330	ug/Kg	1.0	330	330		
NITROBENZENE-D5	70	%	1.0				
2-FLUOROBIPHENYL	76	%	1.0				
TERPHENYL-D14	88	%	1.0				

Report Notes:



### Method Blank and Laboratory Control Sample Results

Client:	Tetra Tech NUS	
Work Order:	WP2899	

#### METHOD BLANK RESULTS

#### LABORATORY CONTROL SAMPLE RESULTS

	Date	Date		Co	ncentration		Practical		True	Measured	Percent	Acceptance	Acceptance
	of	of	Units	ľ	Measured	Acceptance	Quantitation	Units	Value	Value	Recovered	Range	Range
Parameter	Ргер	Analysis			in Blank	Range	Level**					(%)	(mg/kg)
TS -Total Residue	16-Jun-99	17-Jun-99	wt %	<	0.10 <	< 0.10	0.10	wt %	90	90.0	100	80-120	
	16-Jun-99	17-Јип-99	wt %	<	0.10 <	< 0.10	0.10			NA		80-120	
TCO-Total Combustible Organics	16-Jun <u>-</u> 99	17-Jun-99	wt %	<	0.10 <	< 0.10	0.10			NA		80-120	

<sup>\*\*</sup> Practical quantitation level is the lowest concentration measurable for samples with normal chemical and physical composition during routine laboratory operations.

### DATA QUALITY COMMENTS:

Results of all quality control measurements are within the laboratory and method specified acceptance range except as noted.



### Duplicate and Matrix Spike/Matrix Spike Duplicate Results

Client:	Tetra Tech NUS	
Work Order:	WP2899	

#### **DUPLICATE RESULTS**

#### MATRIX SPIKE/MATRIX SPIKE DUPLICATE RESULTS

			Sample				Acceptance		Concentration or Quantity				Matrix Spike Recovery (%)				
			Measur	ements	Mean		Range	Units	Sampl	Spike	Sample	Sample	Sample	Sample	Acceptance	RPD	Acceptance
Parameter	Sample No	Units	Rep 1	Rep 2	Conc	RPD	for RPD		Only	Added	+Spike	+Spike	+Spike	+Spike	Range	(%)	Range
					•	(%)	(%)				Dup 1	Dup 2	Dup 1	Dup 2	(%)		(%)
TS	WP2899-1	wt %	91.3	91.7	91.5	0.4	0-20	wt %		NA					75-125		0-20
	WP2899-4	wt %	93.3	93.2	93.3	0.1	0-20	wt %		NA					75-125		0-20
TCO ·	WP2899-4	wt %	1.20	1.26	1.23	4.9	0-20	wt %		NA				•	75-125		0-20

RPD = Relative percent difference, which is the absolute value of the difference between two replicate results divided by the mean concentration then multiplied by 100%.

NA = Not applicable.

### DATA QUALITY COMMENTS:

Results of all quality control measurements are within the laboratory or contract specified acceptance range except as noted. The laboratory does not use the sample duplicate and matrix spike acceptance ranges as acceptance criteria for a specific analysis. Sample duplicate and matrix spike data are used to evaluate method performance in the environmental sample matrix only. Please refer to LCS data for assessment of quality control for each parameter.

### Katahdin Analytical Services 8270 LCS Recovery Sheet

Lab File: I3868

Sample ID: LCS;061899

Date Run: 7/21/99

Analyst: KRT

Time Injected 3:44:00 AM

Matrix: SL

Compound Name	Spike Amt (ug/Kg)	Result (ug/Kg)	Rec (%)	Limits (%)
2-METHYLNAPHTHALENE	1667	1590	95	60-140
ACENAPHTHENE	1667	1310	79	60-140
ACENAPHTHYLENE	1667	1280	77	60-140
ANTHRACENE	1667	1400	84	60-140
BENZO[A]ANTHRACENE	1667	1360	82	60-140
BENZO[A]PYRENE	1667	1390	84	60-140
BENZO[B]FLUORANTHENE	1667	1410	85	60-140
BENZO[G,H,I]PERYLENE	1667	1350	81	60-140
BENZO[K]FLUORANTHENE	1667	1350	81	60-140
CHRYSENE	1667	1460	88	60-140
DIBENZ[A,H]ANTHRACENE	1667	1260	76	60-140
FLUORANTHENE	1667	1550	93	60-140
FLUORENE	1667	1450	87	60-140
INDENO[1,2,3-CD]PYRENE	1667	1350	81	60-140
NAPHTHALENE	1667	1170	70	60-140
PHENANTHRENE	1667	1520	91	60-140
PYRENE	1667	1400	84	60-140

## Katahdin Analytical Services MS/MSD Report

Sample	File Name	Date Acqu	ired T	ime inj	Analyst	Matrix	Method			
WP2899-2	<b>I3884</b>	7/21/9	99 10:1	10:00 PM	KRT	SL	8270_99			
WP2899-2MS	13909	7/22/9	9:0	8:00 PM	KRT	SL	8270_99			
							_			
WP2899-2MSD	I3910 .	7/22/9	9:5	0:00 PM	KRT	SL	8270_99			
Compound Name	Native (ug/Kg)	Amount	MSD Spk Amount (ug/Kg)	MS Result (ug/Kg)	MSD Result (ug/Kg)	MS REC (%)	MSD REC (%)	Recovery Limits (%)	RPD (%)	RPD Limit (%)
CHRYSENE	0	1720	1720	1380	1440	80	84	60-140	4.2	50
ACENAPHTHENE	0	1720	1720	1180	1260	68	73	60-140	6.6	50
ACENAPHTHYLENE	0	1720	1720	1200	1200	70	70	60-140	0	50
ANTHRACENE	0	1720	1720	1290	1330	75	77	60-140	3.0	50
BENZO[A]ANTHRACENE	0	1720	1720	1220	1330	71	77	60-140	8.6	50
BENZO(A)PYRENE	0	1720	1720	1240	1300	72	76	60-140	4.7	50
BENZO[B]FLUORANTHENE	0	1720	1720	1270	1410	74	82	60-140	10	50
2-METHYLNAPHTHALENE	0	1720	1720	1410	1510	82	88	60-140	6.8	50
BENZO[K]FLUORANTHENE	0	1720	1720	1290	1440	75	83	60-140 -	11	50
PYRENE	0	1720	1720	1400	1600	81	93	60-140	13	50
DIBENZ[A,H]ANTHRACENE	0	1720	1720	1100	1190	64	69	60-140	7.9	50
FLUORANTHENE	0	1720	1720	1250	1220	73	71	60-140	2.4	50
FLUORENE	0	1720	1720	1280	1260	75	73	60-140	1.6	50
INDENO[1,2,3-CD]PYRENE	0	1720	1720	1180	1290	69	75	60-140	8.9	50
PHTHALENE	0	1720	1720	1160	1260	67	73	60-140	8.3	50
NANTHRENE	0	1720	1720	1330	1370	77	80	60-140	3.0	50
BENZO[G,H,I]PERYLENE	0	1720	1720	1130	1280	66	74	60-140	12	50

### 2A SOIL VOLATILE SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: Katahdin Analytical Services SDG No.: WP2899

Matrix: SOIL

Client	Lab	SMC1	SMC2	SMC3	SMC4	Total
Sample ID	Sample ID	(DFM) #	(DCA) #	(TOL)#	(BFB) #	Out
13TL00101	WP2899-6	118	123	112	105	0
LCSZ15B	LCSZ15B	116	124	114	104	0
VBLKZ15A	VBLKZ15A	126	131	124	89	0
13SLB060405	WP2899-1	178*	180*	148 *	105	3
13SLB040506	WP2899-2	193*	191 *	165 *	104	3
13SLB020607	WP2899-3	201 *	198*	169 *	91	3
13SLB010607D	WP2899-5	182*	183*	137	78	2
13SLB060405RE	WP2899-1RE	213*	213*	169 *	96	3
13SLB040506RE	WP2899-2RE	151 *	176*	77	52 <b>*</b>	3
13SLB020607RE	WP2899-3RE	234*	Z34°	193 *	86	3
LCSZ16A	LCSZ16A	101	112	107	103	0
VBLKZ16B	VBLKZ16B	125	127	120	105	0
13SLB010607	WP2899-4	125	128	120	94	0
13SLB010607DRE	WP2899-5RE	86	92	65 *	35 °	2

### QC LIMITS

SMC1	(DFM)	=	DIBROMOFLUOROMETHANE	(69-148)
SMC2	(DCA)	=	1,2-DICHLOROETHANE-D4	(66-149)
SMC3	(TOL)	=	TOLUENE-D8	(68-147)
SMC4	(BFB)	=	P-BROMOFLUOROBENZENE	(64-152)

# Column to be used to flag recovery value

\* Values are outside of QC limits



### KATAHDIN ANALYTICAL SERVICES REPORT OF ANALYTICAL RESULTS

Client:

**PAUL CALLIGAN** 

Tetra Tech NUS

1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

VBLKZ15A

SDG:

WP2899

Report Date:

7/29/99

PO No.:

N7912-P99264

Project: % Solids:

CTO#68 100

Method:

SW8260

Date Analyzed: 6/15/99

Sample Description	Matrix	Sampled Date	Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst
VBLKZ15A	SL	-	•	6/15/99	DJP	5030	DJP
Compound	Re	sult Units	DF	Sample PQL	Method PGL		
BENZENE	<u> </u>	:5 ug/Kg	1.0	5	5		
TOLUENE	<	5 ug/Kg	1.0	5	5		
1,2-DIBROMOETHANE	<	5 ug/Kg	1.0	5	5		
ETHYLBENZENE	<	5 ug/Kg	1.0	5	5		
NAPHTHALENE	<	5 ug/Kg	1.0	5	5		
MTBE	<	5 ug/Kg	1.0	5	5		
TOTAL XYLENES	<	5 ug/Kg	1.0	5	, <b>5</b>		
DIBROMOFLUOROMETHANE	12	26 %	1.Û				
1,2-DICHLOROETHANE-D4	13	31 %	1.0				
OLUENE-D8	12	24 %	1.0				
P-BROMOFLUOROBENZENE	8	9 %	1.0				

Report Notes:



### KATAHDIN ANALYTICAL SERVICES REPORT OF ANALYTICAL RESULTS

Client:

PAUL CALLIGAN

Tetra Tech NUS 1401 Oven Park Dr.

Suite 102

Tallahassee, FL 32308

Proj. ID: CNC CHARLESTON

Lab Number:

VBLKZ16B

SDG:

WP2899

Report Date: PO No.:

7/29/99 N7912-P99264

Project:

CTO#68

% Solids:

100

Method:

SW8260

Date Analyzed:

6/16/99

Sample Description	Matrix	Sampled Date		Rec'd Date	Ext. Date	Ext'd By	Ext. Method	Analyst			
VBLKZ16B	SL -			-	6/16/99	KRT	5030	KRT			
Compound	Re	sult U	nits	DF	Sample PQL	Method PQL					
BENZENE		<5 ug/k		1.0	5	5		_			
TOLUENE	•	<5 ug/H	G	1.0	5	5					
1,2-DIBROMOETHANE	•	<5 ug/H	ģ	1.0	5	5					
ETHYLBENZENE	•	<5 ug/k	G	1.0	5	5					
NAPHTHALENE	•	<5 ug/k	(g	1,0	5	5					
MTBE	•	<5 ug/h	(g	1.0	5	5					
TOTAL XYLENES		<5 ug/k	<b>(</b> g	1.0	5	. 5					
DIBROMOFLUOROMETHANE	1	25	%	1.0							
,2-DICHLOROETHANE-D4	1	27	%	1.0							
TOLUENE-D8	1:	20	%	1.0							
P-BROMOFLUOROBENZENE	1	05	%	1.0							

Report Notes:

### Katahdin Analytical Services 8260 LCS Recovery Sheet

Lab File: Z1103

Sample ID: LCSZ15B

Date Run: 6/15/99

Analyst: KRT

Time Injected 9:02:00 AM

Matrix: SL

Compound Name	Spike Amt (ug/Kg)	Result	Rec (%)	Limits (%)
1,2-DIBROMOETHANE	50	56.6	113	60-140
BENZENE	50	53.1	106	60-140
ETHYLBENZENE	50	62.4	125	60-140
MTBE	50	52.9	106	60-140
NAPHTHALENE	50	48.8	98	60-140
TOLUENE	50	55.2	110	60-140
TOTAL XYLENES	150	195	130	60-140

### Katahdin Analytical Services 8260 LCS Recovery Sheet

Lab File: Z1119

Sample ID: LCSZ16A

Date Run: 6/16/99

Analyst: KRT

Time Injected 2:17:00 PM

Matrix: SL

Compound Name	Spike Amt (ug/Kg)	Result (ug/Kg)	Rec (%)	Limits (%)
1,2-DIBROMOETHANE	50	51.8	104	60-140
BENZENE	50	53.8	108	60-140
ETHYLBENZENE	50	64.3	129	60-140
MTBE	50	53.9	108	60-140
NAPHTHALENE	50	63.2	126	60-140
TOLUENE	50	52.5	105	60-140
TOTAL XYLENES	150	201	134	60-140

### 2A WATER VOLATILE SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: Katahdin Analytical Services

SDG No.: WP2899

Matrix: WATER

Client Sample ID	Lab Sample ID	SMC1 (DFM) #	SMC2 (DCA) #	SMC3 (TOL)#	SMC4 (BFB) #	Total Out
LCSS17A	LCS517A	112	112	114	116	0
VBLKS17A	VBLKS17A	113	119	112	103	0

### **QC LIMITS**

SMC1	(DFM)	=	DIBROMOFLUOROMETHANE	(75-129)
SMC2	(DCA)	=	1,2-DICHLOROETHANE-D4	(65-135)
SMC3	(TOL)	=	TOLUENE-D8	(82-120)
SMC4	(BFB)	=	P-BROMOFLUOROBENZENE	(69-125)

- # Column to be used to flag recovery value
- \* Values are outside of QC limits

### **Katahdin Analytical Services 8260 LCS Recovery Sheet**

Lab File: S5105

Sample ID: LCSS17A

Date Run: 6/17/99

Analyst: KMC

Time Injected 8:15:00 AM

Matrix: AQ

Compound Name	Spike Amt (ug/L)	Result (ug/L)	Rec (%)	Limits (%)
1,2-DIBROMOETHANE	50	52.8	106	60-140
BENZENE	50	53.7	107	60-140
ETHYLBENZENE	50	59.4	119	60-140
MTBE	50	50,7	101	60-140
NAPHTHALENE	50	56.0	112	60-140
TOLUENE	50	56.6	113	60-140
TOTAL XYLENES	150	177	118	60-140

# CASE NARRATIVE for Katahdin Analytical Westbrook, ME Former Charleston Naval Complex Site SDG #96485

July 8, 1999

### Laboratory Identification:

General Engineering Laboratories, Inc. (GEL)

### Mailing Address:

P.O. Box 30712 Charleston, SC 29417

### Express Mail Delivery and Shipping Address:

2040 Savage Rd Charleston, SC 29414

### Telephone Number:

(843) 556-8171

### Summary:

### Sample receipt

The samples from the former Charleston Naval Complex site arrived at General Engineering Laboratories, Inc., Charleston, SC on June 14, 1999, for environmental analyses. All sample containers arrived without any visible signs of tampering or breakage. The samples were delivered with chain of custody documentation and signatures.

The following samples were received by the laboratory:

Laboratory	Sample
<u>Identification</u>	Description
9906485-01	13SLB010607
9906485-02	13SLB010607D

#### Case Narrative

Sample analyses were conducted using methodology as outlined in General Engineering Laboratories Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are listed below by analytical parameter.

### Internal Chain of Custody:

Custody was maintained for all samples.

### Data Package:

The enclosed data package contains the following sections: Case Narrative, Chain of Custody, Cooler Receipt Checklist, and General Chemistry.

The following are definitions of reporting limits used at General Engineering Laboratories:

Detection Limit: The minimum level of an analyte that can be determined (identified not quantified) with 99% confidence. The values are normally achieved by preparing and analyzing seven aliquots of laboratory water spiked 1 to 5 times the estimated MDL, taking the standard deviation and multiplying it against the one-tailed t-statistic at 99%. This computed value is then verified for reasonableness by repeating the study using the concentration found in the initial study, calculating an F-ratio, and computing the final limit. Sample specific preparation and dilution factors are applied to these limits when they are reported.

The detection limit is the minimum concentration of a substance that can be identified, measured, and reported with 99% confidence that the analyte concentration is above zero. It answers the question "Is It Present."

QL Quantitation Limit: The lowest concentration that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operating conditions. The QL is generally 5 to 10 times the MDL. However, it may be nominally chosen within these guidelines to simplify data reporting. For many analytes the QL analyte concentration is selected as the lowest non-zero standard in the calibration curve.

Sample QL's are highly matrix-dependent. Sample specific preparation and dilution factors are applied to these limits when they are reported.

The QL is always  $\geq$  DL.

This data package, to the best of my knowledge, is in compliance with technical and administrative requirements.

Allegen Sin for Fal Domes S Valerie S. Davis

Project Manager

fc:saic9906485%

FEDERAL SAMPLE RE	ECEIPT REVIEW
Client TETRATECH Received by GCC	Date_6-144.99
GEL COOLER GEL POLY COOLER CLIEN	NT COOLER OTHER
SAMPLE REVIEW CRITERIA	YES NO COMMENTS/QUALIFIERS
Were shipping containers received intact and sealed?  If no. notify Project Manager	
Was the Shipment screened following the radiochemistry survey procedure (EPI SOP S-007)?	
Were the survey results negative?	
If no, notify Project Manager  Are any of the samples identified by the client as radioactive?  If yes, did client provide RAD activity?	
3. Were chain of custody documents included?	/
Were chain of custody documents completed correctly?  (Ink. signed, match containers)	
5. Were all sample containers properly labeled?	
6. Were proper sample containers received?	V
7. Preserved samples checked for pH?	
Were samples preserved correctly?  If no, list samples & tests	v
9. Shipping container temperature checked?	
10. Was shipping conatiner temperature within specifications (4°± 2° C)  If no. notify Project Manager	1 40
11. Is temperature documented on the Chain of Custody?	
12. Were samples received within holding time? if No. notify Project Manger	
13. Were VOA vials free of headspace?	
14. ARCOC# IF REQUIRED	
15. SDG# IF REQUIRED	
REVIEW LISTEN SA-SE	EALS ATTACHED NSA-NO SEALS ATTACHED

### CHAIN OF CUSTODY RECORD

	eneral Engineering L <sub>2</sub> '	atories, In
20	040 Savage Road	•
C	harleston, South Carolin	a 29407
P,	O. Box 30712	
C	harleston, South Carolin	a 29417
(8	303) 556-8171	

Page of	_								9	90	6 4 REQUI	18:	5	/										556-817			
Client Name/Facility Na	of in	,					SAM	IPLE A		_	_	_		e rema	iks area	to spec	fy spec	ific con	npound	s or me	thods			e For Pin U sample was			
Collected by/Company	Tech	NV	5		GRAB  # OF CONTAINERS	pH, conductivity	õ		Chloride, Fluoride, Sulfide	Nitrate	VOC - Specify Method required	LS - spedfy	qe qe	<b>3</b>	Phemol	Acid Extractables	B/N Extractables			rn - specify	ı						
SAMPLE ID	DATE	TIME	WELL	COMP	GRAB # OF C	pH, co	TOC/DOC	TOX	Chloric	Nitrite	VOC.	META	Pestilici	Herbkide	Total T	Acid E	BAN E.	PCB'e	Cyarolo	Coliform - 1 type	ナジナ			R	emar	ks	
135L BØ1 8647	6/41/99	I\$5 <b>ø</b>			2		1														ı						
35LB&1&6Q7D	6/14/99	1550	)		2	·L	1														1						
																									<del></del> -		
				†1																							
	-					<u> </u>							_												•		
			┞┼	†		<u> </u>													<del>                                     </del>								_
				+-		十					_									<b>†</b>							
***				+-	<del> </del>	$\vdash$							<b>-</b>		<u> </u>				ļ <u>-</u> -								
			+	+-		-													<del>                                     </del>								
			++	+1		$\vdash$													-		$\vdash$				-	_	
Relinquished by:		Date: 6 14 99	160	⊥_ 4′,	Rec	elved	by:						Reli	nquish	ed by:				l	L	Det	e:	Time:	Received	l by:		
Relinquished by:		Dute:	Tim		Red	zelybd	by lab	by:			6		Date	:  U\ G	Tim			arks:									

### TOTAL ORGANIC CARBON

Analytical Batch Number: 151981

Analytical Method: SW846 9060 Modified

Laboratory Number	Sample Description				
9906485-01	13SLB010607				
9906485-02	13SLB010607D				
QC622750	Blank				
QC622751	Duplicate of 9906242-03				
QC622752	Post Spike of 9906242-03				
QC622753	Laboratory Control Sample				

### Sample Preparation:

All samples were prepared in accordance with accepted procedures.

### Instrument Calibration:

The instrument used was a Dohrmann DC-80 TOC analyzer. The instrument was properly calibrated.

### Holding Time:

All samples were analyzed within the required holding time.

### Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

### Spike Analyses:

The post spike was run on the following Sample Number from another SDG.

9906242-03

All analyte recoveries in the post spike were within the required acceptance limits.

### **Laboratory Control Samples:**

All analyte recoveries in the laboratory control sample were within the required acceptance limits.

### Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

### Dilutions:

None of the samples were diluted.

### Non Conformance Reports:

There were no Nonconformance Reports associated with this batch.

The preceding narratives have been reviewed by: \[ \langle \la

### Case Narrative for KATA SDG# 96485

### TOTAL PETROLEUM HYDROCARBONS

Analytical Batch Number: 151905

Analytical Method: SW846 9071A

Laboratory Number	Sample Description	
9906485-01	13SLB010607	
9906485-02	13SLB010607D	
QC622438	Blank	
QC622439	Laboratory Control Sample	
QC622440	Matrix spike of 9906485-01	
QC622441	Duplicate of 9906485-01	
QC622442	Matrix spike of 9906694-01	
QC622443	Duplicate of 9906694-01	

### Instrument Calibration:

The instrument was properly calibrated.

### **Holding Time:**

All samples were analyzed within the required holding time.

#### Blanks:

No target analytes were detected in the method blank above the required acceptance limit.

### Spike Analyses:

The matrix spikes were run on the following Sample Numbers.

9906485-01 and 9906694-01

All analyte recoveries in the matrix spikes were within the required acceptance limits.

### **Laboratory Control Samples:**

All analyte recoveries in the laboratory control sample were within the required acceptance limits.

### Sample Duplicates:

All sample duplicate results were within the required acceptance limits.

### Dilutions:

None of the samples were diluted.

### **Non Conformance Reports:**

There were no Nonconformance Reports associated with this batch.

Client:

Katahdin Analytical

340 County Road

Westbrook, Maine 04092

Contact:

Ms. Andrea Colby

Project Description:

Former Naval Complex

cc: KATA00199

Report Date: July 01, 1999

Sample ID Lab ID

: 13SLB010607 : 9906485-01

Matrix Date Collected Date Received

: Soil : 06/14/99 : 06/14/99 : Routine

Priority Collector

: Client

D	- No No.	7.7	77.	¥1	- DE	<u> </u>		~		
Parameter Qualifier	Result	DL	RL RL	Units	Dr_	ADBI)	st Date	lime	Batch !	M
General Chemistry	•									
Total Rec. Petro. Hydrocarbons	336	110	220	mg/kg	1.0	AAT	06/24/99	0900	151905	1
Evaporative Loss @ 105 C	9.00	1.00	1.00	wt%	1.0	GJ	06/15/99	1430	151462.	. 2
Total Organic Carbon	7040	43.1	100	mg/kg	1.0	LS	06/23/99	1622	151981	3

M = Method	Method-Description	
M 1	SW846 9071A	
M 2	EPA 3550	
M 3	SW846 9060 Modified	

### Notes:

The qualifiers in this report are defined as follows:

ND indicates that the analyte was not detected at a concentration greater than the detection limit.

I indicates presence of analyte at a concentration less than the reporting limit (RL) and greater than the detection limit (DL).

U indicates that the analyte was not detected at a concentration greater than the detection limit.

Data reported in mass/mass units is reported as 'dry weight'.



indicates that a quality control analyte recovery is outside of specified acceptance criteria.

Client:

Katahdin Analytical

340 County Road

Westbrook, Maine 04092

Contact:

Ms. Andrea Colby

Project Description:

Former Naval Complex

cc: KATA00199

Report Date: July 01, 1999

Page 1 of 2

Sample ID : 13SLB010607D
Lab ID : 9906485-02
Matrix : Soil
Date Collected : 06/14/99
Date Received : 06/14/99
Priority : Routine
Collector : Client

Parameter	Qualifier	Result	DL	RL	Units	DF	Anal	yst Date	Time	Batch N	A
General Chemistry	,		<u> </u>								
Total Rec. Petro. H	lydrocarbons	276	106	212	mg/kg	1.0	ÂAT	06/24/99	0900	151905	1
Evaporative Loss (	₽ 105 C	6,00	1.00	1.00	wt%	1.0	GJ	06/15/99	1430	151462	2
Total Organic Cart	oon	4990	43.1	100	mg/kg	1.0	LS	06/23/99	1647	151981	3

M = Method	Method-Description	
M 1	SW846 9071A	
M 2	EPA 3550	
M 3	SW846 9060 Modified	

#### Notes:

The qualifiers in this report are defined as follows:

ND indicates that the analyte was not detected at a concentration greater than the detection limit.

J indicates presence of analyte at a concentration less than the reporting limit (RL) and greater than the detection limit (DL).

U indicates that the analyte was not detected at a concentration greater than the detection limit.

Data reported in mass/mass units is reported as 'dry weight'.



<sup>\*</sup> indicates that a quality control analyte recovery is outside of specified acceptance criteria.

### QC Summary Report

Project Description:

Former Naval Complex

cc: KATA00199

Lab. Sample ID: 9906485%

Report Date: July 02, 1999

Page 1 of 1

Sample/Parameter	Туре	Batch	NOM	Sample	Qual QC	Units	RPD%	REC%	Range	Analyst	Date	Time
General Chemistry	_									· · <del></del> -		
QC622438	BLANK	151905										
Total Rec. Petro. Hy	ydrocarbons				105	mg/kg				AAT	06/24/99	0900
QC622441 9906	485-01DUP	151905										
Total Rec. Petro. Hy	ydrocarbons			335	291	mg/kg	14.0					
QC622443 9906	694-01DUP	151905										
Total Rec. Petro. Hy	ydrocarbons			536	464	mg/kg	14.3					
QC622439	LCS	151905										
Total Rec. Petro. Hy	ydrocarbons		10300		7600	mg/kg		73.8	(70.0 - 1)	6.)		
QC622440 990	6485-01MS	151905										
Total Rec. Petro. Hy	ydrocarbons		12000	335	9890	mg/kg		79.8	(70.0 - 13	0.)		
QC622442 990	6694-01MS	151905										
Total Rec. Petro. Hy	ydrocarbons		18400	536	14000	mg/kg		73.4	(70.0 - 13	0.)		
QC620726	BLANK	151462										
Evaporative Loss @	105 C				0.00	wr%				GJ	06/15/99	1430
QC620724 9906	493-02DUP	151462										
Evaporative Loss @				16.0	17.0	₩ <b>τ%</b>	6.06					
QC620725 9906	485-02DUP	151462										
Evaporative Loss @	105 C			6.00	6.00	₩ <b>τ</b> %	0.00					
QC622750	BLANK	151981										
Total Organic Carb	מס				15.8	mg/kg				LS	06/23/99	1412
QC622751 9906	242-03DUP	151981										
Total Organic Carbo	o <u>a</u>			771	781	mg⁄kg	1.33			LS	06/23/99	1525
QC622753	LCS	151981										
Total Organic Carbo	02		3750		4520	mg/kg		121	(88.0 - 13	0.) LS	06/23/99	14/0
QC622752 999	0 <del>6</del> 242-03PS	151981										
Total Organic Carbo	ОП		8890	<i>7</i> 71	10200	mg/kg		107	(73.0 - 12	9.) LS	06/23/99	1534

#### Notes:

The qualifiers in this report are defined as follows:

n/a indicates that spike recovery limits do not apply when sample concentration exceeds spike cone by a factor of 4 or more

I indicates presence of analyte < RL (Report Limit)

U indicates presence of analyte < DL (Detect Limit)

### S. W. COLE ENGINEERING, INC.

### REPORT OF GRADATION ASTM C-117, C-136

Project No.

99008

Daté

06/17/1999

Project

MISCELLANEOUS

Client KATAHDIN ANALYTICAL

Sample No. 25, SILTY SAND, WP-2899-4

Sieve	<u>e Size</u>	Percent Passing	PROJECT <u>Specifications</u> %
	1/4 "	100.0	
#	4.	99.9	
#	10	99.8	
#	20	99.5	
#	40	98.6	
#	60	94.1	
#	100	37.9	
#	200	12.4	


### HYDROMETER ANALYSIS

JOB NO.99-008

BORING NO. SAMPLE NO.S-25

DIAMETER	<pre>% PASSING</pre>	READING
3.371461E-02	10.19063	12
2.407677E-02	9.36884	11
1.710801E-02	8.957847	10.5
1.255436E-02	8.546951	10
8.970572E-03	7.642961	8.899999
6.396624E-03	6.90327	8
4.573024E-03	5.917082	6.8
3.262745E-03	5.095193	5.8
2.311206E-03	4.930796	5.6
1.353151E-03	3.615812	4

# APPENDIX C TOPOGRAPHIC MAP WITH SITE LOCATION



**APPENDIX D** 

SITE BASE MAPS

